

Hortus Medicus
EDINBURGENSIS.

Fac: sibi O.R. *His Philod. St. Gosselin*
A Catalogue

Of the

PLANTS

In the

Physical Garden

AT

EDINBURGH;

CONTAINING


Their most proper Latin and English
Names; With an English Alphe-
tical INDEX.

BY

Mr. JAMES SUTHERLAND.

Intendant of the said Garden.

Edinburgh. Printed by the Heir of Andrew Anderson, and
to be sold by Mr. Henry Ferguson Sued-Merchant, at
the head of Black-Friar-Wynd, and at the Physical
Garden by the Author, Anno DOM. 1683.



Medical Dictionary
 Stephen H. H. H.
 physician, professor of medicine
 in Zealand the north
 with the addition of many
 new words and the
 of the last and
 of the last and



An Essay on Health & Long
 Life By George Cheyne
 M.D. Fellow of the College
 of Physicians at Edinburgh
 and F.R.S.

EDINBURGH,

November 22. 1683.

THe Lords of His Majesties Privy Council having heard and considered a Petition presented by Mr. *James Sutherland*, Botanist and Overseer of the Physical Garden at *Edinburgh*. Do hereby Give and Grant to Him the sole Priviledge of causing Print and Publish the Catalogue of all the Plants he hath Collected, in Latin and English, under the Name of *Hortus Medicus Edinburgensis*, and that for the space of seven years after the Date hereof; and do discharge all others to Print the same, or Import it from abroad, and sell it here during the said space, under the pain of Confiscation of the Copies to the Petitioners use, and being otherwise Punished for their Contempt as the Council shall find Cause.

Extr. by me,

PA. MENZEIS, Cls. Sti. Con.

Hortus Medicus
EDINBURGENSIS.

Fac: Sibi O.R. *John Gillespie of Glasgow*
A Catalogue

Of the

P L A N T S

In the

Physical Garden

AT

EDINBURGH;

CONTAINING

Their most proper Latin and English
Names; With an English Alphabe-
tical INDEX.

BY

Mr. JAMES SUTHERLAND.
Intendant of the said Garden.

Edinburgh. Printed by the Heir of Andrew Anderson, and
to be sold by Mr. Henry Ferguson Seed-Merchant, at
the head of Black-Friar-Wynd, and at the Physical
Garden by the Author, Anno DOM. 1683.

1731

1731

1731

1731

1731

1731

1731

Anno Domini 1731

Quia bene dicitur Deum est qui canit ad me

Quia bene dicitur Deum est qui canit ad me

Quia bene dicitur Deum est qui canit ad me

Quia bene dicitur Deum est qui canit ad me

Quia bene dicitur Deum est qui canit ad me

Quia bene dicitur Deum est qui canit ad me

Quia bene dicitur Deum est qui canit ad me

Quia bene dicitur Deum est qui canit ad me

Quia bene dicitur Deum est qui canit ad me

Quia bene dicitur Deum est qui canit ad me

Quia bene dicitur Deum est qui canit ad me

Quia bene dicitur Deum est qui canit ad me

Quia bene dicitur Deum est qui canit ad me

TO THE
Right Honourable
GEORGE DRUMMOND
OF
MILN-NAB,
Lord Provost of
EDINBURGH.

My Lord,

THE *Physical Garden* in this Place being Established and Entertained by the Munificence of this Honourable and Ancient City, it is necessary the *Catalogue* thereof, appearing now in Publick, should be Sheltered under the Protection of your auspicious Name. I come therefore in the Croud with others of all Ranks and Qualities in this City, to rejoice at your Promotion, from whom all good men may justly

The Epistle

expect all good Things; neither is this opinion founded only upon the past Experience of your Demeanour in the former Dignities and Offices of Magistracy which you have so worthily born in this City; but more especially upon the certain Knowledge which every one hath of your natural Generosity and Love to Justice, as well in the Rewarding and Encouraging of Virtue, as in the Discountenancing and Punishing of Vice; Qualities, which with your Blood you derive (as well as your Piety to God, and Loyalty to the King) from one of the Noblest Families of this Kingdom.

My Lord, I shall not here trouble you with any tedious Account of the *Garden* it Self, it will sufficiently appear to your
Lord-

Dedicatory.

Lordship, and to all the World; by this *Catalogue*, how well it is instructed; and I dare boldly say, comparing it with the *Catalogues* of other Gardens abroad, it runs up with most of them, either for Number, or Rarity of Plants: it having been my Business these seven years past, wherein I have had the Honour to serve the City as Intendant over the Garden, to use all Care and Industry by forraign Correspondence to Acquire both Seeds and Plants from *the Levant, Italy, Spain, France, Holland, England, east and west Indies*; and by many painful Journeys in all the Seasons of the year, to recover whatever this Kingdom produceth of Variety, and to cultivate and preserve all of them with all possible Diligence. And of
the

The Epistle

the truth of this, I hope these worthy Gentlemen who were named Overseers to the Garden, will bear me Witness. Neither do I need here to trouble your Lordship with a rehearſal of the Advantages that from this Deſign accrues to the whole Nation, and more eſpecially to this Place, beſides the Ornament thereof; for now it plainly appears that many of theſe *Simples* that were wanting here, and therefore yearly brought from abroad, becauſe of their Uſefulneſs in Phyſick, may now by Industry and Culture be had in plenty at home. And it is evident that the Apothecaries Apprentices could never be competently inſtructed in the Knowledge of *Simples* (which neceſſarily they ought to be) before the Eſtabliſhing of this Garden; for now they may learn more in one Summer, then formerly it was poſſible for them to do
in

Dedicatory.

in an Age. And to make the thing easier for Beginners, I have Planted in One corner of the Garden, the Dispensatory Plants in an alphabetical Order. And for those whose Curiosity and Time gives them further desire of learning *Botanie*, I have disposed the whole Plants according to the most natural and rational Method, and according to the best and latest Authors of *Botanie*, and particularly our most Learned and incomparable Countreyman Doctor *Morison*, by their *Genera* and *Species*; by means whereof, they come not only more easily to be known, but also much better retained in Memory. I have given the English Names as well as the Latin, that the Catalogue might be the more useful to all Persons; and especially those that are unskilful in the Latin. And now, My Lord, such as it is, I in all humble Duty, Dedicate and Offer it to your Lordship,
be-

The Epistle, &c.

beseeching you to look upon it with your accustomed Candor and Goodness, and vouchsafe to Countenance the Garden, and take it into your Protection, which certainly will make it flourish more and more. And here I humbly beg leave to assure your Lordship, that as I shall ever be ready in my Station to serve your Lordship and the good Town with all Fidelity; so I shall never cease to pray for the Honour and Prosperity of Both: humbly kissing your Lordships Hands, and craving leave to remain in all Duty,

My Lord,

EDINBURGH,
Octob. 10. 1683

Your Lordships most

humble and most

obedient Ser-

vant,

James Sutherland.

TO

TO THE READER.

THe Reader may easily understand what were the Reasons that obliged me to Print this Catalogue, if he take the pains to Read the Dedication to my Lord Provost of Edinburgh: But none seem'd more urgent (besides the importunities of my Friends and Schollars) then that I might thereby let the World know what Plants I could furnish to others, who are curious in this so useful a part of natural Philosophie, and what I could not; that so all who apply themselves to promote the Natural History with me, might be encouraged to assist me in so good a Design, by making Interchange of Plants, which They can spare and I want, with others which They want and I can spare. In this Catalogue I have made choice of the Latin Names given to the Plants, by the most approved Authors who Write in Latin, and of the English Names given to them by Gerard and Parkinson. The Plants used in Medecine in this Place, I have marked thus (Offic.) Such as are annual thus (Ann) And those that are Native to Scotland, or ordinarily

To the Reader, &c.

ly cultivate in the Fields, with the Letter (S)
on the Margent. I have added in the end a
large Alphabetical English Index, the first
number whereof signifies the Page, the second the
Place of that Page. The Explication of the rest
of the Abbreviations used in this Catalogue,
follows after the Latin Advertisement to the
Reader.

LEC-

LECTORI.

Quæ me præcipuè movent ad Catalogum hunc evulgandum breviter hæc sunt; tum ut Discipulorum meorum Votis obtemperem qui nonnullum exinde Fructum collecturos se existimant, tum etiam ut omnes qui se Botanicæ promovendæ ubivis addicere facilius resciscant quarum apud nos Plantarum sit penus, quarumve penuria. Universos autem harum rerum curiosos nobis tam æquos fore confidimus, ut quas Horto nostro Plantas hætenus ignotas apud se colant, eas nobis sint subministraturi, aut justo pretio, aut permutatione redemptas. Quo autem melius constaret quænam sint Plantæ quas colo, non alia quam probatissimis authoribus Latinis familiaria nomina, nec etiam alia quam a *Gerardo* aut *Parkinsono* (qui Botanicorum Anglicè scribentium etiam probatissimi sunt) usurpata adjeci.

EXPLICATIO

Nominum Abbreviatorum.

A Br. *Munting* Waare Oeffening der Plan-
ten door Abrahamus Munting.

Baptist. Ferr. descri. Joh. Baptistæ Ferrarij
descriptionis.

B P & quandoque *P B* Caspari Bauhini Pi-
nax.

B P app. Bauhinus in Pinacis appendice.

B. Prodr. Caspari Bauhini Prodrromus.

C. B. in Theatr. Casparus Bauhinus in Thea-
tro.

Boccon. Icones & Descriptiones Plantarum
a Paulo Boccone.

Cæsalpin Andreas Cæsalpinus.

Cam. Joachimi Camerarij Hortus Medicus.

Clus. Caroli Clusij Historia rariorum Plan-
tarum.

Col. Fabius Columna.

Cornut. Jacobus Cornutus de plantis Cana-
densibus.

Dod. Dodonæi Pemptades.

Dod. descr. Dodonæi descriptionis.

Fuchs. Fuchsj Historia.

Ger: Joh. Gerardus emaculatus a Johnso-
no. *Gerards Herbal corrected by Johnson.*

Ger. in app. Joh: Gerardus in appendice *Ge-
rardin his Appendix.*

Gesi.

3 *Gesn. Gesneri Historia Plantarum.*

Gesn. col. Gesnerus de stirpium collectione.

Gesn. hort Gesnerus de Hortis Germaniae.

Hist. Lugd. vel Eugd. Historia Lugdunensis.

Hist. Oxon. Plantarum Historiæ Universalis
Oxonienſis Pars ſecunda. D. Morisoni

Hort. Eyst. Hortus Eystetenſis.

Hort. Farnes. Hortus Farnesianus.

Hort. Reg. Bles. Hortus Regius Blesensis
auctus D. Morisoni.

I B. Johannis Bauhini Plantarum Historia
Universalis.

J. Raij Catalogus Plantarum Angliæ & In-
ſularum adjacentium Operâ Johannis Raij.

Joh. Rea Flor. Flora ſev De Florum Cul-
tura by John Rea.

Lob. Lobelius in Observationibus.

Lob Adv. vel Adv. *Lob. Ivel Adv.* Adverſa-
ria Penæ & Lobelij.

D. Magnol. Botanicum Monſpelienſe, ſive
Plantarum circa Monſpelium naſcentium In-
dex, Authore Petro Magnol.

Matth. & Matth. ed. Bank. Matthiolus edi-
tionis Bauhini.

D. Morison Sect. de Plant. Umbellif. Planta-
rum Umbelliferarum Distributio nova D. Mo-
risoni.

Offic. Officinarum, Ivel Planta Officinalis.

Park.

Park. Theatrum Botanicum. *The Theatre of Plants by John Parkinson.*

Park. app. Theatro Botanico appendix. *An Appendix to the Theatre of Plants by John Parkinson.*

Park. descript. Descriptionis Parkinsoni. *A Plant described by Parkinson.*

Park. Parad. Parkinsoni Paradisus. *John Parkinson his Garden of Flowers.*

P. Br. Phytologia Britannica.

Prosp. Alp. Egypt. Prosper Alpinus de Plantis Egypti.

Prosp. Alp. de Exot. Prosper Alpinus de Exoticis.

Spigel. isagog. Spigelij Ilagoge in rem herbariam.

Stapel. in Theophr. Stapelius in Theophrastum.

Swert. Swertij Florilegium.

Tab. Jacobus Theodorus Tabernamontanus.

Thal. Johannis Thalij Sylva Harcinia.

Trag. Hieronymi Tragi Historia.


Vessingij Obs. in Prosp. Alpin. Vessingij Observationes in Prosperum Alpinum.

Zanon. Istoria Botanica di Giacomo Zanoni.

Ann. in fine, Plantam denotat Annuam.

S. Litera in Margine posita indicat Plantas illas quibus præfigitur aut Scotiæ Indigenas esse, aut in Agris passim cultas.

Abies



A.

S. **A**BIES alba five foemina B. P.
foemina, five Ελάτη Σικκία. I. B.
Abies. Ger: *Park: The Firre-*
tree. Offic.

ABROTANUM mas angustifolium
majus B. P. mas vulgare *Park: vulga-*
re I. B. mas Ger: Common Southern-
wood. Offic.

Abrotanum mas angustifolium ma-
ximum B. P. magnum camphoratum,
quibusdam Incentaria, *Cam: majus*
Park: Great Southernwood.

Abrotanum foemina foliis teretibus
B. P. foemina *Ger: foemina vulgare*
Park: Chamæcyparissus I. B. Laven-
der Cotton. Offic:

Abrotanum foemina foliis Ericæ B. P.
Park: Chamæcyparissus unguentaria
I. B. Fine Lavender Cotton, with Heath
leaves.

Abrotanum foemina foliis Rorisma-

B

rini

rini majus *B. P. Park: Rosemary leaved
Lavender. Cotton.*

Abrotanum campestre *B. P. Ger:
Park: Artemisia tenuifolia five lep-
tophyllus aliis Abrotanum silvestre
I. B. Wilde Southernwood.*

S. ABSINTHIUM. Ponticum seu Ro-
manum Officinarum seu Dioscoridis
*B. P. vulgare Park: vulgare majus I. B:
latifolium five Ponticum Ger: Common
Wormwood. Offic:*

Absinthium insipidum *I. B. insipi-
dum Absinthio vulgari simile B. P.
inodorum Ger: Park: Unsavory Worm-
wood.*

Absinthium Ponticum tenuifolium
incanum *B. P. Ponticum vulgare folio
inferius albo I. B. Ponticum Galeni
Ger: Ponticum five Romanum Park:
Romane Wormwood. Offic:*

S. Absinthium Seriphium Belgicum *B. P:
I. B. marinum album Ger: Seriphium
five marinum album Park: English
sea Wormwood. Offic.*

Absinthium Ponticum tenuifolium
Au-

Austriacum B. P. Austriacum tenuifolium I. B. tenuifolium Austriacum
Ger : Park: Fine leaved Wormwood of Austria.

Abfinthium maritimum Lavendulæ folio B. P. *Park: maritimum latifolium five Matthioli I. B. Artemisia marina Ger : Lavender leaved sea Wormwood : or sea Mugwort.*

Abfinthium umbelliferum latifolium B. P. album *Ger : album five umbelliferum Park : albis floribus capitulis squarrosis I. B. White tufted Wormwood.*

Acacia Americana Robini Cornut: Pseudo-acacia Americana Robini *Park: Robinus , his false Acacia of America.*

Acacia foliis Scorpioidis leguminosæ B. P. Dioscoridis *Ger : vera I. B. vera five Spina Ægyptiaca Park : Ægyptiaca Hist: Lugd : The Ægyptian thorn : or Binding bean tree. Offic :*

Acacia trifolia B. P. altera trifolia *Ger : secunda five altera Dioscoridis*

Park: Aspalathus secunda trifolia, quæ
Acacia secunda *Matthiolo* trifolia.
I. B. The true second *Acacia* of *Diosco-*
rides.

S *ACANTHIUM*. vulgare *Park*: al-
 bum *Ger*: Spina alba tomentosa lati-
 folia silvestris *B. P.* alba silvestris
Fuchfio *I. B.* Common Cotton thistle.
Ann:

Acanthium Illyricum *Park*: Illyri-
 cum purpureum *Ger*: Spina tomento-
 sa altera spinosior *B. P.* Carduus qui-
 busdam dictus *Acanthium* Illyricum
 aliis *Onopordon* *I. B.* The greatest
 Cotton thistle: or Cotton thistle of *Illyria*.
Ann:

Acanthium ex Alepo caule alato
 flore magno cæruleo *Cinaræ* instar
 welshed Cotton thistle of *Alepo* with great
 flowers like an *Artichock*. *Ann*.

ACANTHUS sativus vel mollis *Virgi-*
lij *B. P.* sativus *Ger*: *Park*: Carduus
Acanthus sive *Branca ursina* *I. B.* *Branke*
ursine: or *Bears breech*. *Offic*:

Acanthus aculeatus *B. P.* silvestris
Park:

Park: silvestris aculeatus *Ger:* **Carduus** Acanthus sive Branca ursina spinosa *I. B.* *Prickly Bears breech.*

ACARNA flore purpuro-rubente patulo *B. P.* *Park:* Acanthoides parva *Apula Col:* *Fish thistle with broad reddish flowers. Ann.*

Acarna major caule folioso *B. P.* *Park:* Acarnæ similis flore purpureo **Chamæleon** Salmanticensis *Clusio I. B.* *Clusius*, his *Chamæleon thistle of Salamanca. Ann:*

S. **ACER** majus *Ger:* majus latifolium, Sycomorus falso dictum *Park:* majus, multis falso **Platanus** *I. B.* montanum candidum *B. P.* *The great Maple, commonly, yet falsely the Sycomore and plain tree.*

Acer majus foliis eleganter variegatis, *The great Maple with fine striped leaves.*

Acer montanum tenuissimis & acutis foliis, *B. P.* **Aceris** majoris varietas altera *I. B.* *The great Maple with sharp pointed and small cut leaves.*

Acer campestre & minus *B. P.* minus *Ger* : minus & vulgare *Park* : vulgare minori folio , *I. B.* *The lesser Maple.*

S *Acetosa* pratensis, *B. P.* vulgaris *Park* : *Oxalis* vulgaris folio longo *I. B.* *Oxalis* five *Acetosa*, *Ger* : *Common Sorrel.* *Offic* :

Acetosa montana maxima *B. P.* maxima Germanica *Park* . maxima Broczenburgensis *Thal* : *Oxalis* maxima silvatica *I. B.* *Great German Sorrel.*

Acetosa Moschovitica sterilis . *Hist* : *Oxon* : *Barren Sorrel of Moscovie, commonly called lazie Sorrel.*

Acetosa Americana foliis longissimis pediculis donatis, *Hist* : *Oxon* : *B. P.* vesicaria Americana *Park* . vesicaria peregrina, *Hort* : *Eyst* : *Indian Sorrel with swollen husks.* *Ann* :

Acetosa vesicaria Tingitana perennis repens, foliis longis sinuatis *Hist* : *Oxon* : perennis Tingitana major dentata : *Zanon* : *Great creeping bladder bearing Sorrel of Tangiers with dented leaves.* *Aceto-*

Acetosa Ocymi facie Neapolitana;
B. P. Hist: Oxon: Neapolitana Ocymi-
folia Park: Ocymi facie Neapolitana
Βικσπαλινβρα Col: Strange Sorrel of Naples
with seed vessels representing an Ox head.
Ann.

- S. Acetosa arvensis lanceolata *Hist: Oxon:*
B. P. minor lanceolata Park: Oxalis
tenuifolia Ger: parva auriculata repens
I. B. Sheeps Sorrel.

Acetosa rotundifolia Franca sive
 Romana *Hist: Oxon: rotundifolia*
hortensis B. P. Oxalis Franca seu Ro-
mana Ger: sativa Franca sive Romana
rotundifolia Park: folio rotundiore
repens, I. B. French or round leaved Sor-
rel. Offic:

- S. Acetosa rotundifolia repens Ebo-
 racensis, folio in medio deliquium
 patiente, *Hist: Oxon: Round leaved*
creeping Yorkshyre; and also Scots
Sorrel.

ACONITUM unifolium luteum bul-
 bosum, *B. P. hiemale Ger: Park:*
hiemale Belgarum Lob: Ranunculus

cum flore in medio folio; radice tuberola *I. B. Winter Aconite: or Wolves bane.*

... Aconitum lycoctonum luteum *B. P. luteum Ponticum serotinum Park. luteum Ponticum Ger: folio Platani flore luteo palleſcente I. B. Great yellow Wolves bane.*

... Aconitum cæruleum ſive Napellus, primus *B. P. magnum purpureo flore vulgo Napellus I. B. Napellus verus flore cæruleo Park. Napellus verus cæruleus Ger: Great blew Monks-hood, or Helmet-flower.*

... Aconitum ſive Napellus flore variegato, *Hort: Eyst: Party coloured Monks-hood.*

... Aconitum ſalutiferum ſive Anthora *B. P. Antithora flore luteo Aconiti I. B. Anthora. Park: Anthora ſive Aconitum ſalutiferum Ger: The wholeſome Helmet-flower. Offic.*

... Aconitum racemoſum, an Actæa *Plinij lib: 27: cap: 27: B. P. racemoſum, Actæa quibuſdam I. B. Chriſtophorianna*

phoriana, *Ger: vulgaris Park: vulgaris nostras racemosa & ramosa Hist: Oxon: Herb Christopher; or Berrybearing Aconite.*

ACORUS verus, five *Calamus Aromaticus Officinarum*, *B. P.* verus five *Calamus Officinarum*, *Park: verus*, officinis falso *Calamus Ger: Calamus Aromaticus vulgaris*, multis *Acorus: I. B. sweet smelling Flagg. Offic:*

S: *ADIANTHUM. ἀνόςτιχον* seu furcatum *Thalij Filix saxatilis Tragi, I. B. Park: saxatilis corniculata, B. P. Muscus corniculatus, Tab: Ger: Horned Maiden hair.*

S. *Adiantum album, Tab: Ruta muraria, B. P. I. B. Ger: muraria five Salvia vitæ, Park: Wall-rue. offic:*

S. *Adiantum album folio filicis, I. B. album Plinij Lob: Dryopteris alba Dodonæi Ger: alba: Park: Filicula fontana major five Adiantum album filicis folio B. P. White-stone fern, or Maiden-hair.*

S. *Adiantum nigrum officinarum, I. B. ni-*

nigrum vulgare *Park:* foliis longioribus pulverulentis pediculis nigris, *B. P.* *Onopteris mas, Ger: Common black Maiden hair. Offic:*

S. *Adiantum aureum majus, Ger: Polytrichum aureum majus, B. P. Park: Polytrichum Apuleij majus quibusdam I. B. Great golden Maiden hair, or Goldilocks. Offic:*

S. *Adiantum aureum minus, Tab: Polytrichum aureum minus, B. P. Park: Polytrichum Apuleij minus quibusdam, I. B. Muscus capillaris five Adiantum aureum minus, Ger: Little Goldilocks, or Golden Maiden hair.*

S. *Adiantum aureum humilius foliis latis subrotundis, I. Raij Dwarf broad leaved Goldilocks, or Golden Maiden hair.*

Adonis silvestris flore phæniceo ejusq; foliis longioribus B. P. Flos Adonis Park: Flos Adonis flore rubro, Ger: Flos Adonis vulgo alijs Eranthemum I. B. Adonis Flower. Ann:

Ægilops Narbonensis Lob: Festuca

ca five *Ægilops Narbonensis Park:*
Festuca Italica Ger : *Festuca altera ca-*
pitulis duris B. P. French Haver-grass.
Ann :

ÆTHIOPIS Ger : *Æthiopis multis*
I. B. foliis sinuosis B. P. Sclarea Æthi-
opica, five Æthiopis foliis laciniatis
Park: Jagged Ethiopian Clary Ann :

AGERATUM. foliis ferratis F. P. vul-
gare five Costus hortorum minor Park:
Ageratum plerisque, Herba Julia qui-
budam I. B. Balsamita foemina five A-
geratum Ger : Sweet Maudlin commonly
Apothecaries shope. Offic :

ALATERNUS prima Clus : major seu
prior Park: Philyca elatior B. P. Spi-
na burgi Monspeliensium I. B. Ever-
green Privet.

S. *ALCÆA vulgaris I. B. vulgaris ma-*
jor B. P. vulgaris five Malva verben-
cea Park: Malva verbenacea Ger : Ver-
vain-mallow. Offic :

Alcæa vulgaris flore albo White flow-
red Vervain-mallow.

Alcæa vulgaris seminum involucris
hir

*hirsutis Vervain-mallow with rough
bushs.*

Alcea frutex Syriaca Hist: Oxon:
arborescens Syriaca B. P. Althæa frutex
secunda Clus Althæa frutex flore albo
vel purpureo Park: Parad: Shrub Mal-
low with white or purple flowers.

Alcea vesicaria B. P. vesicaria five
Veneta Park: peregrina Ger: Althæa
vesicaria Veneta Hist: Oxon: Venice
mallow or Good night at noon. Ann:
Alcea vesicaria capitis Bonæ spei Hort:
Reg: Bles: Althæa vesicaria Indica seu
capitis Bonæ spei semine minore Hist:
Oxon: A kind of the Venice-mallow from
the Cape of good hope. Ann:

Alcea Ægyptiaca villosa B. P. Al-
cea Ægyptia Ger: Ægyptiaca vulgaris
Park: Bamia I. B. Bamia moschata
Vestlingij Obs: in Prosp: Alpen: Al-
thæa Ægyptia moschata Abelmosch di-
cta Hist: Oxon: Egyptian mallow. Ann.

Alcea hirsuta B. P. villosa I. B. vil-
losa seu hirsuta Hist: Oxon: minor vil-
losa Park: Small hairie rough Vervain
mallow. Ann: Al-

Alcea major flore dilute purpureo
Great Vervaine mallow with pale purple
flowres.

S. *ALCHIMILLA* Ger: vulgaris B. P.
major vulgaris Park: perennis viridis
major foliis ex luteo virentibus Hist:
Oxon: *Pes leonis* sive *Alchimilla* l. B.
Ladies mantle. Offic:

S. *Alchimilla perennis incana*, argen-
tea seu sericea satinum provocans Hist:
Oxon: *Alchimilla* genus alterum *Casal-*
pin: *Tormentilla argentea* Park: *Tor-*
mentilla Alpina folio sericeo B. P. *Pen-*
taphyllum petrosum Ger: *Pentaphyl-*
lum seu potius *heptaphyllum* argente-
um flore muscoso l. B. *Silver-leaved Tor-*
mentill or rather *Satine-leaved Cinque-*
foil-Ladies mantle.

S. *Alchimilla annua minima hirsuta* fo-
liis inferne albicantibus Hist: Oxon: mi-
nima montana Col: *Percepier* Anglo-
rum quibusdam l. B. *Polygonum Seli-*
noides Park: *Chærophyllon* nonnihil simi-
lis B. P. *Parshy-piert*, or *Parshy-break-*
stone. Offic: Ann:

Alli-

S. *ALLIARIA* B. P. 1. B. Ger: *Park*:
Hesperis sepiaria Allium redolens Hist:
Oxon: *Sauce-alone*: or *Jack by the*
bedge. Offic: *Ann*:

ALLIUM sativum B. P. sativum seu
 vulgare *Hist*: *Oxon*: vulgare & sativum
 2. B. *Allium* Ger: *Park*: *Common gar-*
den Garlick. Offic:

Allium sativum alterum five *Allio-*
prassum caulis summo circumvoluto B.
 P. *Hist*: *Oxon*: *Ophioscordon* Ger:
Allii genus *Ophioscordon* dictum qui-
 busdam 1. B. *Scorodoprassum* alterum
 convolutum capite *Park*: *Vipers Gar-*
lick.

Allium maximum multis porraceis foliis
 latioribus sphaericeo capite ex floribus
 albis conflato *Hist*: *Oxon*: *Allio-porrum*
 five *scorodoprassum* B. P. *Scorodo-*
prassum 1. B. Ger: *Park*: *Great Turkey*
Garlick:

S. *Allium* latifolium palustre *Hist*: *Oxon*:
 silvestre latifolium B. P. *urfinum* Ger:
Park: *urfinum bifolium venum silva-*
ticum 1. B. *Ramsons.*

Allium

- S. *Allium campestre juncifolium capitatum purpurascens majus* B. P. *silvestre*
Ger: Park: Crow-garlick.

*Allium montanum bicornne an Ampe-
 loprasum I: Ratj Mountain Garlick,
 and perhaps Vine-leek.*

Allium montanum bicornne angustifolium flore purpurascente B. P. *Hist. Oxon. silvestre bicornne purpureum proliferum* I. B. *Moly montanum secundum Clusij Ger. montanum Pannonicum bulbiferum secundum Park. parad The second mountain Moly.*

- S. *ALNUS Ger: vulgaris* Park. I. B. *rotundifolia glutinosa viridis* B. P. *Common Alder, or Aller.*

Alnus nigra baccifera B. P. I. B. *nigra sive Frangula Ger: Frangula sive*
Alnus nigra baccifera Park: The black Alder. Offic.

- S. *Alni effigie lanato folio major* B. P. *Aria Theophrasti Ger. Sorbus Alpina*
I. B. Sorbus silvestris, Aria Theophrasti dicta Park. *The White-beam tree.*

*ALOE folio in oblongum aculeum abe-
 nute*

unte **B. P.** *Hist.* *Oxon.* folio mucronato
Ger. *Americana Park.* *Americana* murica-
 cata *I. B.* *Herb Aloes of America.*

S. *ALSINA* altissima nemorum *Hist.*
Oxon. **B. P.** major *Ger.* *Park.* major
 repens perennis *I. B.* *Great Chick-*
weed

S. *Alfina media* **B. P.** *Hist.* *Oxon.* mi-
 nor five media *Ger.* *Park.* vulgaris five
Morsus gallinae I. B. *Common Chick-*
weed. Offic. Ann.

S. *Alfina longifolia* uliginosis locis prove-
 niens *I. B.* *Long-leaved water Chick-*
weed.

S. *Alfinae Plantaginis* folio *I. B.* *Plantain*
leaved-Chickweed.

S. *Alfina arvensis* hirsuta magno flore **B. P.**
 major foliis subrotundis dilute viren-
 tibus *Hist.* *Oxon.* *Auricula muris* quo-
 rundum parvo flore vasculo tenui longo
I. B. *Moufear Chickweed. Ann.*

S. *Alfina hirsuta* altera viscosa **B. P.** spu-
 ria quarta *Dod.* *Broader leaved Mouf-*
ear Chickweed. Ann.

S. *Alfina palustris* minor folio oblongo
B.

B. P. rotundifolia, five *Portulaca aquatica* Ger: *aquatica minor* folio oblongo, five *Portulaca aquatica* Park: *Water Purslane*.

- S. *Alfine palustris* *Portulacæ aquaticæ* similis, *I: Raij: Alfine aquaticæ* surrectiori *I: B: similis*, si non eadem. *An: Alfine palustris minor serpyllifolia: Ger: Park: Small water Chickweed, by some called Blinks.*
- S. *Alfine minor multicaulis B: P: Hist: Oxon: minima, I: B: Ger: Dod: Fine Chickweed. Ann:*
- S. *Alfine Spergula dicta major, B: P: Hist: Oxon: Spergula I: B: Saginæ spergula Ger: Saginæ spergula major, Park: Spurrey. Ann:*
- S. *Alfine Spergulæ facie minor sive Spergula minor flore subcæruleo, B: P: Hist: Oxon: Spergula purpurea, I: B: alfineformis Ger: Saginæ spergula minima, Park: Purple Chickweed-spurrey. Ann:*
- S. *Alfine spergulæ facie media B: P: Alfine Spergula major maritima perennis*
C *flore*

flore violaceo *Hist: Oxon: Spergula marina nostras, I. B. marina Dalechampi Ger: Sea Spurrey.*

Alfine baccifera Ger: scandens baccifera B. P. repens baccifera Park: Cucubulum quibusdam, vel Alfine baccifera I. B. Recentiorum planta, Alfines facie, baccis Solani, Lob: Hist: Oxon: Berry-bearing Chickweed.

S. *Alfine Hederulæ folio B: P: Hederulæ folio minor Park: Hederacea Ger: Alfines genus Fuchsis folio Hederulæ hirsuto I. B. Veronica Hederulæ folio Hist: Oxon: Ivy-leaved Chickweed. Ann.*

S. *Alfine foliis Triflaginis Ger: Park: chamædrifolia flosculis pediculis oblongis insidentibus B. P. Alfine serrato folio glabro I. B. Veronica flosculis oblongis pediculis insidentibus Chamædryos folio Hist: Oxon: Germander Chickweed. Ann:*

S. *Alfine Veronicæ foliis flosculis cauliculis adhærentibus B. P. foliis Veronicæ Ger: foliis subrotundis Veronicæ Park: serrato folio hirsutiore, floribus &*

& loculis cauliculis adhærentibus, *I. B.*
 Veronica flosculis cauliculis adhærenti-
 bus *Hist: Oxon: Speedwell-Chickweed.*
Ann:

Alfine affinis; Androsace dicta major
B. P. Androsace Matthioli altera *I. B.*
 Androsace altera major Matthioli *Park:*
 spuria annua *Ger: One summers Navel-*
wort. Ann:

Althæa Dioscoridis & Plinii *B. P.*
 vulgaris *Park:* Althæa sive Bismal-
 va *I. B.* Althæa Ibiscus *Ger: Mal-*
va silvestris vel palustris aut Ibiscus,
Hist: Oxon: Common Marsh-mallow.
Offic.

Althæa folio rotundiori, sive minus
 acuminato, *Round leaved Marsh-mal-*
low.

Althæa frutescens folio acuto par-
 vo flore *B. P.* arborecens provincialis
Park: arborea *Olbia, Lob: Malva fru-*
tescens folio acuto auriculato Hederae
instar, Hist: Oxon:

Althæa Theophrasti flore luteo *B. P.*
 lutea sive Abutilon Avicennæ putrum.

Park: lutea *Ger:* Theophrasti flore luteo, quibusdam Abutilon *I: B:* flore luteo *Hist:* *Oxon:* Abutilon Avicennæ *Hort:* *Eyst:* Yellow Marshmallow. *Ann:*

ALYSSON verticillatum foliis profunde incisus *B: P:* Alyssum Galeni *Ger:* Alyssum Galeni Clusio *Park:* Galen his Madwort. *Ann:*

AMARANTHUS maximus *B: P:* purpureus major panniculis sparsis *Park:* *parad:* panniculis propendentibus semine albo seu Quinua *Hist:* *Oxon:* Blitum maximum sive Amaranthus major semine albo *I: B:* Great Floumour, or purple Flower-gentle. *Ann:*

Amaranthus panniculis propendentibus semine rubro, flore serotino elegantis coccinei coloris *Hist:* *Oxon:* Great Scarlet Flower-gentle, with red seed. *Ann:*

Amaranthus simplici spica *B: P:* major panniculis surrectis coccineis *Hist:* *Oxon:* coccineus *Ger:* Scarlet Flower-gentle, with upright spikes. *Ann:*

Amaranthus major panniculis surrectis

ctis rubris, *Hist: Oxon: Red Flower-gentle, with upright pannicles. Ann:*

Amaranthus major panniculis erectis viridibus, *Hist: Oxon: Green Flower-gentle, with upright pannicles. Ann:*

Amaranthus minor panniculis surrectis luteis, luteo pallidis aut stramineis, spicatis, glomeratis & cristatis, *Hist: Oxon: pannicula incurvâ B: P: holosericus, Lob: cristatus Cam: Lesser Flower-gentle, with spiked, round and crested pannicles. Ann:*

Amaranthus flore variegato *B: P: tricolor Park: parad: Ger: foliis variegatis seu tricoloribus seu foliis varie coloratis Psittaci plumas referentibus, Hist: Oxon: Symphonia Dalechampsio sive Amaranthus tricolor I: B: Variable Flower-gentle. Ann:*

S. AMBROSIA campestris repens *B: P: Coronopus Ruellij Ger: Coronopus recta vel repens Ruellij Park: Coronopus Ruellij sive Nasturtium verrucosum I: B: verrucosum, capsula bivalvi aspera seu hirsuta, Hist: Oxon: Swines cresses. Ann:*

AMMI majus *B. P.* vulgare *Ger.* vulgatus *Park.* vulgare majus, latioribus foliis, semine minus odorato *I. B. Common Bishops-weed. Ann.*

AMMI alterum semine Apij *B. P.* Ammi Creticum *Park.* Creticum aromaticum *Lob.* Bishops-weed of Candy. *Offic. Ann.*

AMYGDALUS *Ger. Park.* fativa *B. P.* dulcis & amara *I. B.* The Almond tree. *Offic.*

Amygdalus pumila *Hort. Reg. Bles.* The dwarfse Almond.

S. ANAGALLIS flore phœniceo *B. P.* *Hist. Oxon. Park.* mas *Ger.* phœnicea mas *I. B.* Male Pimpernell. *Offic. Ann.*

Annagallis flore cæruleo *B. P.* *Hist. Oxon. Park.* foemina *Ger.* cærulea foemina *I. B.* Female Pimpernell. *Offic. Ann.*

Anagallis foemina flore albo, Female Pimpernell with white flowers. *Ann.*

Anagallis foemina flore ferrugineo, Female Pimpernell with iron coloured flowers. *Ann.*

S. Anagallis lutea nemorum *B. P.* *Hist. Oxon.*

Oxon: lutea Nummulariæ foliis *I. B.*
lutea Ger: flore luteo *Park*: Yellow
Pimpernell.

- S.** *Anagallis aquatica major folio oblongo B. P.* aquatica flore cæruleo folio oblongo major *I. B.* aquatica major, *Ger*: aquatica folio oblongo crenato, *Park*: *Veronica aquatica major folio oblongo Hist*: *Oxon*: *The greater long leaved Brooklime.*

- S.** *Anagallis aquatica minor folio subrotundo, B. P.* aquatica flore cæruleo folio rotundiore *I. B.* aquatica vulgaris, five *Becabunga Park*. *Anagallis five Becabunga, Ger*: *Veronica aquatica minor folio subrotundo Hist*: *Oxon*: *Common Brooklime, falsly called Water Purpy. Offic*:

- S.** *Anagallis aquatica rotundifolia Ger*: aquatica folio rotundo non crenato *B. P.* aquatica tertia *Lobelij folio subrotundo non crenato Park*: *Samolus Valerandi I. B.* *Veronica aquatica folio subrotundo non crenato Hist. Oxon*: *Round leaved water Pimpernell.*

S. *Anagallis aquatica angustifolia* I: **B:** *aquatica angustifolia scutellata* **B:** **P:** *Veronica angustifolia aquatica minor* **Polygoni instar** *Hist: Oxon: Narrow leaved Brooklime.*

ANAGYRIS foetida **B:** **P:** *Park: Ger vera foetida* I: **B:** *Stinking Bean-treefoil.*

Anagyris Ger: non foetida major vel Alpina **B:** **P:** *non foetida sive Laburnum majus* **Park:** *Laburnum, arbor trifolia, Anagyridi similis* I: **B:** *Bean-treefoil, or the Peascod tree.*

Anagyris non foetens minor **B:** **P:** *Laburnum minus, Park: The lesser Bean-treefoil.*

ANCHUSA angustifolia **B:** **P:** *lignosior angustifolia* **Park:** *minor lignosior,* I: **B:** *Woodie Alkanet.*

Anchusa lutea I: **B:** *Ger: major floribus luteis* **B:** **P:** *lutea major* **Park:** *The greater yellow Alkanet. Offic.*

Anchusa puniceis floribus **B:** **P:** *Anchusa Monspeliaca,* I: **B:** *Anchusa Alciadiadion, Ger: minor purpurea, Park: Small Alkanet with purple flowers.*

Anchusa altera procumbens flore atropurpureo *Park: Small bowing Alkanet, with dark purple flowers. Ann:*

- S. **Anchusa degener facie Milij Solis** *Ger. Lithospermum arvense radice rubrâ B. P. arvense radice rubente Park: nigrum flore albo, semine Echij. I. B. Bastard Alkanet, or bastard Gromill. Ann:*

ANDROSÆMUM maximum frutescens *B. P. maximum (quasi frutescens) bacciferum Hist: Oxon: vulgare Park: Siciliana, aliis Cæciliana & Androsæmum I. B. Clymenum Italarum Ger: Tutsan, or Parkleaves.*

- S. **Androsæmum Campoclarense** *Col: bifolium glabrum perfoliatum non perforatum Hist: Oxon: Androsæmum Matthioli Park: Ascyrum sive Hypericum glabrum bifolium non perforatum B. P. Hypericum elegantissimum non ramulosum folio lato I. B. Matthiolus His Tutsan, or Elegant St. John's-woert, not perforate.*

Androsæmum alterum **Apulum** *Col.*
 perfoliatum & perforatum *B. P. Hist: Oxon:*
 alterum **Apulum** *Park: Tutsan*
of Naples.

S. **Androsæmum** alterum hirsutum *Col.*
 hirsutum *B. P.* **Androsæmum** **Afscyrum** di-
 ctum caule rotundo hirsuto *Hist: Oxon:*
Hairy Tutsan.

Androsæmum foetidum *Park:* foeti-
 dum capitulis longissimis filamentis do-
 natis *B. P. Hist. Oxon.* Ruta hyperi-
 coides quibusdam, Sicilianæ affinis sive
Tragium I. B. Stinking Tutsan.

ANEMONE latifolia & tenuifolia
 flore simplici, & pleno variarum spe-
 cierum & colorum, *Broad and narrow*
leaved Anemonies, with single and
 double flowers of several kinds and co-
 lours.

Anemone sylvestris alba major *B. P.*
Hist: Oxon. magna, alba plurima par-
 te anni florens, *I. B.* sylvestris latifo-
 lia alba sive tertia *Matthioli Park:*
parad: Anemone Matthioli Ger: Mat-
thiolus,

shiolus his white flowered wild Anemone.

Anemone trifolia Dod. *Ger* : *Hist.*
Oxon. *sylvestris trifolia Dodonæi Park* :
parad trifolia flore albo I. B. *The three*
leaved wilde Wind-flower.

S : *Anemone nemorum Ger* : *nemorosa*
flore majore B. P. *Ranunculus nemo-*
rosus albus simplex Park : *nemorosus*
flore majore Hist. Oxon. *Ranunculus*
Phragmites albus vernus I. B. *White*
flowered wood Anemone.

Anemone nemorum flore carneo
Blush flower: d wood Anemone.

ANETHUM I. B. *Ger* : *hortense B. P.*
hortense sive vulgare Park : *Dill. Offic.*
Ann :

ANGELICA sativa B. P. I. B. *Ger* :
Park : *Garden Angelica. Offic Ann* :

Angelica sylvestris Ger : *Park* : *ma-*
ior sylvestris B. P. *sylvestris mag-*
na vulgatio I. B. *Wilde Angelica.*
Ann :

Angelica sylvestris montana B. P.
Archangelica, I. B. Ger: Park: Great
wild Angelica. Ann.

Angelica lucida Canadensis Cornut :
Panax alterum Americanum splenden-
te folio, Lasepitium creditum quibus-
dam Park: Shining Angelica of Canada.
Ann.

S. Angelica sylvestris minor sive erra-
tica B. P. sylvestris repens, I. B. Her-
ba Gerardi Ger: Podagraria vulgaris
Park: Herbe Gerard, Goutwoort, or Ash-
weed.

ANISUM Ger: Park: I. B. Anisum
herbariis B. P. Anise. Offic: Ann:

S. ANONIS spinis carens purpurea B.
P. non spinosa purpurea Ger: non
spinosa flore purpureo I. B. Park: non
spinosa repens Hist: Oxon: Purple Rest-
harrow without prickles. Offic:

S. Anonis non spinosa flore albo,
White flowered Restharrow without
prickles.

S. Anonis spinosa flore purpureo B: P:
Park: Anonis, sive Resta bovis Ger:
Ano-

Anonis, five **Resta bovis** vulgò, purpurea & alba spinosa **I. B.** vulgaris spinosa, flore purpureo filiquis erectis lentiformibus, *Hist: Oxon: Prickly Restharrow, or Cammock.*

Anonis annua ramosa foliis rotundis ferratis *Annual branched Restharrow with round snipped leaves. Ann:*

Anonis viscosa spinis carens lutea major, **B: P:** lutea perennis major, **Natrix** dicta, *Hist: Oxon: lutea non spinosa, Dalechamptio Natrix, I: B: Natrix Plinij, five Anonis non spinosa lutea major, Park: The greater yellow gentle Restharrow.*

Anonis lutea annua recta, hirsuta, viscosa, filiquis hirsutis brevioribus *Hist: Oxon: Yellow annual Upright, rough, clammy Restharrow, with short rough coddls. Ann:*

Anonis purpurea perennis foliis latioribus, rotundioribus, profundè ferratis, *Hist: Oxon: Cicer sylvestre triphyllum, B. P. Park: sylvestre*

stre latifolium Ger : sylvestre multifo-
lium, radice crassa, & folliculis brevi-
bus, ventricosus, hirsutis I. B. Three
leaved wild Cicers.

Anonis purpurea verna seu præ-
cox, perennis, frutescens, flore ru-
bro amplo Hist. Oxon. Cicer sylve-
stre alterum triphyllum Park : ar-
boreum Indicum perenne Zanon :
Great red flowered shrubbie Rest-har-
row.

ANTHYLLIS maritima lentifolia
B. P. lentifolia Peplios effigie mari-
tima I. B. lentifolia five Alfine cru-
ciata marina Ger : Sea Pimper-
nell.

ANTIRRHINUM majus longiore fo-
lio Hist : Oxon : majus alterum lon-
giore folio, B : P : vulgare I. B.
purpureum Ger : Purple Snapdragon.
Ann.

Antirrhinum majus flore albo, White-
flowered Snapdragon. Ann:

Antirrhinum majus flore carneo Flesh-
coloured Snapdragon. Ann:

Antirrhinum arvense majus B. P.
 fylvestre medium Park: minus Ger:
 arvense minus Hist: Oxon: angu-
 stifolium fylvestre L. B. The great-
 er wilde Snapdragon, or Calves-foot.
 Ann.

Antirrhinum arvense minus *B. P.*
 minimum *1. B.* minimum repens *Ger:*
 sylvestre minimum *Park:* Linaria mi-
 nima foliis hirsutis floribus obsoleti
 fusci coloris, *Hist:* Oxon: *The smal-*
lest wild Snapdragon, or Calves-foot.
Ann.

S. **APARINE** 1. B. Ger: vulgare B.
P. Park: Common **Clivers**, or Goose
grass.

Aparine levis Park: Goose grass with
Smooth seed. Ann:

Aparine femine **Coriandri** faccharati
Park: Goose grass with seed like a **Corian-**
der Comfit. Ann.

A P I U M hortense five Petrose-
linum vulgo, **B: P:** hortense mul-
tis, quod vulgo **Petroselinum**,
I: B: hortense **Ger:** **Petroseli-**
num

num vulgare *Park: Garden Parsley. Offic:*
Ann:

Apium hortense maximum B: Prodr:
Apium five Petroselinum Virginianum,
Ger: Petroselinum majus five Virginia-
num, Park: Great Virginian Parsley.
Ann:

Apium vel Petroselinum crispum, B.
P. Petroselinum crispum Park: I. B. Cur-
led Parsley. Ann:

Apium peregrinum longifolium ,
Long leaved Strange Parsley. Ann:

Apium palustre five Officinarum,
B. P. palustre , seu Eleoselinum ve-
teribus; I. B. vulgare , five palustre
Park: Eleoselinum five Paludapi-
um, Ger: Common Smallage. Offic:
Ann:

Apium five Selinum dulce Park: Sweet
Smallage, or Selerie. Ann:

Apocynum folio oblongo B. P. an-
gustifolium five repens, Park: Apocy-
num five Periploca scandens folio longo,
flore purpurante I. B. Climbing Dogs-
bane.

AQUILEGIA silvestris B: P: vulgaris simplex. *Park:* flore simplici I. B. flore cæruleo *Ger Common single Colum- bines : Offic :* colorum magna varietas.

Aquilegia hortensis multiplex flore magno B. P. vulgaris flore pleno Ger: Park: flore pleno sive multiplici I. B. Double Columbine. Hujus etiam in colore maxima varietas.

Aquilegia flore pleno versicolori, Hort: Reg: Bles : Double stript Colum- bines.

Aquilegia flore roseo multiplici, B. P. rosea Ger: Park: stellata Hort: Eyst: flore simplici & pleno non corniculato I. B. Rose-Columbine, double and single of many colours.

ARBOR. JUDÆ *Ger: Park: Judai- ca arbor I. B. Siliqua sylvestris rotun- difolia. B. P. Judas-Tree.*

ARBUTUS *Ger: Park: Arbutus fo- lio serrato B. P. Arbutus, Coma- rus Theophrasti I. B. The Strawberry tree.*

ARGEMONE capitulo longiore *B* :
P : capitulo longiore spinoso *I. B.* ca-
 pitulo tenuiore longiore hirsuto, *Hist* :
Oxon : *Long rough-headed Bastard Poppy.*
Ann :

Argemone capitulo brevior, *B. P.*
 breviori hispido *I. B.* : capitulo rotun-
 diore *Park* : capitulo torulo *Ger* : capi-
 tulo hirsuto, rotundo torulis canalicu-
 lato *Hist* : *Oxon* : *Round rough headed*
Bastard Poppy.

Argemone Cambro-britannica lu-
 tea *Park* : *Argemone* Cambro-britanni-
 ca lutea, capite longiore glabro, paucis
 spinulis ad loculamentorum juncturas
 ornato *Hist* : *Oxon* : *Yellow wild Bastard*
Poppy.

ARISARUM latifolium *Ger* : *Park* :
 latifolium alterum *B* : *P* : latifolium
 quibusdam, *I. B.* *Broad leav'd Friars*
Cowle.

ARISTOLOCHIA rotunda *I* : *B* : *Ger* :
 rotunda vulgatio, *Park* : rotunda flore
 ex purpurâ nigro *B* : *P* : *Round-rooted*
Birthwort. Offic.

Aristolochia clematidis **Park:** clematidis recta **B: P:** clematidis vulgaris, *I. B.* *Aristolochia Saracenica* **Ger:** *The running-rooted Birthwort.* *Offic.*

Aristolochia polyrrhizos *I. B.* *Aristolochia Pistolochia dicta* **B: P:** *Pistolochia*, **Ger:** *Pistolochia vulgati-*
or; Park: The bushie-rooted Birth-
wort.

Aristolochia, Pistolochia altera, I: B:
Pistolochia Cretica B. P. Cretica sem-
per virens Park: Cretica sive Virginia-
na Ger: Ever-green bushie-rooted
Birthwort, or Virginian Snake-root.

S. **ARTEMISIA** vulgaris *I. B. Park:*
vulgaris major **B: P:** *Artemisia mater*
herbarum Ger: Common Mugwort.
Offic.

S. **ARUM** *I: B: vulgare Ger: vulgare non*
maculatum B: P: Park: Cuckowpint, or
Wake-Robin. Offic.

Arum maculatum maculis nigris B. P.
nigricantibus lituris signatum Dod. Spot-
ted Wake-Robin, with black spots.

Arum venis albis B. P. magnum rotundiore folio *Park: Round-leaved Wake-Robin.*

Arum minus B. P. *Lugd: Tab: The lesser Wake-Robin.*

S. *ARUNDO* vulgaris, five phragmites *Dioscoridis* B. P. vulgaris palustris I. B. vallatoria *Ger: Harundo vulgaris, five vallatoria Park: The Common Reed. Offic:*

Arundo Indica latifolia flore luteo punctato, B. P. I. B. *Canna Indica* flore flavo punctato *Park: Yellow spotted Indian Reed. Ann:*

ASARUM B. P. I B. *Ger: vulgare Park: Asarabacca. Offic:*

ASCLEPIAS flore albo B. P. *Ger: Park: Asclepias five Vincetoxicum* multis, floribus albicantibus I. B. *White Swallow-woort. Offic:*

Asclepias nigro flore B. P. *Park: flore nigro quorundam I. B. Black Swallow-woort.*

Asclepias flore flavescente, *Swallow-woort with yellowish flowers.*

ASPARAGUS *Park.* sativus *B. P.*

Ger : hortensis *I. B.* domesticus *Eyst.*

Hist : *Oxon.* Garden *Asparagus.*

Offic :

Asparagus marinus I. B. marinus crassiflore folio *Park*; maritimus crassiore folio *B. P.* palustris *Ger*: *Marsh Sperage, or Asparagus.*

Asparagus foliis acutis B. P. Hist: Oxon. petraeus, five *Corruda Ger*: petraeus, five *Corruda aculeata Park*; *Corruda I. B. Prickly Rock-Asparagus.*

S. **ASPERULA** *Ger*: *Asperula*, five *Rubeola montana odora B. P.* *Asperula* aut *Aspergula odorata Park*; *Rubiis accedens, Asperula quibuld m.* aut *Hepatica stellaris, I. B. White flowered Wood-roof. Offic*:

Asperula cærulea arvensis B. P. flore cæruleo, *Ger* : *Park* : *Rubia cærulea erectior, elatiorve I. B. Blew flowered Wood-roof. Ann.*

Asperula arvensis, five annua flore albo, White flowered Wood-roof. Ann.

ASPHODELUS albus ramosus
 mas B: P: major ramosus flore albo,
 I: B: major albus ramosus Park:
 ramosus, Ger: foliis latis seu por-
 raceis albus ramosus major *Hist: Ox-*
on: The white branched Asphodill.
Offic:

Asphodelus luteus I: B: Ger: luteus
 minor Park: luteus & flore & radi-
 ce B: P: folio fistuloso striato
 non ramosus luteus & flore & ra-
 dice, *Hist: Oxon: The yellow Asphodill.*
Offic:

Asphodelus foliis fistulosis B: P: mi-
 nor albus foliis fistulosis Park: *parad:*
 minor foliis fistulosis, I: B: folio fi-
 stuloso plano minor, ramosus flore al-
 bo *Hist: Oxon: Phalangium Cretæ*
Salonenfis, Ger. Small hollow leaved
Asphodill. Ann:

S. **Asphodelus minimus** luteus palu-
 stris Acori folio Lob: *Hist: Oxon: As-*
phodelus Lancastriæ, Ger: luteus aco-
rifolius palustris Anglicus Lobellij, I:
B: Pseudoasphodelus major sive palu-
stris

stris Park: palustris Anglicus B: P: Lancashire Asphodill, or Bastard Asphodill.

ASPLENIUM, five *Ceterach I: B: Ger: Park: Asplenium, five Scolopendra, Ceterach officinarum, B. P. Spleenwoort, or Milt-waste. Offic.*

ASTER *Atticus cæruleus vulgaris B. P. Atticus purpureo & albo flore, I. B. Atticus Italarum flore purpureo Park: Aster Italarum Lob: Ger: Purple Italian Starwoort.*

Aster montanus cæruleus magno flore foliis oblongis B. P. purpureus montanus I. B. Alpinus cæruleo magno flore Park: septimus Clusij Ger: Great blew Starwoort of the Alps.

Aster flore Tripolij latifolius, Hort: Reg: Bles: Broad leaved Starwoort, with flowers like Sea-starwoort.

Aster Virgineus angustifolius serotinus flore parvo albente Park: The narrow-leaved late-flowering Starwoort of Virginia.

Aster supinus *Park*: luteus supinus
Clusij Ger: luteus supinus *B. P. Low* *Yellow Starwort.*

Aster montanus luteus Salicis glabro
folio B. P. montanus foliis Salicis Ger:
Park: *Conyza media Monspeliensis*,
 quibusdam **Asteris Attici** genus folio
 glabro rigido *I. B. Willow-leaved Star-*
wort.

Aster Virgineus luteus latifolius re-
pens Park: *Yellow creeping Starwort of*
Virginia.

S. ASTRAGALUS silvaticus *Ger*: sil-
 vaticus foliis oblongis glabris *B. P. A-*
stragaloides, five **Astragalus silvati-**
cus, *Astragalo magno Fuchsj*, vel
Chamæ-balano leguminosæ affinis
planta I. B. Lathyrus silvestris lignosi-
or Park: *Orobis silvaticus nostras pe-*
rennis filiquis propendentibus, radice
tuberosâ, Hist: *Oxon*: *Wood-pease, or*
Heath-pease.

Astragalus Africanus luteus odoratus
D. Magnol. perennis foliis hirsutis cau-
 le recto aphylo flore ochroleuco
 odo-

odoratissimo *Hist: Oxon: Sweet smelling yellow flowered African Hatchet-Vetch.*

ATRACYLIS *Ger: Lob: lutea B: P: flore luteo Park: vera flore luteo, I: B: The yellow Distaff-thistle. Ann:*

ATRIPLEX *hortensis alba five pal- lide virens B. P. Hist: Oxon: alba hortensis I. B. sativa alba, Ger: Park: White Garden Arrach. Offic: Ann:*

Atriplex hortensis rubra B: P: Hist: Oxon: I: B: sativa purpurea Ger: Park: Red Garden Arrach. Ann:

S. **Atriplex** *silvestris latifolia, B. P: Hist: Oxon: latifolia, five Pes anserinus, Ger. Park: Atriplex dicta Pes anserinus I: B: Goose-foot, or Sow-bane. Ann:*

S. **Atriplex** *silvestris latifolia acutiore folio, B. P. Hist: Oxon: silvestris latifolia altera Ger: Atriplex dicta Pes anserinus alter, five ramosior I. B. The other Goose-foot, or Arrach. Ann.*

Atri-

Atriplex sylvestris folio sinuato can-
dicante *B. P. Hist: Oxon:* sylve-
stris *I. B.* sylvestris vulgaris, *Ger:* syl-
vestris vulgarior sinuata major *Park:*
Common wild Arrach. Ann.

Atriplex sylvestris altera *B. P. Ger:*
sylvestris altera folio sinuato satu-
ratè virente, spicâ subrubrâ, *Hist.*
Oxon. The lesser vville Arrach.
Ann.

Atriplex foetida *B. P. Hist: Oxon:*
I. B. olida *Ger.* olida, five sylvestris
foetida *Park:* pusilla olida hircina, *Vul-*
varia vocata, *Garum olens Lob. Stink-*
ing Arrach. Offic. Ann:

Atriplex Mori fructu major, seu
fragifera major *Hist: Oxon:* Spina-
chia fragifera, *Hort: Farnes, Great*
Berry-bearing Arrach, or Berry-bearing
Spinach. Ann.

Atriplex Mori fructu minor seu fra-
gifera minor, *Hist: Oxon:* sylvestris
Mori fructu B. P. baccifera Ger: bac-
cifera

cifera rubra *Park: Common, or the lesser Berry-bearing Arrach. Ann:*

- S. *Atriplex sylvestris angusto oblongo folio, B. P. Hist. Oxon. sylvestris angustifolia Ger: Park: sylvestris Polygoni, aut Helxines folio Lob: vulgaris angustifolia cum folliculis, I. B. Narrow-leaved, wild Arrach. Ann.*

- S. *Atriplex maritima nostras I. Raij, Engliſh Sea-Arrach. Ann:*

- S. *AVENA alba I. B. vulgaris, five alba B. P. vesca Ger: Park: White Oats. Offic. Ann:*

- S. *Avena nigra B. P. I. B. Black Oats. Ann:*

Avenanuda B. P. Ger: Park: Naked Oats. Ann:

AURICULA muris **Camera-**
rij I. B. *Anthyllis leguminosa ma-*
rina Bætica, vel Cretica, five Auricu-
la muris Camerarij Park: Loto affinis
filiquis hirsutis circinatis, B. P. Hist.
Oxon. Sea Kidney-vetch of Spain, or Can-
dy. Ann:

Au-

- S. Auricula muris pulchro flore albo,
*I. B. Lychnis caulibus adgenicula foli-
 oſis, Hiſt. Oxon: Mouſear with a large
 white flower.*
- S. Auricula muris pulchro flore albo fo-
 lio tenuiſſimo *I. B. Lychnis minima
 foliis Laricis, ſeu tenuiſſime diviſis
 Hiſt. Oxon: Caryophyllus ſaxifragus
 foliis tenuiſſimis pulchro flore albo,
 D. Magnol: Fair flowered Mouſear with
 very narrow leaves.*
-

B.

BALSAMINA mas *Ger :*
*Park: rotundifolia repens, ſi-
 ve mas B. P. Balsamina cucu-
 merina I. B. Cucumis puniceus
 Cordi Hiſt. Oxon. The male Baſom-apple.
 Ann :*

Balsamina foemina *B. P. Park: pa-
 rad: Ger. foemina perſicifolia, vel ſali-
 cis*

cis folio *I. B.* Herba impatiens seu Noli me tangere, flore patulo eleganter dilutè rubente, *Hist: Oxon: The female Balsom-apple. Ann:*

Balsamina lutea, sive Noli me tangere, *B. P.* Noli me tangere *I. B.* persicaria filiquosa *Ger: Mercurialis sylvestris, Noli me tangere dicta, sive Persicaria filiquosa Park: Impatiens herba, Noli me tangere dicta, flore patulo luteo, Hist: Oxon: Coded Arsmart, Quick in hand, Touch me not. Ann:*

S. BARBA capræ floribus compactis, *B. P.* Ulmaria *I. B.* vulgaris *Park: Regina prati Ger: Meadow-sweet, or Queen of the Meadow. Offic:*

Barba capræ floribus oblongis, Melandryon Plinij, *B. P.* Barba capri, *I. B.* *Ger: Ulmaria major, sive altera Park: The greater Meadow-sweet.*

BARBA Jovis frutex *B. P.* *Park: Clus: Jovis barba pulchre lucens, I. B. The Silver Bush.*

S. **BELLIS** major *I. B.* Ger: major vulgaris, five sylvestris *Park*: major sylvestriscaule folioso, *B. P.* *The greater wild white Daisie, Offic.*

Bellis latioribus serratis foliis radice repente, Hort. Reg. Bles. Great Daisie, with broader snipt leaves and a running root.

Bellis Tanacetii folio major. Tanacetum inodorum flore majore B. P. The greater Daisie with the Tansie leaf, or Unsavory Tansie.

Bellis Tanacetii folio minor. Tanacetum inodorum Park: non odorum Ger. montanum inodorum minore flore B. P. album I. B. The lesser Daisie with the Tansie leaf, or Unsavory Tansie.

S. *Bellis minor sylvestris simplex Park. sylvestris minor B. P. minor sylvestris spontanea I. B. minor sylvestris; & etiam media sylvestris Ger: Common small wild Daisie. Offic.*

Bel.

S. *Bellis pratensis duplici florum serie Hort. Reg. Bles: Field Daisie with two ranges of leaves.*

S. *Bellis minor sylvestris flore pleno, Small wild Daisie, with double flowers,*

S. *Bellis minor sylvestris flore cæruleo, small wild Daisie with blew flowers.*

Bellis minor hortensis flore pleno rubro, Double red Garden Daisie.

Bellis minor hortensis flore pleno albo, Double white Garden Daisie.

Bellis minor hortensis flore pleno variegato, Double party-coloured Garden Daisie.

Bellis hortensis prolifera B. P. minor hortensis prolifera, Park: parad: minor prolifera, Ger: Childing Daisie.

BERBERIS dumetorum B. P. *Berberis Park. Berberis vulgo, quæ & Oxyacantha putata I. B. Spina acida, five Oxyacantha, Ger: The Barberry Bush. Offic.*

Berberis sine nucleo **B: P:** absque arillis, *Park: The Barberry without stones.*

BETA alba *Ger: Park: alba, vel pallescens, quæ Cicla officinarum B P. Hist: Oxon: The white Beet. Offic: Ann:*

Beta communis sive viridis, **B: P:** *The green Beet. Ann:*

Beta rubra vulgaris **B. P. Hist: Oxon: Ger: Park: Red Beet. Offic: Ann:**

Beta rubra radice Rapæ **B. P. Hist: Oxon: ruba Romana Ger: Park: radice rubrâ crassâ, I: B: Red Roman Beet, or Betraw. Ann.**

Beta Sicula, costâ latâ albâ, luteâ, rubrâ, ruberrimâ, & aurantiacâ, *Hist: Oxon: Broad-ribbed Sicilian Beet. Ann:*

S: Beta silvestris maritima **B: P: Park: spontanea maritima communis viridis, Hist: Oxon: The sea Beet. Ann:**

Beta Cretica semine aculeato,

B.

B. prodr. Cretica semine spinosa seti
aculeato *Hist. Oxon.* Cretica spinosa
Park: Cretica semine spinoso *I. B.*
semine aculeato *Ger:* *Prickly Beet of*
Candy.

- S. **BETONICA** *Ger:* purpurea *B.*
P. vulgatio flore purpureo *Park:* vul-
garis purpurea *I. B. Common Beto-*
ny Offic.

Betonica flore albo *Ger:* *Park:* alba
B. P. White Betony.

Betonica major Danica *Park:* *Great*
Betony of Denmark.

- S. **BETULA** *B. P. Park:* *Berula*
Plinij, & Smilax Theophrasti I. B. The
Birch-tree. Offic.

- S. **BISTORTA** major radice magis
intortâ *B. P. major radice magis in-*
tortâ, foliis rotundioribus rugosis
Hist: *Oxon:* major *Ger:* major vul-
garis *Park:* major rugosioribus foliis
I. B. Great Bistort, or Snake-weed.
Offic.

Bistorta major radice minus intor-
tâ *B. P. major radice minus intortâ*

foliis angustioribus minus rugosis,
Hist: Oxon: media folio minus ru-
goso I. B. Great Snake-weed, with
narrower leaves: and lesse wreathed
roots.

S. Bistorta Alpina minima sobolifera
Hist. Oxon. minima I. B. minor Ger: mi-
nor nostras Park: Small Bistort of our
Countrey.

B L A T T A R I A lutea folio lon-
 go laciniato *B. P. flore luteo Ger: lu-*
tea I. B. lutea minor seu vulgaris Park:
flore minore luteo staminulis purple-
is Hist: Oxon: Yellow Moth-mullen,
with long cut leaves. Ann:

Blattaria alba *B. P. Ger: Park: flore*
albo I. B. flore minore albo staminulis
purpureis Hist: Oxon: White flowered
Moth-mullen. Ann.

Blattaria flore purpureo *I. B. purpu-*
rea B. P. Ger: Park: perennis flore
violaceo Hist: Oxon: Purple Moth-
mullen.

Blattaria flore obsoletè cæruleo *Moth-*
mullen of an over-worn blew colour.

Blat-

Blattaria perennis flore gilvo seu ob-
soleti coloris *Hist: Oxon: Iron-coloured*
Moth-mullen.

B L I T U M rubrum majus *B. P.*
Hist: Oxon: Ger: pulchrum, rectum,
magnum rubrum *I. B. The great red*
Blite. Offic: Ann:

Blitum rubrum minus B. P. Hist.
Oxon: Ger: I. B. minus sylvestre
rubrum Park: The small red Blite.
Ann:

S. *Blitum polyspermon, a feminis co-*
piâ B. P. Hist: Oxon: polyspermon
Park: erectius sive tertium Tragi I:
B: Atriplex sylvestris, sive polysper-
mon Ger: Upright Blite, or All-seed.
Ann:

Blitum spinosum Americanum Prick-
ly Blite of America.

B O T R Y S *Ger: vulgaris Park: am-*
brosioides vulgaris B: P: Botrys
plerumq; Botanicis I. B. Atriplex odo-
ra, sive suave-olens Hist: Oxon. Oak of
Jerusalem. Offic: Ann:

Botrys Ambrosioides Mexiocana *B. P.*
P. app: Americana *Park.* **Atriplex** odora
 five suave-olens Americana, Mexio-
 canavè *Hist:* *Oxon:* Indian Oake of Je-
 rusalem. *Ann:*

BRASSICA capitata alba *B. P.*
Ger: *Park:* *I. B.* capitata seu clausa pe-
 nitus capite simplice albo *Hist:* *Oxon.*
White Cabbage. *Ann:*

Brassica rubra capitata *B. P.* *Ger:*
Park: *I. B.* capitata seu clausa penitus
 capite simplice rubro *Hist.* *Oxon:* *Red*
Cabbage. *Ann.*

Brassica capitata polycephalos *Hist:*
Ludg: ex pluribus capitulis conglo-
 bata *B. P.* capitata seu clausa penitus
 capite multiplici *Hist:* *Oxon:* *Cabbage*
with many heads. *Ann:*

Brassica alba capite oblongo non
 penitus clauso *B. P:* capitata seu clau-
 sa non penitus, Sabauda, Hyberna
Hist: *Oxon:* **Brassica Sabauda** *Ger:* Ita-
 lica tenerrima, glomerosa, flore albo
I. B. Savoy Cole. *Ann.*

Brassica alba crispa B. P. capitata
 seu clausa non penitus **Sabauda cris-**
pa Hist: Oxon: **Sabauda rugosa I. B.**
Sabauda crispa Ger: Curled Savoy Cole.
Ann:

Brassica alba vel viridis B. P. alba
vulgaris I. B. vulgaris sativa Ger: sa-
tiva alba vel viridis vulgaris aperta
lævis Hist: Oxon: Garden Colewoort.
Ann.

Brassica rubra B. P. Ger: rubra
vulgaris I. B. sativa rubra aperta læ-
vis Hist: Oxon: Red Colewoorts. Offic.
Ann.

Brassica fimbriata B. P. Hist: Oxon:
tophosa Ger: I. B. Swollen Colewoorts.
Ann.

Brassica fimbriata pumila B. P. Hist:
Oxon: Anglica minima Adv: Lob: small
curled Cole. Ann:

Brassica cauliflora B. P. multiflora
I. B. florida Ger: Park: cauliflora seu
florida botrytis Hist. Oxon. Colic-flor.
Ann.

Brassica asparagodes crispa B. P. Hist.
E 3 Ox-

Oxon: thyrsoides *I. B.* crispa prolifera *Tab. Curled Childing-Cole.*

Brassica gongylodes B. P. Hist:
Oxon: *Brassica caulorapa I: B: Can-*
lorapum rotundum Ger: Rapocaulis
Park: parad: Colerape. Ann:

Brassica lato Apij folio B. P. Hist:
Oxon: selinoides *Ger: laciniata Park:*
Parsley Colewoort. Ann:

Brassica angusto Apij folio B: P: te-
nuifolia laciniata Lob: Small Parsley
S. Colewoort. Ann.

Brassica maritima monospermos B.
P. monospermos Anglica I. B. mari-
na monospermos Park: marina An-
glica Ger: maritima major repens mul-
tiflora alba monospermos Hist: Oxon:
Sea Colewoort.

Brassica campestris perfoliata flore
albo B. P. Hist: Oxon: Perfoliata sili-
quosa I: B: Ger: Perfoliata siliquo-
sa vulgaris, vel Brassica campestris Park:
Codded Thorrow-wax. Ann:

Brassica sylvestris foliis circa radi-
cem

cem cichoraceis *B. P.* sylvestris foliis circa radicem cichoraceis asperis, caulibus autem adhærentibus planis seu glabris *Hist. Oxon.* Glastifolia cichoroides *Joh. Bauhini & Turritis secunda da Clusio I. B. Clusius his second Towers-mustard.*

Brassica sylvestris foliis integris & hispidis B. P. Hist. Oxon. Turritis *Ger. vulgarior I. B. Park: Towers-mustard. Ann:*

- S.** *BRUNELLA* major folio non dissecto *B. P.* Prunella *Ger: vulgaris Park: flore minore vulgaris I. B. Common Self-heal. Offic:*

Brunella flore albo, White flowered Self-heal.

Brunella flore magno carneo Self-heal with a large blush flower.

BRYONIA alba *Ger: alba vulgaris Park: aspera sive alba baccis rubris B. P. aspera incana, sive alba baccis rubris Hist: Oxon: Vitis alba, sive Bryonia I. B. White Bryonie. Offic:*

Bryonia nigra Ger : *Hist. Oxon.*
sylvestris nigra Park : lævis five nigra
racemosa B. P. *Vitis nigra* quibusdam,
 five *Tamus Plinij folio Cyclamini* l. B.
Vitis sylvestris, *Sigillum Beatæ Ma-*
riæ, & *Tamus* Dod. *Black Bryonie.*
Offic.

Buglossum latifolium, Bor-
rago B. P. *Borrigo* floribus cæru-
 leis l. B. *hortensis* floribus cærule-
 is Ger : Park : *Common Borrage.* *Offic.*
Ann.

Buglossum latifolium five *Borrigo*
flore albo, *White flowered Borrage.*
Ann.

Buglossum latifolium semper virens
 B. P. *Buglossum folio Borriginis* His-
panicum l. B. *Borrigo* semper vi-
 rens Ger : Park : *Never-dying Bor-*
rage.

Buglossum angustifolium majus B. P.
Buglossum vulgare Ger : vulgare ma-
 jus l. B. *Great Garden Buglosse.* *Offic.*
Ann.

S: *Buglossum sylvestre minus* B. P. Park :

Buglossa sylvestris minor Ger : E:
chium Fuchsj , five Borrago sylve-
stris I. B. *Wilde or Corne-Buglosse.*
Ann.

Buglossum Creticum flore variega-
to , odorato , *Sweet-smelling Buglosse*
of Candy, with stript , red, and white
flowers. Ann.

S. Buglossum sylvestre caulibus pro-
cumbentibus B: P: Borrago minor
sylvestris Col: Park: Cynoglossa fortè
topiaria Plinio , Echium lappulatum
quibusdam I. B. Alyssum Germani-
cum Echioides Lob : Aparine ma-
jor Plinij Ger : *Small wilde Buglosse,*
Great Goose-grasse , German Madwoert.
Ann.

S. BULBOCASTANON I. B. minus B. P.
Ger: Nuculaterrestris minor Park: Com-
mon Earlb-nut.

BUPHTHALMUM vulgare
Ger: Dioscordis B. P. Matthioli, si-
ve vulgare Millefolij foliis Park: Cha-
mamelum Chrysanthemum quorun-
dam I: B: *Common Ox-eye. offic. Ann.*
Bup-

Buphthalmum Cotulæ folio B: P:
alterum **Cotulæ folio** *Park:* tenuifolium
folio **Millefolij fere** I. B. **Chrysanthemum**
tenuifolium **Pæticum Boelij** *Ger:*
Camomile-leaved Ox-eye. Ann.

Buphthalmum flore luteo subtus pur-
purascente B. P. flore purpurascente
Park: Ox-eye with purplish flowers. Ann.

- S. **BURSA** pastoris I. B. *Ger:* major vul-
garis *Park:* major folio sinuato B: P. ma-
jor capsulâ cordatâ foliis laciniatis *Hist.*
Oxon: Common Shepherds-purse. Offic.
Ann.

- S. **Bursa** pastoris minor *Park:* minor fo-
liis incis, & Thalij B. P. **Bursa** pasto-
ria minima *Ger:* parvo folio glabro spif-
so I. B. pastoris minor capsulâ brevi cor-
datâ foliis sinuatis *Hist: Oxon: The lesser*
Shepherds-purse. Ann.

- S. **Bursa** pastoris minor loculis oblongis
B. P. *Hist: Oxon:* **Bursa** pastoria minima
oblongis filiquis, five verna loculo ob-
longo I. B. **Paronychia vulgaris** *Ger:* vul-
garis alfinefolia *Park: Nailwoort, or*
Whitelow-grass. Ann:

Bur-

S: *Bursæ pastoris* similis filiquosa major
B. P. *Pilosella filiquata* major *Thal:* *Bur-*
sa pastoris, five *Pilosella filiquosa* **I. B.**
Paronychia major *Park:* *Drabæ* filiquo-
 sæ similis, planta præcox annua *Hist:*
Oxon: Great Nailwoort, or Coddled Mons-
ear. Ann.

Bursæ *pastoriæ* loculo oblongo affi-
 nis pulchra planta **I. B.** *Bursa pastoris*
 major folio non sinuato **B: P:** *Thlaspi*
Veronicæ folio *Park: Great Shepherds-*
purse with long pouches. Ann.

Buxus: **I. B.** *Ger. arborescens* **B. P.**
arbor vulgaris *Park: The Box tree.*
Offic.

Buxus foliis rotundioribus **B: P:** *Chamæ-*
buxus, five *Chamæ-pyxos* quibus-
 dam **I: B:** *Buxus humilis* *Ger: Chamæ-*
buxus minor *Park: Dwarf-Box.*

Buxus foliis aureis *Hort. Reg. Bles.*
Guilded-Box.

C.

CACHRYS ferulaceis foliis
 semine fungoso lævi *Hort. Reg.*
Bles. Libanotis cachryfera, si-
 ve Cachrys vera *Park.* Liba-
 notis Galeni, Cachrys verior *Ger.* Li-
 banotis Ferulæ folio semine anguloso
B. P. Libanotis Cachryophoros qui-
 busdam floribus luteis *I. B.* *Fennel-*
leaved Herb-Frankincense.

Cachrys Peucedani folio, semine fun-
 goso sulcato lævi *Hort. Reg.* *Bles.* *Herb-*
Frankincense with Sow-fennel leaves, and
smooth furrowed seed.

CÆPA vulgaris *B. P.* *Hist. Oxon.*
 alba & rubra *Tab. The common Onion.*
Offic.

Cæpa Ascalonica *Matth. ed. Bauh:*
Hist. Oxon. sterilis *B. P.* Ascalonica si-
 ve fissilis *I. B.* *Scallions, or Eschal-*
lots.

CALAMINTHA vulgaris *Park*:
vulgaris officinarum *Ger*: vulgaris vel
officinarum *Germaniæ* B. P. flore mag-
nò vulgaris *I. B.* *Common Calamint.*
Offici.

Calamintha altera gravi odore Pu-
legij *Lob*: *Adv*: Pulegij odore, five
Nepeta B. P. flore minore odore Pu-
legij *I. B.* odore Pulegij *Ger*: altera
odore Pulegij foliis maculosis *Park*:
Field-Calamint.

- S. *Calamintha arvensis verticillata* B.
P. *arvensis verticillata* five aquati-
ca *Belgarum Lobelio Park*: aquatica
Ger: *Mentha arvensis verticillata hirsu-*
ta I. B. *Water-Calamint with whorled*
coronets.

CALCEOLUS *Mariæ Ger.* Hel-
leborine flore rotundo, five Calceo-
lus B. P. Elleborine major, five Cal-
ceolus *Mariæ Park.* *Damasonij* species
quibusdam, five Calceolus *D. Mariæ I*:
B. *Ladies Slipper.*

CALTHA vulgaris B. P. flore
simplici *I. B.* *Calendula* flore simplici *Ger.*
Park.

Park : *Single Marie-gold. Offic. Ann.*
Eadem flore citrino.

Caltha polyanthos major B: P: flore pleno I: B: Calendula flore multiplici Ger: Park: Double Mariegold. Ann.

Caltha prolifera I. B. Ger: Childing Mariegold. Ann.

Caltha arvensis minima B. P. I: B: Small wild Mariegold. Ann.

S. Caltha palustris I: B: palustris flore simplici B: P: palustris vulgaris simplex Park: palustris major Ger: Single Marsh Mariegold.

Caltha palustris flore pleno Clus: palustris flore multiplici Ger: Park: Double Marsh Mariegold.

S. CAMPANULA rotundifolia Ger. minor sylvestris rotundifolia vulgaris B. P. parva, Anguillær Cantabrica. I: B: vulgaris minor, foliis imis rotundioribus sinuatis non serratis Hist: Oxon: The lesser round-leaved Belflower.

Campanula rotundifolia flore albo, The white round-leaved Belflower.

Campanula Persicifolia Ger: *Park*:
Hist: Oxon: angustifolia cærulea I: B:
Rapunculus Persicifolius magno flore
B. P. Blew Peach-leaved Belflower.

Campanula Persicifolia flore albo,
White Peach-leaved Belflower.

Campanula hortensis folio & flore
 oblongo *B. P. Hist: Oxon*: *Viola Ma-*
riana Dodonæi, quibusdam Medium
 I: B: *Viola Mariana* flore purpureo
 Ger: *Park. Purple Coventry-Belflower*:
Ann:

Campanula hortensis folio & flore ob-
 longo, five *Viola Mariana* flore albo
White Coventry-Belflower.

Campanula vulgatio foliis *Urti-*
cæ five major, & asperior *B. P*:
Hist: Oxon: major & asperior folio
Urticæ I: B: *Trachelium majus* Ger:
 majus flore purpureo *Park: parad*:
Blew Canterlury-Bells.

Campanula major foliis *Urticæ*, fi-
 ve *Trachelium* flore albo *White Canier-*
Bury-bells.

Cam-

Campanula major foliis *Urticæ*, five **Trachelium**, flore purpureo duplici.
Double Purple Canterbury-bells.

Campanula major foliis *Urticæ*, five **Trachelium**, flore duplici albo *Double white Canterbury-bells.*

Campanula hortensis *Rapunculi* radice repente *Hist. Oxon.* *hortensis Rapunculi* radice *B. P.* repens flore minore cæruleo *I. B.* **Trachelium** in maritimis *Ad. Lcb.* *Trachelij* genus mollioribus foliis *Clus. Garden Throatwort*, with far creeping roots.

S. **Campanula pratensis** flore conglomerato *B. P.* **Trachelium** pratense flore conglomerato *Hist. Oxon.* **Trachelium minus** *Ger. Park.* minus multis *I. B.* *Little Throatwort*, or *Canterbury-bells.*

S. **Campanula maxima** foliis latissimis *B. P. Hist. Oxon.* pulchra a *Tossano Carolo* missa *I. B.* **Trachelium majus** *Belgarum Park.* majus *Belgarum*, five *Giganteum Ger. Giant Throatwort.*

S. **CANNABIS** sativa *B. P.* mas & foemina *I. B.* sativa mas & foemina *Park:* 1. seu mas & 2. seu foemina *Ger:* *Hemp male and female. Offic. Ann.*

S. **CARDUUS** vinearum repens folio Sonchi *B. P.* vulgatissimus viarum *Ger:* ceanothos, sive viarum & vinearum repens *Park:* serpens laevicaulis *I. B.* *Common Way-thistle, or Creeping-thistle.*

S. **Carduus** viarum repens flore albo *Common Way-thistle, with a white flower.*

S. **Carduus** albis maculis notatus vulgaris *B. P.* lacteus *Matth:* **Carduus** Mariæ *Ger:* Mariæ vulgaris *Park:* Marianus, sive lacteis maculis notatus *I. B.* *The Milkie-Thistle, or our Ladies-thistle. Offic. Ann:*

Carduus Mariæ non maculatus *Hort:* *Reg: Bles: Our Ladies-Thistle without spots. Ann:*

Carduus albis maculis notatus exoticus *B. P.* lacteus peregrinus *Camera-rij I. B.* **Silybum** minus **Bæticum**
F *Park:*

Park: The small Spanish Milk-Thistle
Ann.

Carduus sphærocephalus latifolius
vulgaris B. P. sphærocephalus major

Park: globosus Ger: Echinopus ma-
major I. B. The greater Glob-Thistle
Ann:

Carduus sphærocephalus minor B. P.
globosus minor Ger. Park: Echino-
pus minor I: B: The lesser Glob-
thistle.

Carduus capite rotundo tomento-
so B: P: capite tomentoso I. B. to-
mentosus, Corona fratrum dictus Park:
eriocephalus Ger: Wooly-headed Thistle,
or Friars-crown. Ann:

S. *Carduus nutans I. B. Cirsium terti-*
um totâ suâ stirpe magis spino-
sum Dod: Carduus moschatus Ger:
Thistle with a bending head. Ann:

S. *Carduus polyacanthus primus Ger:*
Aculeosa Gazæ Adv: Lob: Poly-
acantha Tab: Thistle upon Thistle.
Ann.

Car-

S. *Carduus polyacanthus secundus Ger: sylvestris tertius Dod: Polyacantha Lob: Velveted-Thistle with small flowers Ann:*

S. *Carduus palustris B. P. Park: caule crispo I: B: polyacanthos tertius Ger: The Marsh-Thistle. Ann:*

S. *Carduus palustris flore albo Marsh Thistle with white flowers. Ann.*

S. *Carduus lanceatus Ger: lanceatus latifolius B. P. lanceatus latifolius, five major Park: lanceatus, five sylvestris Dodonæi I. B. The Spear-Thistle. Ann.*

Carduus lanceatus ferocior I: B: Great Spear-Thistle with longer prickles. Ann.

Carduus pratensis latifolius B. P. Park: pratensis Trag: mollis Lappathi folio I. B. Broad leaved field-Thistle.

Carduus pratensis Asphodeli radice latifolius B. P. bulbosus Monspeliensium Park: bulbosus Monspeliensis, five Acanthus sylvestris quibusdam, foliis laciniatis I. B. The French bulbed Thistle.

Carduus stellatus Ger: stellatus, five
Calcitrapa I. B. stellatus folio Pava-
 veris erratici B: P: *The Star-Thistle.*
Ann.

Carduus stellatus luteus folio Cyani
 B: P: solstitialis Ger: Spina solstitia-
 lis I: B: *Saint Barnabies Thistle.*
Ann:

Carduus solstitialis capitulis minus
 spinosis, Spina solstitialis mitior alte-
 ra Apula Col: *Saint Barnabies Thistle*
with less prickly heads. Ann.

Carduus stellatus Leucoij foliis sub-
 tus incanis Hort. Reg. Bless. *Star-*
Thistle with Stock-gilliflower leaves. Ann.

CARLINA acaulos magno flo-
 re B: P: humilis Park. Carlina, five
 Chamæleon albus Dioscoridis Ger: cau-
 lifera & acaulis I: B: *The low Carlin*
Thistle.

Carlina caulescens magno flore I: B:
 Ger: caulescens Park: *Tall Carlin*
Thistle.

Carlina sylvestris Ger. I: B: Park:
descript: Cnicus sylvestris spinosior I. B.
The

The common wilde Carlin-Thistle.
Ann:

CARPINUS *Dod:* Betulus, five Carpinus *Ger:* Ostrya, five Ostrya Ulmo similis fructu in umbilicis foliaceis *B. P.* Ostrya, five Ostrya Theophrasti *Park:* Fagus sepium *I. B.* *The Horn-beam-tree.*

CARUM *Ger:* Park: Carus *I. B.* Cuminum pratense, Carvi officinarum *B: P:* Caraway. *Offic. Ann:*

S. CARYOPHYLLATA *Ger:* vulgaris *B: P:* *Hist. Oxon. Park:* flore parvo luteo *I. B. Avens, Herbe-Bennet. Offic.*

S. Caryophyllata montana purpurea *Ger:* *Park:* aquatica nutante flore *B. P.* aquatica flore rubro striato *I. B.* aquatica nutante flore purpureo calathi effigie *Hist: Oxon: Purple Mountain-Avens:*

S. Caryophyllata montana purpurea flore uno alteri innato, five duplici *Purple Mountain-Avens with Double flowers.*

Caryophyllata Alpina lutea *B. P.*
 Alpina lutea major *Hist: Oxon: mon-*
tana Ger: Park: montana flore mag-
no luteo I. B. Yellow Mountain-A-
vens.

Caryophyllata pentaphyllea *Ger:*
 Alpina quinquefolia *B. P. Hist: Oxon:*
Cinque-foil-Avens.

CARYOPHYLLUS hortensis
 multarum specierum & colorum *Garden*
Gillo-flowers of many kinds and colours.
Offic:

Caryophyllus sylvestris vulgator
Lob: variarum specierum & colorum
Garden Pinks of divers kinds and co-
lours.

S. Caryophyllus virgineus *Ger: sylve-*
stris humilis flore unico B. P. sylve-
stris pusillus omnium minimus unico
flore Hist: Oxon. Betonica corona-
ria sive Caryophyllea repens rubra
I: B: Maiden Pinks.

Caryophyllus prolifer *Park: sylve-*
stris prolifer B. P. barbatus sylvestris
annuus latifolius multis capsulis simul
jun-

junctis donatus *Hist. Oxon*: Armeria
 prolifera *Ger*: Betonica coronaria squam-
 mosa sylvestris *I. B. Childing-Pinks.*
Ann.

Caryophyllus barbatus hortensis la-
 tifolius *B*: *P*: barbatus hortensis sim-
 plex latifolius *Hist*: *Oxon*: Armeria
 latifolia *Ger*: *Park*: Betonica corona-
 ria latifolia petraea *I. B. Sweet Willi-*
ams, or Pride of London of several co-
lours.

Caryophyllus barbatus sylvestris *B*: *P*:
 barbatus sylvestris annuus, angustifoli-
 us perpaucis capitulis donatus *Hist*:
Oxon: Caryophyllus pratensis *Ger*:
 pratensis noster major & minor
Park: Armeria sylvestris altera ca-
 lyculo foliolis fastigiatis cincto *Lob*:
 Viola barbata angustifolia Dale-
 champij *I*: *B*: *Dept-ford-Pinke*:
Ann:

S

Caryophyllus pratensis laciniato flo-
 re simplici, sive Flos cuculi *B. P. Lych-*
 nis pratensis flore laciniato simpli-

et Hist: Oxon: plumaria sylvestris simplex Park: Armerius pratensis Ger: Flos cuculi, Odontis quibusdam I. B. Meadow-Pinks, Wild-Williams, Cuckow-flower.

Caryophyllus holosteus tomentosus I. B. Ger: Park: holosteus tomentosus latifolius B. P. Lychnis maritima incana & tomentosa Hist: Oxon: Hoary Pluke.

S. *Caryophyllus arvensis glaber flore majore B. P. Lychnis arvensis glabra flore majore Hist: Oxon: Gramen leucanthemum Ger. Park: Gramen Fuchfij, five leucanthemum I. B: Stickwoort with large flowers.*

S. *Caryophyllus arvensis glaber flore minore B. P. Lychnis arvensis glabra flore minore Hist. Oxon. Gramen leucanthemum alterum Ger: leucanthemum minus Park. Gramini Fuchfij leucanthemo affinis & similis herba I. B. The lesser Stickwoort.*

S. *Caryophyllus minimus muscosus nostras Park: Saxifraga Anglicana alsine folia Ger: Chickweed-Breakstone. Ca-*

- S. **Caryophyllus montanus minor B. P.**
marinus minimus Ger : Caryophyllus
 flos aphyllorcaulos, vel juncus minor
I. B. Gramen marinum minus Park :
Thrift, or Sea Gillo-flower.

Carophyllus marinus flore albo, *Thrift*
with a white flower.

CASTANEA I. B. Ger : vulgaris
Park : sylvestris quæ peculialiter Casta-
 nea B. P. **Common Chesnut-tree. Offic :**

Castanea folio multifido B. P. equi-
 na **Ger :** **Park :** equina folio multifido
I. B. The Horse-Chesnut.

- S. **CAUCALIS** semine aspero flos-
 culis rubentibus **B. P. minor flosculis**
 rubentibus **Ger :** minor flore rubente
Park : Anthriscus quorundam semine
 aspero hispido **I. B. Hedge-Parley.**
Ann :

- S. **Caucalis** segetum minor Anthriscus
 hispido similis **I. Raij. Small Corn-Par-**
ley. Ann :

- S. **Caucalis Anglica** flore rubente **Park :**
Apij folio flore rubro Ger : lato Apij
 folio **B. P. Lappula Canaria latifolia,**
 five

five *Caucalis* I: B: *Purple flowered great bastard-Parsley. Ann.*

S. *Caucalis nodosa echinato semine* B: P: *Ger: Park: nodosa echinato semine Anthrisko hispido affinis si non ejus varietas* I: B: *Knotted Hedge-Parsley.*

Caucalis Daucoides Tingitana Carrot-like Parsley of Tangiers. Ann.

CEDRUS conifera foliis Laricis B. P. *Cedrus Libani Ger: magna conifera Libani Park: magna five Libani conifera* I: B: *The great Cedar of Lebanon.*

Cedrus folio Cupressi major fructu flavescente B. P. *Phœnicea folio Cupressi Park: Lycia retusa Bellonio dicta* I. B. *Oxycedrus Lycia Ger: Cypress like Cedar, or Berry-bearing Cedar.*

CENTAURIUM majus, folio in plures lacinias diviso B. P. majus vulgare *Park: majus Juglandis folio* I: B: *magnum Ger: The greater Centaury. Offic.*

Cen-

Centaurium majus foliis Cinaræ Cornut: majus Pyrenæum Park: The Pyrenean great Centaury, or great Centaury with Artichoake leaves.

- S. *Centaurium minus B. P. minus vulgare Park: minus flore purpureo I. B. parvum Ger: Small Centaury Offic. Ann:*

- S. *Centaurium minus flore albo, Small Centaury with white flowers. Ann.*

C E R A S U S vulgaris Ger: Park: austera Matth. ed. Bauh. fructu acidulo Dod: *Cerasa acida rubella I. B. The common Cherry-tree. Offic:*

Cerasus hortensis flore roseo B. P. rosea sterilis Park: flore pleno I. B. multiflora pauciores fructus edens Ger: Double-flowered Barren-Cherry.

- S. *Cerasus sylvestris fructu rubro I. B. Common wild Cherry.*

- S. *Cerasus sylvestris fructu nigro I. B. major ac sylvestris fructu subdulci, nigro colore inficiente B. P. The common black Cherry. Offic:*

S. *Cerasus racemosa* fructu non eduli B.
P. racemosa quibusdam, aliis *Padus* I. B.
 avium *racemosa* *Park*: avium nigra &
racemosa *Ger. Birds Cherry*.

Cerasus sylvestris septentrionalis fru-
 ctu parvo serotino I. *Raij. The wild*
Northern Cherry-tree with small late
fruit.

Cerasus folio Laurino B: P: *Lauro-*
cerasus I. B. *Ger: Park: The Cherry*
Bay.

C E R I N T H E asperior flore fla-
 vo *Ger: major flavo flore asperior* B. P.
Cerinthe quorundam major spinoso fo-
 lio, flavo flore I. B. *Yellow-flowered*
Honeywoort. Ann:

Cerinthe major *Ger: major flore lu-*
teo & rubro *Park: quorundam major,*
versicolore flore I. B. *Cerinthe, seu*
Cynoglossum montanum majus B: P:
Great Honeywoort. Ann:

C H Æ R O P H Y L L U M sativum
 B. P. *Chærophyllon* I. B. *Myrrhis sa-*
tiva, sive Cerefolium vulgare sativum
Ger: Park: Common Chervil. Offic. Ann:
 Che-

- S. *Chærophyllyum sylvestre* B: P: *Cerefolium sylvestre* Ger: *Anthriscus* P^hinij quibusdam, semine longo *Cicutaria* aut *Chærophylli*. I. B. *Common wild Chervil*.

CHAMÆCERASUS Alpina fructu nigro gemino B. P. *Periclymenum rectum* fructu nigro Park: rectum fructu nigro gemino I. B: *Black-berried Upright Honey-suckle*.

Chamecerasus dumetorum fructu gemino rubro B. P. *Periclymentum rectum* fructu rubro I: B: Park: rectum Germanicum Ger: *Red-berried Upright Honey-suckle*.

- S. *CHAMÆCISTUS* vulgaris flore luteo B: P: *Helianthemum vulgare* Park: vulgare flore luteo I. B. Anglicum luteum Ger. *Dwarfe Cistus, or little Sun-flower*.

Chamæcistus vulgaris flore albo *Dwarfe Cistus with a white flower*.

CHAMÆDRYS vulgaris Park: minor Ger: minor repens B: P: *Chamedrys*, vulgò vera existimata I. B. *Common Germander. offic.* Cha-

Chamædrys laciniatis foliis *Park* :
Chamæpitys foemina *Ger* : **Botrys Chamædroides** *B* : *P* : **Botrys verticillata** *L* : *B* : *Cut-leaved Germander. Ann.*

S. **Chamædrys sylvestris** *Ger* : spuria sylvestris *Park* : spuria latifolia, five foemina *L* : *B* : spuria minor rotundifolia *B* : *P* : **Veronica minor foliis imis rotundioribus** *Hist* : *Oxon* : *Wild German-der.*

Chamædrys spuria foliis pediculis oblongis infidentibus *L* : *Raij* : **Chamædry spuria affinis, rotundifolia scutellata** *B* : *P* : **Alyssum montanum** *Park* : **Di-oscوريدis montanum** *Col* : **Veronica rotundifolia scutellata aut biscutata** *Hederæ folio* *Hist* : *Oxon* : *Wild German-der with leaves standing on long foot stalks, or Mountain Madwoort of Columna.*

CHAMÆIRIS variegata *B* : *P* : **cæruleo & violaceo colore** *Hort* : *Eyst* : *The blew variable Dwarf Flower-de-luce.*

Cha-

Chamæiris flore albo *The white Dwarf*
Flower-de-luce.

C H A M Æ M E L U M vulgare *Ger :*
Park : odoratissimum repens flore sim-
plici *I : B :* vulgare leucanthemum *Di-*
oscoridis B. P. Common Cammomile.
Offic :

Chamæmelum flore pleno *Ger :* *Park*
nobile flore multiplici B. P. repens odo-
ratissimum perenne flore multiplici I. B :
Double-flowered Cammomile.

Chamæmelum humile , five ste-
rile, Dwarf, or Barren Cammomile.

Chamæmelum folio Agerati. Cam-
momile with sweet-Maudlin-leaves.
Ann.

- S. *Chamæmelum inodorum B : P :* ino-
dorum, five non foetidum *I : B :* *Cotu-*
la non foetida Ger : Park : May-weed,
or Dogs Cammomile. Offic. Ann :
- S. *Chamæmelum inodorum, five Co-*
tula non foetida flore pleno Doub :
flowered May-weed. Ann.
- S. *Chamæmelum foetidum B : P :* foetidum,
five

five Cotula foetida I. B. Cotula foetida Ger: *Park: Stinking May-weed.*
Ann:

CHAMÆMESPILUS Ger: **Cotoneaster** Gesneri *I. B. Park: Cotonaster folio rotundo non serrato, & Chamæmispilus Cordi B. P. Epimelis Lugd. Dwarfe Medlar.*

Chamæmispilus I. B. Cotoneaster folio oblongo serrato *B. P. Cotonaster Gesneri Ger: in app: Gesner his wilde Quince.*

CHAMÆMORUS Ger: **Anglica** *Park: foliis Ribes, Anglica B. P. Rubo Ideo minori affinis, Chamæmorus I. B. Knot-berry, Knout-berry, or Claud-berry.*

CHAMÆPITYS vulgaris *Park: vulgaris odorata flore luteo I. B. lutea vulgaris sive folio trifido B. P. mas Ger. Iva arthritica Offic. Common Ground-pine. Ann. Offic.*

CHELIDONIUM majus Ger: majus vulgare *B. P. Park. majus nostras vulgare Hist. Oxon. Chelidonia I. B. The great-*

The greater Cellandine: offic:

Chelidonium majus foliis tenuissime dissectis, Fumariæ Myconis instar
Hist: Oxon: The greater Cellandine with fine cut leaves.

S. Chelidonium minus *Ger: Park: Chelidonia rotundifolia minor B. P. Scrophularia minor, five Chelidonium minus vulgo dictum I. B. Ranunculus præcox rotundifolius granulatâ radice Hist: Oxon: Pilemoort, or lesser Cellandine. offic.*

Chelidonium minus flore pleno
Park: Double-flowered lesser Cellandine.

CHONDRILLA viscosa humilis
B: P: Ger: Park: Dwarf Gum-Succory Ann.

Chondrilla cærulea altera Cichorij sylvestris folio *B. P. cærulea Ger. cærulea five purpurea Park: Chondrille, vel Chondrilla cærulea I: B: Blew Gum-Succory.*

Chondrilla verrucaria foliis Intubaceis viridibus *B: P: Cichorium verrucarium*
 G

rucarium *Ger.* Cichorium verrucosum
 five Zazinta *Hieraciis* adnumerandum
I. B. Zacynta, five Cichorium verru-
 carium *Park.* *Warted-Cichory. Ann.*

Chondrilla viminea *I. B.* viminalibus
 virgis *Park.* juncea *Ger.* juncea vis-
 cosa arvensis, quæ prima Dioscoridis
B. P. *Gum-Succory with twig-like bran-*
ches.

Chondrilla carulea *Cyani capitulis*
B. P. Chondrilla Sesamoides dicta
Park. Sesamoides parvum *Matthioli*
Ger. *Catanance Dalechampi* flore *Cyani*
folio Coronopi. I. B. *strange Gum-Succory.*

Chondrilla foliis laciniatis ferratis, pur-
 purascente flore *B. P.* rara purpurea,
 Crupina Belgarum dicta *Park.* rara pur-
 pureo flore seminenitido deciduo *Lob.*
Hispanica Ger. *Cyanus pulchro semi-*
ne Centaurij majoris I. B. *The Bearded*
Creeper. Ann.

S. CHRYSANTHEMUM segetum
Ger. segetum nostras, *Park.* folio mi-
 nus secto glauco *I. B.* Bellis lutea foliis
 profunde incis major *B. P.* *Corn-Marie-*
gold. Ann. Chry

Chrysanthemum Creticum *I. B. Ger: Park: majus folio in minores lacinias diviso B. P. Candy Corn-Mariegold. Ann.*

Chrysanthemum flore partim candido, partim luteo *B. P. Creticum mixtum Hort: Eyst: Party-coloured Candy Corn-Mariegold. Ann.*

Chrysanthemum Valentinum Clusij *Ger: Park: Buphthalmum lanuginosis foliis Millefolij B: P: Clusius his Corn-Mariegold of Valentia. Ann.*

Chrysanthemum latifolium Tingitanum *Broad-leaved Corn-Marie-gold of Tangiers. Ann.*

Chrysanthemum Africanum procumbens, flore cernuo, nudo, luteo, *Low naked Corn-Mariegold of Africa. Ann:*

C I C E R sativum *B. P. Hist: Oxon: Ger: arietinum I: B: sativum sive arietinum rubrum, nigrum vel album Park: Chick-Pease, or Cicers. Offic: Ann,*

S. Ciceri sylvestri minori affinis si
G 2 non

non idem B. P. Glaux Dioscoridis Ger:
Hispanica I. B. Hispanica Clusij Hist:
Oxon: Park: Clusius his Spanish Milk-
woort.

CICHORIUM sativum B: P: 'I.
B. sativum flore cæruleo Ger: Park:
Garden Succory. Offic. Ann:

Cichorium sativum flore albo White
flowered Garden Succory. Offic. Ann:

Cichorium pratense luteum hirsutius
asperum, vel Hieracium hirsutum foliis
caulem ambientibus B: P: pratense
luteum asperum Park: Hieracium aspe-
rum Ger: asperum majore flore in agro-
rum limitibus I: B: Yellow Succory, or
Rough Hawk-weed with a large flower.

S. Cichorium pratense luteum lævius
B: P: Park: Hieracium luteum glabrum
sive minus hirsutum I: B: I: B: Hiera-
cium aphacoides Ger: Smooth Succory-
Hawk-weed.

S. CICUTA Ger: major B: P: vul-
garis major Park: Cituta Veteribus &
Neotericis I: B: Common Hemlock:
Offic. Ann:

Cicu-

- S. *Cicuta minor* *Petroselino* fimilis *B:*
P: minor five fatua *Park:* *Cicutaria* tenuifolia *Ger:* *Cicutaria* *Apij* folio *I:* *B:*
The lesser Hemlock, or Fools-Parsley.
Ann.

Cicutaria latifolia foetida B: P: latifolia foetidissima *Oer:* *Cicuta maxima* *Park:* *Seseli Peloponense Matthioli* five *Cicutaria* quorundam *I:* *B:* *The greatest Hemlock, or Hartwoort of Peloponessus.*

CINARA hortensis foliis non aculeatis *B: P:* non aculeata *Dodonæi Hist:* *Lugd:* *The Common Artichock. Offic:*

Cinara maxima Anglica Ger: *The great English Artichock.*

Cinara spinosa cujus pediculi esitantur *B: P:* *Prickly Artichock, or Char-don.*

CIRSIIUM maximum *Asphodeli* radice *B: P:* *Ger:* maximum montanum *Park:* maximum foliis carnosis bulbosâ radice, forte *Lutetianum I:* *B:* *The great mountain melancholy-Thistle.*

- S. *Cirsium majus* singulari capitulo
 G 3 mag-

magno vel incanum varie dissectum *B.*
P. Anglicum *Ger.* : Anglicum primum
Park. Anglicum, radice Hellebori nigri modo fibrosa, folio longo *I. B.* *The English Soft or Gentle Thistle.*

CISTUS mas folio oblongo incano *B. P.* folio oblongo albido *I. B.* mas cum Hypocistide *Ger.* : mas vulgaris *Park.* : *Ordinary Male-Cistus*, *Offic.*

Cistus mas angustifolius *B. P. Ger.*
Park. : mas secundus folio longiore *I. B.* *Narrow-leaved Male-Cistus.*

Cistus folio Salicis *B. P.* annuus *Ger.*
 annuus folio Salicis *Park.* : *Willow-leaved annual Cistus.* *Ann.*

Cistus folio Rorismarini *Cistus* with *Rosemary-leaves.*

CLEMATIS sylvestris latifolia *B. P.* : *Clematis* sylvestris latifolia sive Viorna *Park.* : latifolia dentata *I. B.* : Viorna *Ger.* : *Travellers Joy.*

Clematis caerulea vel purpurea repens

pens **B. P.** Clematis five Flammula, flore cæruleo & purpureo, scandens **I. B.** Clematis peregrina flore purpureo simplici **Park.** peregrina cærulea **Ger.** *Single blew Ladies-Bower.*

Clematis Pannonica **Ger.** Pannonica cærulea **Park.** Pannonica cærulea surrecta **I. B.** Clematis cærulea erecta **B. P.** *The Hungarian Climmer.*

Clematis five Flammula surrecta alba **I. B.** Clematis five Flammula recta **B. P.** Flammula Jovis surrecta **Ger.** **Park.** *Upright Virgins-Bower.*

Clematis Daphnoides major **B. P.** **P.** major flore cæruleo & albo **I. B.** Daphnoides five Pervinca major **Ger.** Daphnoides latifolia, five Vinca pervinca major **Park.** *Great Perewinkle.*

Clematis Daphnoides minor **B. P.** **I. B.** Vinca pervinca **Officin.** minor **Ger.** vulgaris **Park.** *Small Perewinkle. Offic.*

Clematis Daphnoides minor flore albo *Small Perewinkle with a white flower.*

Clematis Daphnoides minor flore saturate purpureo duplici *The lesser Perewinkle with deep-purple double flowers.*

Clematis Daphnoides minor foliis maculosis *Small Perewinkle with spotted leaves.*

S. **CLINOPODIUM** *Origano simile* B: P: quorundam *Origani facie* I: B: majus *Park: Acinos* Ger: *Great wild Basil.*

Clinopodium Origano simile flore albo *Great wild Basil with white flowers.*

Clinopodium arvense *Ocymi facie* B: P: minus five vulgare *Park: Ocimum sylvestre* Ger: *Acinos multis* I: B: *Small wild Basil. Ann:*

CNICUS *fativus* five *Carthamum Officinarum* B: P: *Cnicus* five *Carthamus fativus* *Park: Carthamus* five *Cnicus* I: B: Ger: *Bastard Saffron: Ann: Offic.*

Cnicus cæruleus asperior B: P: alter *cæruleus* Ger: alter *perennis* *Clusij* *Park: Carthamus* five *Cnicus* flore *cæruleo*

ruleo *I. B. Clusius his everlasting Bastard-Saffron.*

Cnicus sylvestris hirsutior, five Carduus benedictus B. P. Carduus benedictus I. B. Ger. Park: The Blessed Thistle. Offic. Ann:

COCHLEARIA folio sinuato
B: P: vulgaris *Park: Britannica Ger: Britannica folio sinuato Hist: Oxon: Common, or English Sea Scurvy-Grasse. Offic.*

S. *Cochlearia folio subrotundo B. P. rotundifolia Ger: major rotundifolia five Batavorum Park: Cochlearia I. B. major Batavica subrotundo folio Hist. Oxon. Dutch Scurvy-grass. Offic: Ann:*

S. *Cochlearia minor rotundifolia The lesser round-leaved Scurvy-grass. Ann:*

COLCHICUM *I. B. commune B: P: Hist: Oxon: Anglicum purpureum Ger: Park: Purple Meadow-Saffron.*

Colchicum Anglicum album Ger: Park: candido flore Anglicum I. B. Anglicum candidum angustifolium B. P.

B. P. VVhite English Meadow-Saffron.

Colchicum ex albo & purpurascen-
te varium *B. P. versicolor Park: parad:*
ποικιλον, five versicolore flore *I. B. The*
party-coloured Meadow-Saffron.

Colchicum pleno flore *B. P. I. B.*
Ger: Park: parad: Double-flowered Mea-
dow Saffron.

Colchicum pleno flore variegatum
B. P. Park: parad: The party-coloured
Double Meadow-Saffron.

Colchicum Chioense floribus Frit-
tillariæ instar tessulatis, foliis undula-
tis *Hist: Oxon: Frittillaricum Chien-*
se Park: parad: variegatum Meleagris
facie Cornut: The checkered Meadow-
Saffron of Chio, or Sio.

Colchicum pumilum Croci foliis *B.*
P. Hist: Oxon: minimum tenuifolium
Gallæcium I. B. Small Meadow-Saffron
with true Saffron-leaves.

Colchicum vernali *Ger: Park: ver-*
num Helveticum B. P. vernali Came-
rarij I. B. Spring Meadow-Saffron.

Col-

Colchicum luteum majus B: P: flore luteo quorundam I. B: *Colchiconarcissus autumnalis major* Hist: Oxon: *Narcissus autumnalis major* Ger: Park: *parad: The greater Autumn, or winter Daffodil.*

COLUTEA vesicaria B: P: I. B. *vesicaria vulgaris* Park: *Colutea* Ger: *Common Bastard-Senna.*

Colutea scorpioides Ger: I. B. *scorpioides major* Park: *filiquosa sive scorpioides major* B: P: *Scorpion-coddled Bastard-Senna.*

Colutea scorpioides odorata Prosp: Alp: *in Exot: Sweet-smelling Bastard-Senna.*

Colutea flore rubello, promontorii Bonæ spei *Red flowered Bastard-Senna from the Cape of good Hope.*

S. *CONSOLIDA media pratensis cærulea* B: P: *media*, quibusdam *Bugula* I. B. *Bugula* Ger. *vulgaris* Park: *Common Bugle. Offic.*

Consolida media pratensis flore albo.
Bugle with white flowers.

Consolida regalis hortensis, five
Del-

Delphinium variorum colorum *Larks-
heels of several colours Ann:*

C O N V O L V U L U S major albus
B. P. Park: major *I. B.* vulgaris ma-
jor albus seu flore majore albo *Hist:*
Oxon: **Smilax** lævis major *Ger:* *Great
white Binde-weed.*

S. Convolvulus minor arvensis *B: P:*
minor vulgaris *Park:* vulgaris flore mi-
nore albo vel purpureo *Hist:* *Oxon:*
Helxine cissampelos multis, five Con-
volvulus minor *I: B:* **Smilax** lævis minor
Ger: *Small Binde-weed:*

S. Convolvulus minor semine trian-
gulo *B. P.* niger *Park:* Volubilis ni-
gra *Ger:* *Helxine semine triangulo I:*
B: *Frumentum Saracenicum* alterum
Convolvuli modo scandens, semine tri-
angulo minore nigro *Hist.* *Oxon.* *Black
Binde-weed. Ann:*

C O N V O L V U L U S peregrinus cæruleus
folio oblongo *B. P.* peregrinus cæru-
leus folio oblongo, flore peramæno tri-
plici colore insignito *Hist:* *Oxon:* cæ-
ruleus minor folio oblongo *Ger:* minor
cæ-

cæruleus Hispanicus Park: *Small long-leaved Binde-weed.* Ann:

Convolvulus Siculus minor flore parvo auriculato Boccon: Siculus annuus cæruleus, minimus capsulâ floris binis foliolis cinctâ Hist: Oxon: Sicilian Binde-weed with very small blew flowers. Ann:

Convolvulus cæruleus hederaceo anguloso folio B. P. cæruleus Ger: cæruleus hederaceus seu trifolius Park: parad: Hist: Oxon: Nil Arabum quibusdam, sive Convolvulus cæruleus I. B. *Great blew Binde-weed with cornered leaves.* Ann:

Convolvulus Althææ folio Park: argenteus Althææ folio B. P. Hist: Oxon: Ger: peregrinus pulcher Betonicæ folio I. B. *Binde-weed with Marsh-mallow leaves.*

CONYZA mas Theophrasti, major Dioscordis B. P. major verior Dioscordis Park: major Monspeliensis odorata I. B. odorata Ger: *The truest great Fleabane.*

Conyza minor vera I: B: Ger: minor
vera Ponæ Park: fœmina Theophras-
ti, minor Dioscoridis B: P: *The true-
est small Flea-bane.*

Conyza major vulgaris B: P: major
Matthioli, Baccharis quibusdam I: B:
Baccharis Monspeliensium Ger: Park.
Great Fleabane, or Ladies-gloves.

Conyza media Asteris flore luteo,
vel tertia Dioscoridis B: P: media Ger:
media Matthioli flore magno luteo, hu-
midis locis proveniens I. B. *Milde-
Fleabane.*

Conyza cœrulea acris B: P: Ger.
odorata cœrulea Park: Senecio, five
Erigeron cœruleus, aliis Conyza cœru-
lea I. B. *Blew flowered Flea-bane, or sweet
purple Fleabane:*

CORIANDRUM I: B: Ger: vul-
gare Park: majus B. P. *Common Corian-
der. Offic. Ann.*

Cornus hortensis mas B. P. mas Ger.
mas fructu rubro Park: fativa five do-
mestica I: B: *The male red Cornel-tree,
Offic.*

Cor-

S. *Cornus foemina* B. P. Ger: *Park: foemina*, putata *Virga sanguinea*, I. B. *The Female Cornel, or Dog-berry-tree.*

S. *CORONOPUS sylvestris hirsutior* B. P. *vulgaris* five *Cornu cervinum* Park: *Cornu cervinum* Ger: *Coronopus*, five *Cornu cervinum* vulgò, spicâ *Plantaginis* I. B: *Buck-horn Plantain.*
Offic. Ann:

CORYLUS sativa I. B. *sativa* fructu albo minore, five *vulgaris* B. P. *Nux avellana*, five *Corylus* Ger: *The Filberd-nut.* *Offic.*

S. *Corylus sylvestris* B. R. Ger: *Corylus*, five *Nux avellana sylvestris* I. B: *Park: Common Hazel-nut.* *Offic:*

S. *COTYLEDON hirsuta* I. Raij. *Hairie Kidney-woort.*

Cotyledon major. B: P: *vera radice tuberosâ* I. B. *Umbilicus Veneris* Ger: *Veneris vulgaris* Park: *Wal-penny-woort, Navel-woort, or Kidney-woort.*
Offic:

S. *CRITHMUM marinum* Ger. *marinum vulgare* Park: *Crithmum multis,*
five

five *Foeniculum marinum* I. B. *Crith-*
mum five *Foeniculum marinum minus*

— *B. P. Sampire* *Offic.*

Crithmum chrysanthemum *Ger :*
Park : maritimum flore *Asteris Attici*
B. P. marinum tertium Matthiolo flore
 luteo *Bupthalmi* I. B. *Golden-flowered*
Sampire.

Crocus I: *B. fativus* *B. P. verus*
fativus autumnalis *Park:* autumnalis *fat-*
tivus, seu *hortensis* *Hist: Oxon: Common*
Saffron. Offic.

Crocus vernus albus striatus *Park:* *pa-*
rad: White stript Spring-Saffron-flower.

Crocus vernus albus fundo purpureo
Park, parad: White Spring-Saffron with a
purple bottom.

Crocus vernus flavus striatus *Park :*
parad: Tellow stript Spring-Saffron.

Crocus vernus flore aureo *Park: pa-*
rad: Gold-yellow Spring-Saffron.

Crocus vernus purpureus maximus
Park: parad: Great purple Spring-Saffron:

Crocus vernus purpureus minor *Park:*
parad: Small purple Spring-Saffron.

Cro-

Crocus vernus striatus Turcicus *Park.*
parad: Turkey Stript Spring-Saffron.

Crocus vernus Neapolitanus *Park:*
parad: Blew Spring-Saffron of Naples.

Crocus vernus purpureus striatus
Park: parad: Stript purple Spring-Saf-
fron.

S. **CRUCIATA** *Ger: vulgaris Park:*
hirsuta B: P: Gallium latifolium, Cru-
ciata quibusdam, flore luteo I: B: Cross-
wort. Offic.

CUCUMIS *fativus vulgaris B: P:*
Hist: Oxon: vulgaris viridis & albus
I: B: vulgaris Ger: fativus Park: Com-
mon Cucumbers. Offic. Ann:

Cucumis asininus *Ger: Hist: Oxon:*
agrestis sive asininus Park: sylvestris
asininus dictus B: P: sylvestris asininus
I: B: Wild, or Squirting Cucumber Offic:

CUCURBITA *lagenaria I. B.*
lagenaria major Park: lagenaria sylve-
stris Ger: lagenaria flore albo, folio mol-
li B. P. Hist. Oxon. Great Botslg-Gourd.
Offic: Ann.

CUMINUM *femine longiore B:*

H

P: vul-

P. vulgare Park: fativum Ger : Cym-
inum five Cuminum fativum *I. B. Or-*
inary Cumin. Offic: Ann:

CUPRESSUS I. B. Dod: fati-
va vulgaris Park: fativa & sylvestris
Ger : *Common Cypress-tree.*

CYANUS major Ger. major vul-
garis Park: Alpinus radice perpetua
I. B. montanus latifolius, vel Verba-
culum cyanoides B. P. Great Blew-bottle.
Offic.

Cyanus floridus odoratus Turcicus,
five *Orientalis Park: Great Oriental-*
Bottles, or Sultan-flower. Ann,

Cyanus Orientalis flore albo White
coloured Sultan-flower. Ann:

Cyanus Orientalis flore luteo Yellow-
coloured Sultan-flower. Ann:

S. Cyanus I. B: minor vulgaris Ger:
Park: segetum B: P: Common Blew-bottle
or Corn-flower. Offic. Ann.

Cyanus minor hortensis flore albo
White-coloured small Bottle-flower.

Idem flore carneo, rubro, purpureo,
albo & cæruleo mixto.

CYCLAMEN orbiculato folio
inferne purpurascēte **B. P.** orbiculato
folio **Ger:** autumnale vulgare folio ro-
tundo **Park:** *parad:* Cyclaminus folio
rotundiore elatior **I. B.** *Common Sow-*
bread. Offic:

Cyclamen autumnale vulgare flore
albo *Common Sow-bread with white*
flowers.

Cyclamen folio anguloso **B. P.** ver-
num **Lob:** *Ger:* vernum flore purpureo
Park: *parad:* Purple flowered Sow-bread
of the Spring

Cyclamen Hederæ folio **B. P. Lob:**
Ger: autumnale folio Hederæ **Park pa-**
rad: Cyclaminus folio anguloso **I. B.**
Ivie-leaved Sow-bread.

Cyclamen autumnale Heder folio,
flore albo **Park:** *parad:* ~~Ivie leaved~~
Sow-bread with white flowers.

Cyclamen oblongo radice **I. B:** *Long-*
rooted Sow-bread.

S. **CYNOGLOSSUM** majus vul-
gare **B. P:** **Ger:** **Park:** vulgare **I. B.** *Com-*
mon Hounds-tongue. Offic: Ann.

S. *Cynoglossum majus flore albo White flowered Hounds-tongue. Ann :*

Cynoglossum semper virens B. P. Park : minus folio virenti *Ger: Cynoglossa folio virenti I. B. Ever-green Hounds-tongue. Ann.*

Cynoglossum minus B. P. I. B. minus flore cæruleo Park: Small Hounds-tongue with blew flowers. Ann.

Cynoglossum Creticum angusto argenteo folio B: P: Creticum angustifolium Park: Creticum primum Ger. Creticum primum Clusij I. B. Narrow-leaved Hounds-Tongue of Candy. Ann.

CYTISUS *Ger: glaber foliis subrotundis pediculis brevissimis B: P glaber filiquâ latâ I: B: Pseudo-cytisus foliis subrotundis Park : Shrub-Trefoil.*

Cytisus incanus filiquis falcatis I. B. Cytisus Maranthæ Matthiolo Lob. filiquâ incurvâ folio candicante I: B: cornutus Ger. Cytisus Galeni creditus Maranthæ, cornutus Park : Horned Shrub-Trefoil.

Cu-

Cytisus foliis incanis angustis quasi complicatis *I. B.* Hispanicus Clusij secundus *I. B.* Pseudo-cytisus Hispanicus secundus *Park* : *The second Spanish base-Trefoil.*

D.

DAUCUS montanus Apij folio major *B. P.* selinoides major *Park* : Saxifraga Venetorum *Adv.* Libanotis altera quorundam, aliis dicta Cervaria nigra *I. B.* Libanotis Theophrasti nigra *Ger* : *Black Herb-Frankincence, or Venetian Saxifrage.*

DENS CANIS latiore rotundioreque folio *B. P.* latiore rotundioreque folio, flore purpurascente *Hist* : *Oxon* : caninus flore purpureo *Ger* : caninus flore purpurascente *Park* : *parad* : Satyrium quorundam Eythronium, bifolium flore unico radiato albo &

purpureo I: B: *Purple Dog-tooth-Violet.*

Dens canis angustiore longiore folio
B. P. angustiore longiore folio flore
albo *Hist: Oxon: caninus flore albo*
Ger. Park, parad: White Dog-tooth-
Violet.

S. DENS LEONIS *Ger: vulga-*
ris Park: latiore folio B: P: Hedypnois
five Dens leonis Fuchsj I. B. Dandely-
on. Offic.

Dens leonis Asphodeli bulbulis B: P:
Monspeliensium, five Asphodeli bul-
bulis *Park: bulbosus Ger: Knotty-root-*
ed Dandelyon.

DENTARIA heptaphyllos B: P:
Hist: Oxon: Park: heptaphyllos Clu-
sij Ger: Coralloides altera, five septifo-
lia I: B: Sea-foil-Tooth-wort, or Coral-
wort. Offic.

Dentaria pentaphyllos B. P. *Hist:*
Oxon: Park: pentaphyllos Clusij Ger:
quinquefolia I. B. Five-leaved-Tooth-
wort, or Coralwort.

Dentaria major Matthiolo *Ger: Oro-*
banche

banche radice dentatâ major *B. P.* radice dentatâ, five *Dentaria major Matthioli Park. Anblatum Cordi five Aphyllon I: B: The greater Toothwort.*

Dentariæ affinis, Echij flore capsulâ rotundâ Hort. Reg. Bies: Bastard Toothwort with Vipers-Bugloss flowers.

S. *DIGITALIS* purpurea folio aspero *B: P: Hist: Oxon:* purpurea *I: B: Ger: purpurea vulgaris Park. Purple Fox-gloves. Offic.*

Digitalis vulgaris flore albo White-flowered Fox-gloves.

Digitalis vulgaris flore carneo Flesh-coloured Fox-gloves.

Digitalis latifolia flore ferrugineo Hist: Oxon: maxima ferruginea Park: parad: Broad-leaved Iron-coloured Fox-gloves.

Digitalis lutea magno flore B: P: Hist: Oxon. lutea folio latiore flore majore I: B: lutea flore amplo. Fox-gloves with large yellow flowers.

Di-

Digitalis lutea vel pallida parvo flore B. P. *lutea minore flore* Hist: *Oxon: minor lutea vel pallida* Park: *parad: lutea* Ger: *flore minore sublutea, angustiore folio* I. B. *Small pale-yellow Fox-gloves.*

Digitalis foliis maxime serratis Hort: Reg: *Bles: Galeata & verticillata Persicæ foliis*, *Digitalis æmula Ejusdem in plantarum non scriptarum delineatione* Pseudo-digitalis purpurea Boccon: *Bastard Fox-gloves, commonly Virginian Fox-gloves.*

DIPSACUS fativus B. P. I. B. Ger: *Park: Carduus fullonum* Lob: *Garden, or manured-Teasel.* Offic: *Ann.*

S. *Dipsacus sylvestris* Ger: *Park: sylvestris aut Virga pastoris major* B. P. *sylvestris sive Labrum Veneris* I B. *The great mild Teasel, or Venus-bason.* Offic.

Dipsacus folio laciniato B. P. *sylvestris laciniatis foliis* Park: I. B. *Wild Teasel with jagged leaves.* Ann:

Dip-

Dipsacus sylvestris capitulo minore,
 five **Virga pastoris minor** *B. P.* minor
 five **Virga pastoris** *Ger:* **Virga pastoris**
Park: **Virga pastoris vulgaris** *l. B.*
Shepherds-Rod, or small wild Teasel.
Ann:

DORONICUM radice scorpij
B: P: vulgare *l: B: Park:* majus officinarum
Ger: **Romanum** *Hist. Lugd:*
Great Leopards-bane. Offic:

Doronicum Plantaginis folio *B. P.*
 folio fere **Plantaginis oblongo** *l. B.* minus
Park: minus officinarum *Ger:* **The lesser**
Leopards-bane.

Doronicum Americanum *Park.* **A-**
mericanum laciniato folio *B. P.* **Aconi-**
tum Helianthemum Canadense *Cornut:*
Great American Leopards-bane.

Doronicum Americanum minus foliis
 obscurius virentibus *Hort: Reg: Bles:*
Small American Leopards-bane with dark-
green leaves.

DRABA alba filiquosa repens *B. P.*
Park: altera repens *Ger:* filiquosa alba
 perennis repens succulento folio *Hist:*
Oxon.

Oxon. Hesperis Alpina seu muralis minor repens I: B: *The creeping-codded Arabian-Mustard.*

Draba lutea filiquis strictissimis B. P. Hist: Oxon: lutea Park: lutea quibusdam I. B. quarta Ger. Yellow Arabian-Mustard.

Draba umbellata vel Draba major capitulis donata B. P. filiculosa repens major, foliis magis incanis, spanospermus vulgaris Hist. Oxon: vulgaris Park: Dioscoridis Ger: Draba multis, flore albo I: B: Common Arabian-Mustard.

DRACUNCULUS hortensis B. P. hortensis sive Tarchon I. B. Draco herba Ger: Draco herba sive Tarchon, & Dracunculus hortensis Park: Tarragon.

S. *Dracunculus pratensis serrato folio B: P: Ptarmica Ger: vulgaris Park: vulgaris folio longo serrato, flore albo I: B: Common Sneez-wort. Offic:*

Dracunculus pratensis, sive Ptarmica flore pleno. Double-flowered Sneez-wort.

Dra-

Dracunculus polyphyllus *B. P.* major vulgaris *I. B. Park:* **Dracontium majus** *Ger: Great Dragons. Offic.*

E.

S. **E**CHIU M scorpioides arvense *B. P.:* scorpioides solissequum flore minore *I. B.* Myosotis scorpioides arvensis hirsuta *Ger: scorpioides hirsuta Park: Mouse-ear Scorpion-grass. Ann.*

S. **Echium** scorpioides minus flosculis luteis *B. P.* Myosotis scorpioides minor flosculis luteis *Park: Small yellow-flowered Scorpion-grass.*

Echium scorpioides palustre *B. P.* scorpioides solissequum aliud, flore majore cæruleo & albo *I. B.* Myosotis scorpioides palustris *Ger: scorpioides repens Park: Water Scorpion-grass.*

S. **Echium** vulgare *B. P. I. B. Ger: Park: Common Vipers-Bugloss. Offic. Ann. E-*

S. *Echium flore albo Vipers Buglosse with a white flower. Ann.*

Echium Creticum latifolium rubrum B. P. Park: Echium Candiaæ flore pulchro rubente I B. Reddish-flowered Vipers Buglosse of Candy. Ann:

Echium Creticum flore variegato Vipers-Buglosse of Candy with party coloured flowers. Ann.

E L A T I N E folio acuminato, in basi auriculato, flore luteo *B. P. folio acuminato Park: foemina folio anguloso I. B. altera Ger: Linaria hirsuta folio acuminato, in basi auriculato Hist: Oxon: Sharp pointed Fluellen. Offic. Ann.*

Elatine folio subrotundo, B: P: Park: mas folio subrotundo I. B. Veronica foemina Fuchsj five Elatine Ger: Linaria hirsuta folio subrotundo, flore ex herbido flavescente Hist: Oxon: Female Fluellen, or round-leaved Fluellen, or Speedwel. Ann.

E P I M E D I U M *B: P. Ger: Park, Hist: Oxon: Epimedium quorundam I. B. Barren-wort. EQUI-*

- S. **EQUISETUM** arvenſe longioribus ſetis *B. P. Park:* ſegetale *Ger:* minus terreſtre *I: B: Common Horſe-tail. Offic.*
- S. **Equiſetum nudum** *Ger:* junceum ſive nudum *Park:* foliis nudum non ramoſum, ſive junceum *B:P: Naked Horſe-tail.*
- S. **Equiſetum ſylvaticum tenuiſſimis ſetis** *B:P: ſylvaticum Ger:* omnium minimum tenuifolium *Park:* **Equiſetum** ſive **Hippuris tenuiſſima**, non aſpera *I: B: Wood-Horſe-tail.*
- S. **Equiſetum paluſtre longioribus ſetis** *P. P. majus Ger:* majus paluſtre *Park:* majus aquaticum *I: B: The greater marſh-Horſe-tail.*
- S. **Equiſetum paluſtre brevioribus foliis polyſpermon** *P. B. alterum brevioribus foliis Park:* **Equiſeti facie Polygonum foemina** *I: B: Female-Horſe-tail.*
- S. **Equiſetum foetidum ſub aquâ repens** *P: B. I: B: Park: Ger: Stinking water-Horſe-tail.*
- S. **ERICA** baccifera procumbens nigra

gra *B. P.* *baccifera procumbens Ger :*
baccifera Matthioli I. B. baccifera ni-
gra Park : Berry-bearing Heath.

S. Erica vulgaris Ger : Park : vulga-
ris glabra B. P. vulgaris humilis sem-
per virens flore purpureo & albo I. B.
Common Heath. Offic.

S. Erica Myricæ folio , tomentosis , &
incanis foliis Clusio I. B. Myricæ folio
hirsuta B. P. vulgaris hirsuta Ger : vul-
garis hirsutior Park : Common rough-leav-
ed Heath.

S. Erica humilis cortice cineritio, Ar-
buti flore B. P. tenuifolia Ger : virga-
ta five sexta Clusij Park : ramulis ter-
nis, floribus saturationibus purpureis
I. B. Fine-leaved Heath.

S. Erica ex rubro nigricans scoparia
B. P. major flore purpureo Ger : pu-
mila altera Belgarum Lob : pumila
Belgarum Lobelij scoparia nostras
Park : Brabantica folio Coridis hirsu-
to quaterno I. B. Low-Dutch-Heath, or
Broom-Heath.

(III)

ERUCA latifolia alba sativa **B : P :**
major sativa annua flore albo striato
I. B. Hist: Oxon: sativa **Ger:** alba **Park:**
Garden Rocket Offic. Ann:

Eruca sativa foliis magis dissectis.
Garden Rocket with deeper-cut-leaves
Ann.

Eruca Chalepensis caulibus & filiquis
hirsutis, foliis inferioribus maculatis
Hist: Oxon: Rocket of Alepo with hairy
stalks and cods, the lower leaves spotted.
Ann.

Eruca sylvestris major lutea caule
aspero **B: P:** sylvestris major vulgati-
or foetens **H:st: Oxon:** sylvestris **Ger:**
sylvestris vulgator **Park:** tenuifolia pe-
rennis flore luteo **I: B: Wild Rocket.**

Eruca Bellidis foliis **Hist: Oxon:**
Daisy-leaved Rocket.

S. Eruca lutea latifolia sive Barbarea
B. P. latifolia lutea seu Barbarea major
Hist: Oxon: Barbarea **I. B. Ger:** Barbarea
flore simplici **Park:** *Winter-Cresses, or*
Winter-Rocket.

Eru.

Eruca latifolia lutea seu *Barbarea* minor flore simplici *Hist: Oxon: The lesser single flowered Winter-Rocket, or Winter-Cresses.*

- S. *Eruca sylvestris* minor, luteo parvoque flore I: B: *sylvestris* seu *palustris* minor procumbens & repens, luteo parvoque flore. *Hist: Oxon: aquatica Ger: Park: Eruca* quibusdam *sylvestris* repens, flosculo parvo luteo I. B. *Small water-Rocket.*

Eruca Monspelica filiquâ quadratâ echinatâ B: P: *Hist: Oxon: Monspelica* filiquâ quadrangulâ *Park: Sinapi echinatum I. B. Prickly square-codded Rocket of Mompeller. Ann:*

- S. *Eruca maritima* Halica filiquâ hastæ cuspidi simili B. P. *Hist: Oxon: marina Ger. marina Anglica Park: Cakile* quibusdam aliis *Eruca marina, & Raphanus marinus I. B. Sea-Rocket. Ann:*

- S. *ERYNGIUM* maritimum & *Gesn: hort: B: P: marinum I: B: Ger: Park: Sea-Holly, or Eringo. Offic.*

Eryngium vulgare, & *Camerarij I. B.*

B. P. vulgare **I. B.** mediterraneum
Ger : mediterraneum five campestre
Park : *Mediterranean Eringo*, or *Sea-Holly*.

Eryngium latifolium planum **B. P.**
planum latifolium capitulo rotundo par-
vo **I. B.** caeruleum *Ger* : Pannonicum
Park : *Mountain Eringo*.

Eryngium montanum amethystinum
B. P. caeruleum **I. B.** *Blw Eringo*.

S. **ERYSIMUM** vulgare **B. P.** *Hist.*
Oxon *Erysimum Dioscoridis* **L. b.** *Ger* :
Erysimum Tragi flosculis luteis juxta
 muros proveniens **I. B.** *Iris* five *Erysi-*
num vulgare *Park* : *Common-hedge-*
Mustard or *Bank-Cresses*, *Offic* : *Ann.*

Erysimum latifolium majus glabrum
B. P. *Hist* : *Oxon* : *latifolium Neapo-*
litanum *Park* : *Broad-leaved Hedge-Mu-*
stard of Naples.

Erysimum angustifolium majus **B.**
P. *angustifolium Neapolitanum* *Park*,
montanum Irionis vulgaris folio
λεπτομακροέριον *Hist.* *Oxon* : *Rapistrum*

Trionis folio *Col: Narrow-leaved Hedge-Mustard of Naples. Ann:*

Erysimum polyceratium five **corniculatum** *B: P: Hist. Oxon: Matthioli alterum Lob: alterum Italicum Ger: verum five montanum Park. alterum Matthioli filiquis parvis, quibusdam Dentaria I. B. True Hedge-Mustard, or Italian Sanke-Cresses. Ann.*

- S.** **Eryfimo** similis **hirsuta** non **laciniata** **alba** *B: P: Eryfimo similis hirsuta planta Park: Erysimum minimum annuum hirsutum Hist: Oxon. Barbarea muralis I. B. Hairy-Hedge-Mustard with uncut leaves, or Daisie-leaved Wall-Cresses. Ann.*

- S.** **Euonymus** vulgaris **granis** **rubentibus** *B. P. vulgaris Park: Euonymus Theophrasti Ger: Euonymus multis, aliis Tetragonia I. B. The Spindle-tree.*

Euonymo similis **arbor** **Virginiana** *The Virginian Spindle-tree.*

- S.** **EUPATORIUM** **Veterum** five **Agri-
monia** *B. P. Eupatorium Veterum, five*
ve

ve Agrimonia inodora seu minus odora
Hist: Oxon: Agrimonia Ger. vulgaris
Park: Agrimonia sive Eupatorium I: B:
Common Agrimony. Offic.

Eupatorium odoratum *B. P.* alterum
 odoratum & aromaticum *Col: maxime*
 odoratum *Hist: Oxon: Agrimonia odo-*
rata Park: Sweet Agrimony.

- S. Eupatorium cannabinum *B. P: Park:*
 cannabinum mas *Ger. adulterinum I: B:*
 Eupatorium Avicennæ creditum *Cam:*
Common Hempe-like Agrimony. Offic:

Eupatorium cannabinum America-
 num latifolium *Park: Eupatoria foliis*
Enulæ Cornut: Broader-leaved Hempe-
Agrimony of America.

- S. Eupatorium aquaticum folio integro
Park: Eupatorij cannabini fœminæ va-
rietas altera Ger: Cannabina aquatica
 folio non diviso *B: P: Verbefina pul-*
 chriore flore luteo *I. B. Water-Agrimony*
with undivided leaves. Ann.

- S. Eupatorium cannabinum fœmina
Ger: aquaticum duorum generum Park:
 I 2 Can-

Cannabina aquatica folio tripartito diviso B. P. Verbesina, five Cannabina aquatica flore minus pulchro, elatior & magis frequens I: B: *Water-Agrimony with divided leaves. Ann:*

S. EUPHRASIA I: B: Ger: vulgaris Park: officinarum B: P: *Eye-bright. Offic: Ann:*

S. Euphrasia pratensis rubra B. P. parva purpurea I. B. Crataegonon Euphrosines facie Ger: Euphrasia pratensis rubra major Park: *Eye-bright-Cow-wheat. Ann:*

F.

F A B A compressa major seu hortensis major alba vel rubra *Hist: Oxon: major hortensis Ger. Park: Faba, cyamos leguminosa I. B. Boona five Faselus major Dcd. Great Garden Beans, commonly called Turkey Beans. Ann.*

Fa-

Faba minor five equina **B. P.** rotunda oblonga seu cylindracea minor seu equina alba & nigra *Hist: Oxon:* minor silvestris *Park:* communis *Ger: Common or Field Beans. Offic. Ann.*

Faba silvestris fructu rotundo atro **B. P.** silvestris *Ger: silvestris Græcorum,* five **Faba Veterum** *Park:* **Arachus fabaceus** & **Faba Kayrina** cui semina minima **I. B.** **Vicia Narbonensis** maxima fructu rotundo atro, foliis serratis & integris *Hist: Oxon: The Old Greekish-Bean. Ann.*

S. FAGUS **B. P.** *Ger: Park:* **Fagus** Latini-
norum, **Oxya Græcorum** **I: B:** *The Beech-tree.*

FERRUM EQUINUM filiquâ singulari **B. P.** *Hist: Oxon:* equinum *Ger:* equinum majus *Park:* **Solea equina** **I. B.** *Great Horse-shoe-Vetch. Ann:*

Ferrum equinum Gallicum filiquis in summitate **B: P:** equinum Gallicum *Park:* **Polygalon Cortusi** **I: B:** **Polygala enneaphyllos** *Hist: Oxon: The French-Horse-shoe-Vetch.*

Ferrum equinum filiquâ multiplici
I. B. Hist: Oxon: equinum polycera-
ton Park: Many-codded Horse-shoe-Vetch.
Ann:

Ferrum equinum Germanicum fili-
 quis in summitate *B: P: equinum como-*
sum Park: equinum capitatum, seu co-
mosum Col: Hist: Oxon. Ornithopodio
affinis, vel potius Soleæ aut Ferro equi-
no, herba I. B. Tusied Horse-shoe-Vetch.

F E G O P Y R U M *Dod: Tragopy-*
ron Ger: Park: Fagotriticum I. B. Ery-
simum cereale B. P. Polygonum he-
deraceum five Frumentum Sarace-
nicum rectum Hist: Oxon: Buck-
Wheat. Ann.

F E R U L A *Galbanifera Lob: latio-*
re folio Park: folio glauco semine la-
to oblongo, quibusdam Thapsia fe-
rulacea I: B: Ferulago latiore folio
B. P. The broader-leaved Fennel-Gyant.
Offic.

Ferula Ger. foemina Plinij B: P: te-
nuiore folio Park: folio Fœniculi semine
la-

latiore & rotundiore I: B: *Fine leaved Fennel-gyant.*

Ferula Tingitana folio latissimo lucido *Broad leaved shining Fennel-gyant of Tangiers.*

S. **FESTUCA** avenacea sterilis elatior B. P. Bromos herba sive Avena sterilis *Park: Bromos sterilis Ger: Ægilops Matthiolo forte I: B: Great wild Oat-Grass. Ann:*

S. Festuca avenacea hirsuta panniculis minus sparsis I: Raij: Gramini murali Dalechampij simile si non idem I. B. *Rough Oat-grass with more compacted pannicles. Ann:*

S. Festuca altera Dod: graminea glumis hirsutis B. P. Gramen Gros Montbel-gardenfe I: B: *Drank, or Oat-grass with larger and more sparsed pannicles. Ann.*

S. Festuca utriculis lanugine flavescen-tibus B. P. Ægilops bromoides Ger: Ægilops bromoides Belgarum *Park: Ægilops quibusdam aristis recurvis, sive Avena pilosa I. B: Bearded Wild-Oats, or Haver. Ann.*

S. **F I C U S** *I. B.* Ger: vulgaris *Park:* communis *B. P.* Common Fig tree. *Offic.*

Ficus Indica folio spinoso fructu minore *B. P.* Indica spinosa minor *Park:* *The lesser prickly Indian-Figg.*

S. **F I L I P E N D U L A** *I. B.* Ger: vulgaris *Park:* vulgaris, an Molon *Plinij?* *I. B.* Drop-wort. *Offic.*

S. **F I L I X** ramosa non dentata florida *B. P.* floribus insignis *I. B.* florida sive *Osmunda*: regalis *Ger:* *Osmunda regalis*, sive *Felix* florida *Park:* Flowering Fern, or *Osmund Royal* *Offic.*

S. *Felix* ramosa major pinnulis obtusis non dentatis *B. P.* major & prior *Trago*, sive ramosa repens *I. B.* foemina *Ger:* foemina vulgaris *Park:* Female-Fern, or common Brakes. *Offic.*

S. *Felix* non ramosa dentata *B. P.* mas *Ger.* mas vulgaris *Park:* vulgò mas dicta, sive non ramosa *I. B.* Male-Fern. *Offic.*

S. *Felix* mas ramosa pinnulis dentatis *Ger:* Branched Male-Fern with denuded leaves. Fi-

- S. **Filix mas non ramosa**, pinnulis angustis, raris, profunde dentatis *Ger*: mollis sive glabra, vulgari mari non ramosa accedens *I B. Male-Fern with thin-set deeply-dented leaves.*
- S. **Filix mas non ramosa** pinnulis latis auriculatis spinosis *Ger*: Lonchitidi affinis *I. B. mas aculeata major B: P. Prickly Male-Fern.*
- S. **Filix palustris sive aquatica** *I: Raij*: minor non ramosa *I B. Marsh, or water Male-Fern.*
- S. **Filix querna** *B: CP: Dryopteris*, sive **Filix querna repens** *Park*: **Filix minor** non ramosa *I. B. Dryopteris Penæ & Lobelij Ger: True Oak-Fern.*
- S. **Filix saxatilis ramosa** nigris maculis punctata *B: P: ramosa minor I. B. pumila saxatilis prima Clusij Park: Dryopteris Tragi Ger: The lesser branched Female-Fern, or Stone-Fern.*
- S. **Filix saxatilis non ramosa** nigris maculis punctata *B P. pumila saxatilis altera Clusij Park: Male Stone-Fern.*
- S. **Filix saxatilis caule tenui fragili** *I: Raij*:

Raij: laxatilis crispa *Park:* Filicula Alpina crispa *B: P:* *Fine-cut Stone-Fern with slender and brittle stalks.*

- S.** Filicula montana florida perelegans seu Adiantum album floridum *I: Raij:*
Small flowering Rock-Fern.

F O E N I C U L U M vulgare Germanicum *B: P:* vulgare *Ger: Park:* vulgare minus, acriore & nigriore semine *I. B.*
Common Fennel. Offic:

Fœniculum foliis atro-rubentibus
Brown Fennel.

Fœniculum dulce *B. P. Ger: Park:* dulce majore & albo semine *I. B. Sweet Fennel. Offic.*

Fœniculum dulce Azoricum *D. Morisoni Sect. de plant: umbellifer. Sweet Fennel from the Azores.*

F O E N U M G R Æ C U M *I. B. Ger:* sativum *B: P: Park:* Trifolium Fœnum græcum dictum *Hist: Oxon: Fœnugreek. Offic. Ann.*

- S.** **F R A G A R I A** *Ger: vulgaris B. P. Hist: Oxon: Park:* ferens fraga rubra *I. B. Common Straw-berries. Offic.*

Fra-

Fragaria fructu subalbido Ger: Park: White Straw-berries.

Fragaria fructu parvi Pruni magnitudine B. P. Hist: Oxon: Fragaria Bohemica Park: Great white Straw-berries.

Fragaria Virginiana fructu coccineo Hist: Oxon: Virginian Straw-berry,

- S. *Fragaria sterilis B: P: minime vesca Park: minime vesca five sterilis Ger: sterilis, seu minime vesca hirsutamini- me incana Hist: Oxon: non fragifera, vel non vesca I. B. Barren Straw-berries.*

F R A X I N E L L A *Ger: Park: Dictamnus albus vulgò, five Fraxinella B. P. Fraxinella, Officinis Dictamnus I: B. Bastard Dittany, or Fraxinel. Offic:*

Fraxinella niveo flore Clus: flore albo Park: parad: White-flowered Bastard-Dittany.

- S. **F R A X I N U S** *Ger: vulgaris Park: excelsior B: P: Fraxinus vulgaris Mela Dioscoridis, Melias genus excelsum & procerum Theophrasto I: B: Common-Ash-tree. Offic:*

FRIT-

FRITTILLARIA Ger: præcox
 purpurea variegata B: P: *Hist. Oxon:*
 vulgaris Park: parad: Meleagris five
 Fritillaria saturatio & dilutio I. B.
The most common Fritillary, or Checker-
ed Daffodil.

Fritillaria præcox alba B: P: *Hist:*
Oxon: Ger: alba Park: parad: alba al-
 tera I: B: *The white Fritillary.*

Fritillaria Hispanica umbellifera Park:
 parad. Ger: *The Spanish Fritillary with*
the flowers standing as it were in an Um-
bell.

Fritillaria flore duplici albicante
 Park: parad: *The double bush Fritillary.*

Fritillaria alba polyanthos *The white*
Fritillary with many flowers:

Fritillaria serotina floribus ex flavo
 virentibus B. P. *Hist: Oxon:* Aquita-
 nica minor, flore luteo obsoleto Ger:
 Meleagris five Fritillaria Aquitanica re-
 flexis oris I: B: *The lesser dark Fritillary.*

S. **FUMARIA** officinarum & Diosco-
 ridis B: P: vulgaris I. B. Park: purpu-
 rea Ger: vulgaris latifolia filiquis curtis
 non

non bivalvibuss *Hist* : *Oxon* : *Common Fumitory. Offic* : *Ann.*

S. *Fumaria major scandens flore pallidior* *I. Ratj*: *The greater ramping Fumitory. Ann*:

S. *Fumaria claviculis donata* *B. P. Hist*: *Oxon*: *alba latifolia Pa k*: *alba latifolia claviculata Ger*: *Fumaria cum capreoliis I*: *B. Climbing Fumitory. Ann.*

Fumaria filiquosa semper virens Cornut: *Hist*: *Oxon*: *Americana filiquosa semper virens Park*: *Indian Fumitory.*

Fumaria bulbosa radice cavâ major B. P: *radice cavâ flore purpureo I. B.* *tuberosa major radice cavâ Hist*: *Oxon*: *Radix cava major flore carneo Park*: *parad. Radix cava major purpurea Ger*: *Hollow-root with purple flowers.*

Fumaria bulbosa radice cavâ flore albo I. B. *Radix cava major alba Ger*: *major flore albo Park. parad*: *The white Hollow-root.*

G.

GALEGA I: B: Ger. vulga-
ris B. P. Hist: Oxon: Park:
Ruta capraria Gesn: Common
Goats-rue. Offic:

Galega flore albo Hort: Eyst: White
flowered Goats-rue.

Galegæ affinis, Sesban Prosp: Alp:
Ægypt: Galega Ægyptiaca filiquis ar-
ticulatis B. P. Sesban, five Securidaca
Ægyptiaca articulata Park: Hatchet-
Vetch of Ægypt with joynted coddcs.
Ann:

S. GALLIUM album I. B Ger: palu-
stre album B: P: Gallij albi five Mol-
luginis vulgationis varietas major I: B:
White Ladies-Bed-straw.

S. Gallium, five Mollugo montana mi-
nor Gallio albo similis I: Raij: Small
Mountain-Bastard-Madder.

Gal-

S. *Gallium luteum* Ger: *Park*: *B. P. verum Dioscoridis & Galeni* I: *B. Yellow Ladies-Bedstraw. Offic.*

S. *GENISTA* spinosa major longioribus aculeis *B. P. spinosa vulgaris Ger: spinosa major vulgaris five Scorpius Theophrasti, quem Gaza Nepam transtulit Park: Genistellæ spinosæ affinis, Nepa quibusdam I. B. Common Whins.*

S. *Genista* minor aspalathoides, seu *Genista spinosa Anglica B: P: Genistella minor aspalathoides I: B Genista aculeata Ger: Genistella aculeata Park: Needle-Furze, or Pettie-Whin:*

S. *Genista Ger: angulosa & scoparia B: P: vulgaris & scoparia Park: angulosa trifolia I. B. Common-Broom. Offic.*

S. *Genista tinctoria Germanica B. P. tinctoria vulgaris Park: Genistella tinctoria Ger: Tinctorius flos I. B. Dyers-Broom, Green-weed, or Dyers-weed.*

Genista tinctoria ramulis erectis Dyers Broom with Upright branches.

GEN-

GENTIANA *Asclepiadis folio*
B. P. Park: folio *Asclepiadis* vulgo
 creditæ *I: B:* major secunda cæruleo
 flore *Clusij Ger:* *Swallow-wort-Gentian.*

Gentiana cruciata P: B. Park: minor
 nor *cruciata Ger:* minor seu vulgi cru-
 ciata *I: B: Cross-wort Gentian.*

Gentianella Alpina angustifolia mag-
no flore P. B. Alpina magno flore I:
B: verna major Ger: verna *Park: parad.*
Small Gentian of the Spring.

3. *Gentianella autumnalis Centaurij*
minoris foliis Park: fugax minor Ger:
Gentianellæ species quibusdam, an Cor-
do Pneumonanthe aut Gentiana fugax
altera Clusij: I: B: Dwarfse Autumnal
Gentian.

- S. **GERANIUM** *batrachoides Gratia*
Dei Germanorum Lobelio P. P. bat-
rachoides I: B: Ger: *batrachoides vio-*
laceum Hist: Oxon: *batrachoides flore*
cæruleo Park: parad: The blew Crow-
foot Crans-bill.

Geranium batrachoides flore albo
Park: parad: The white Crow-foot-Crans-
bill. Ge.

Geranium batrachoides flore albo
& cæruleo vario *Park: parad: The*
party-coloured Crow-foot-Crans-bill

S. Geranium batrachoides folio **Aco-**
niti *B: P: Hist: Oxon:* batrachoides ali-
ud folio **Aconiti** nitente *Clusij. I: B:*
batrachoides minus *Park: batrachoides*
alterum Ger: The lesser Crow-foot-Crans-
bill.

Geranium annuum minus batrachoi-
des **Bohemicum** purpuroviolaceum
Hist: Oxon: The lesser annual purple
flowered Crow-foot-Crans. bill of Bohemia.
Ann:

Geranium batrachoides odoratum
B. P. Hist. Oxon. batrachoides longius
radicatum *Ger: batrachoides alterum*
longius radicatum *Lobelij Park: batra-*
choides longius radicatum odoratum I:
B: Long-rooted Crans-bill.

Geranium montanum fuscum *B. P.*
phæum flore reflexo *I: B: phæum* seu
fuscum petalis reflexis *Hist. Oxon. fus-*
cum sive maculatum *Park: parad. Ger.*
Swart-tanneey or spotted Crans-bill.

- S. *Geranium sanguineum* maximo flore
B. P. Hist: Oxon: sanguinarium *Ger:*
 hæmatodes *Park: parad:* sanguineum
 five hæmatodes crassâ radice **I: B: The**
red Rose. Crans-bill.

Geranium hæmatodes flore variegata
 to *Strip Rose. Crans-bill.*

Geranium purpureum Moschoviticum
Park: Hist. Oxon: Purple Muscovy
Crans-bill.

Geranium Romanum vericolor five
 striatum *Park: parad: Hist: Oxon: The*
variable strip Crans-bill.

Geranium tuberosum majus **B. P. Hist:**
Oxon: tuberosum *Ger: I. B. tuberosum*
 vel bulbosum *Park: parad. Bulbous, or*
Knobbed Crans-bill.

- S. *Geranium lucidum* saxatile **P. B.**
 saxatile *Ger Park:* lucidum **I: B:** annu-
 um montanum rotundifolium saxatile
 lucidum *Hist: Oxon: Shining Rock-*
Crans-bill. Ann.

- S. *Geranium folio Malvæ* rotundo **P: B.**
 folio *Malvæ* rotundo majus *Hist. Oxon:*
 columbinum *Ger: columbinum vulgare*
Park:

Park: folio rotundo multum serrato,
sive columbinum *L. B. Doves-foot, or*
Crans-bill. Offic: Ann:

S. *Geranium columbinum* tenuius laci-
niatum *B. P. columbinum annuum* mi-
nus tenuius laciniatum *Hist: Oxon: co-*
lumbinum magis dissectis foliis *Ger:*
malacoides laciniatum sive *columbinum*
alterum Park: Doves-foot with deeply-
cut-leaves. Ann.

S. *Geranium malacoides* flore albo *Hort.*
Reg: Bles. White flowered Doves-foot-Crans
bill. Ann.

S. *Geranium columbinum* majus flore
minore cærulescente *L. Raij. Doves-foot*
with a blue flower. Ann:

S. *Geranium columbinum* dissectis fo-
liis pediculis florum longissimis *L. Raij.*
columbinum annuum minus folio tenu-
is laciniato flore pediculo longissimo in-
sistente *Hist: Oxon: Jagged Doves-*
foot with flowers on long foot-stalks.
Ann.

Geranium Althææ folio *B: P: Hist:*
Oxon: althæodes majus Park: mala-
K 2 coides

coides *Lob.* Ger: malvaceum *I. B. Crans-*
bill with Marsh-Mallow leaves. Ann.

Geranium pusillum supinum mariti-
 mum Betonicæ folio *I. Raij.* minimum
 procumbens foliis Betonicæ *Hist. Oxon.*
Small Sea-Crans-bill, or Betony-leaved
Crans-bill. Ann.

Geranium latifolium acu longissimâ
B. P. latifolium annuum cæruleo flore
 acu longissimâ *Hist. Oxon.* Creticum
 Ger: *Park.* speciosum annuum longis-
 simis rostris Creticum *I. B. Candy-*
Crans-bill. Ann.

Geanium Cicutæ folio moschatum
B. P. moschatum *Hist. Oxon.* Ger: *Park.*
 moschatum, folio ad Myrrhidem acce-
 dente, majus *I. B. Muskèd-Crans-bill.*
Offic. Ann.

S. Geranium Cicutæ folio inodorum
B. P. annuum Cicutæ folio inodorum
Hist. Oxon. Cicutæ folio minus & su-
 pinum Ger: moschatum inodorum
Park. moschatum, folio ad Myrrhi-
 dem accedente minus *I. B. Unsavory*
Cransbill. Ann.

Ge-

- S. *Geranium molchatum inodorum*, flore albo *Park*: arvense album *Tab. Unfavoury Crans-bill with white flowers. Ann.*
- S. *Geranium Robertianum primum* B. P. *Robertianum* flore dilute rubello *Hist. Oxon.* *Robertianum Ger*: *Robertianum vulgare Park.* *Robertianum murale I. B.* *Herbe-Robert. Offic. Ann.*
- S. *Geranium Robertianum* flore albo *Herbe-Robert with white flowers.*

GINGIDIUM umbellâ oblongâ B. P. *Gingidium Hispanicum Ger*: *Vifnaga I. B.* *Vifnaga*, *Gingidium* appellatum *Park.* *Tooth-pick-Chervil. Ann.*

GLADIOLUS floribus uno versu dispositis major B. P. *Hist. Oxon.* *Gladiolus* sive *Xiphion I. B.* *Narbonensis Park.* *parad. Ger.* *The French Corn-Flagg.*

Gladiolus flore rubente *Park.* *parad.* *Blush Corn-Flagg.*

Gladiolus flore albo *Park.* *parad.* *White-flowered Corn-Flagg.*

Gladiolus floribus uno versu dispositis

tis minor **B. P.** *Hist. Oxon.* : purpureus
minor **Park.** : *purad.* Small purple Corn-
Flagg.

Gladiolus major Bizantinus **B. P.**
Hist. Oxon. Bizantinus **Park.** *parad.* Corn-
Flag of Constantinople.

- S.** **GLAUX** maritima **B. P.** : exigua ma-
ritima **I. B.** *Ger.* **Park.** : Sea Milk-wort,
or black Salt-wort.

GLYCYRRHIZA vera fili-
quosa five Germanica **B. P.** *Hist. Oxon.* :
vulgaris *Ger.* : vulgaris filiquosa **Park.** :
radice repente vulgaris Germanica **I. B.**
Common Liquorice. Offic.

- S.** **Glycyrrhiza** silvestris floribus luteo-
palescentibus **B. P.** **GlauX** vulgaris le-
guminosa five **Glycyrrhiza** sylvestris
Park. : **Fœnum** græcum sylvestre five
Glycyrrhiza sylvestris quibusdam **I. B.**
Hedysarum **Glycyrrhizatum** *Ger.* : **A-**
stragalus luteus perennis procum-
bens vulgaris five sylvestris. *Hist.*
Oxon. : Wild Liquorice, or Liquorice-
Vetch.

GNAPHALIUM latifolium
Ame-

Americanum *B. P.* Americanum *I. B.*
Ger: Park: Everlasting, or American
Cud-weed.

S. Gnaphalium vulgare majus *B. P.* minus sive *Herba impia Park: Filago* sive *Herba impia Ger: Gnaphalium Germanicum I. B: Common Cud-weed, or*
Herbe-impious. Ann.

S. Gnaphalium majus angusto oblongo folio alterum *B: P: rectum I: B: Anglicum Ger: Anglicum vulgare majus Park: Great English Cotton-weed.*
Ann:

S. Gnaphalium medium *B. P.* vulgare sive secundum *Ger: Gnaphalio vulgari similis I. B. Filago minor Park: Middle or black-headed Cud-weed.*
Ann:

S. Gnaphalium minus repens *B: P: minimum I. B. minimum repens Park: Filago minor Ger. The least Cud-weed.*
Ann:

Gnaphalium minus latioribus foliis
B: P: Park. Ger: Gnaphalium unico
cauliculo I: B: The lesser broad-leaved Cud-
weed. Ann.

- Gnaphalium roseum sylvestre** *B. P.*
roseum Park, parad. umbellatum mi-
nimum I. B. The Cotton-Rose, or Rose-
Cottonweed.
- S. Gnaphalium montanum flore rotun-**
diores B. P. montanum album Ger:
montanum five Pes Cati Park. Pilosel-
la minor quibusdam, aliis Gnaphalij
genus I. B. Mountain Cudweed, or Cats-
foot. Offic.
- S. Gnaphalium montanum flore purpu-**
reo. Purple-flowered mountain Cotton-
weed.
- S. GRAMEN agrorum Lob: agrorum**
venti spicâ Park, arundinaceum Ger:
agrorum Lobelij I. B. fegetum pani-
culâ arundinaceâ B. P. Corn-reed grass,
or Bent.
- S. Gramen alopecuroides majus Ger:**
Alopecuro simile glabrum cum pilis
longiusculis in spicâ, Onocordon mi-
hi denominatum I. B. phalaroides ma-
jus Italicum B. P. phalaroides majus
Park: The most common Fox-tail-grass.
Ann.

Gra

- S. Gramen alopecurinum minus *Ger* :
 alopecuroides spicâ longâ majus & mi-
 nus *Park*: typhoides spicâ angustiore
B: P: cum caudâ muris purpurascēte
I: B: The lesser Bastard Foxtail-grass.
Ann.

Gramen alopecuroides spicâ rotun-
 diore *B P.* Gramen Alopecuros spicâ
 brevi *I: B: Alopecuros Ger:* genuina *Park.*
The true Fox-tail. Ann.

Gramen alopecuroides maximum,
 five Alopecuros altera maxima paludo-
 sa *I. B.* Alopecuros maxima *Anglica*
Park: altera maxima *Anglica* paludosa
Ger: Great English Marsh Fox-tail. Ann:

- Gramen aquaticum cum longissimâ
 S. paniculâ *I. B.* fluviatile *Ger: Park:*
 aquaticum fluitans multiplici spicâ *B: P:*
Flote-grass.

- Gramen aquaticum geniculatum spi-
 S. catum *B: P:* fluviatile spicatum *Ger:*
 cum parvâ caudâ muris, radice non no-
 dosâ repens *I. B. Spiked Flote-grass, or*
Water-grass.

- Gramen aquaticum majus *Ger:* pa-
 S. niculatum

niculatum aquaticum latifolium B. P. majus aquaticum Lobelij I: B: harundinaceum aquaticum Park: *Great water Reed-grass.*

- S. Gramen asperum I. B. spicatum folio aspero B. P. pratense spicâ multiplici rubrâ Park: *Rough-grass.*
- S. Gramen avenaceum dumetorum spicâ simplici I: Raij: *Single spiked Hedge-Oat-grass. Ann.*
- S. Gramen avenaceum dumetorum paniculâ sparsâ I. Raij. *Hedge Oat-grass with a sparsed panicle. Ann:*
- S. Gramen avenaceum procumbens paniculis non aristatis I. Raij. *Small Oat-grass without awns.*
- S. Gramen avenaceum paniculâ flavescente locustis parvis I. Raij. *Oat-grass with a yellow panicle.*
- S. Gramen caninum arvense, five Gramen Dioscoridis B: P: caninum Ger: caninum vulgarius Park: repens, Officinarum forte, Triticeæ spicæ aliquatenus simile I: B: *Common Couch-grass or Dogs-grasse. Offic:*

Gra-

- S. **Gramen caninum supinum paniculatum dulce** B: P: *I. B. exile tenuifolium canariæ simile, sive Gramen dulce* *Park: Sweet Dog-grass.*
- S. **Gramen caninum maritimum spicatum** B. P. **caninum marinum** Ger: **caninum geniculatum maritimum spicatum** *Park: Sea Dogs-grasse, or Conch-grasse.*
- S. **Gramen caninum nodosum** Ger: **nodosum** I: B: **caninum nodosum bulbosum vulgare** *Park: nodosum avenaceâ paniculâ* B: P: *Knotted Dogs-grass.*
- S. **Gramen cristatum** I: B: **cristatum Anglicum** *Park: cristatum* **Baubini** Ger: **pratense cristatum, seu Gramen spicâ cristatâ leve** B: P: *Smooth Crested-grasse.*
- S. **Gramen cyperoides majus latifolium** *Park: cyperoides* Ger: **cyperoides cum paniculis nigris** I: B: **cyperoides latifolium spicâ ruffâ sive caule triangulo** B: P: *Great Vernal Cyperus-grasse.*

Gra-

S. Gramen cyperoides majus angustifolium *Park*: cyperoides angustifolium spicâ spadiceo-viridi majus B.P. *The greater narrow-leaved Cyperus-grass.*

S. Gramen cyperoides ex monte *Ballon* spicâ divulsâ *I. B.* cyperoides palustre majus spicâ divisâ *B.P.* cyperoides palustre minus *Park*: *Marsh Cyperus-grass with a divided head.*

Gramen cyperoides palustre elatius spicâ longiore laxâ *I. Rarj.* *Cyperus-grass with a loose spike.*

S. Gramen cyperoides silvarum tenuius spicatum *Park*: *Slender-leaved Wood-Cyperus-grass.*

Gramen cyperoides palustre majus spicâ compactâ *B. P.* palustre cyperoides triquetrum spicâ integrâ *I. B.* palustre cyperoides *Ger*: cyperoides palustre majus *Park*: *The greater Marsh Cyperus-grass, or spiked Cyperus-grass.*

Gramen cyperoides spicâ pendulâ brevior *B. P.* cyperoides spicâ brevi pendulâ *Park*: *Graminis cyperoidis genus, Pseudo-cyperus Lobellio spicis vel*

vel paniculis pendentibus ex longis pediculis *I. B.* *Pseudocyperus* *Ger: Bastard Cyperus. with short pendulous heads.*

Gramen cyperoides angustifolium paniculis plurimis sessilibus in foliorum alis *I. Raij. Narrow-leaved Cyperus-grasse with small panicles.*

- S. *Gramen cyperoides pulicare* *I. Raij. Flea-grass.*

Gramen exile duriusculum in muris & aridis proveniens *I. Raij. minus duriusculum* *Ger: minimum* *Monspeliense* *I. B. Gramen paniculâ multiplici* *B. P. Park: Small hard-Grass. Ann.*

- S. *Gramen nemorosum hirsutum* *Ger: nemorosum hirsutum majus* *Park: nemorosum hirsutum majus latifolium* *B: P: rore lucidum nemorense five Luzulæ* *I. B. Common hairy Wood-grass.*

- S. *Gramen junceum aquaticum* *Bauhini Park: junceum folio articulato aquaticum* *B: P: Gramen aquaticum* *Ger: Juncus foliaceus capsulis triangulis* *I. B. Rush-grass with pointed leaves.*

Gra-

- S. Gramen junceum parvum five Holostium Matthioli, & Gramen bufonium Flandrorum *Park*. Gramen junceum *Ger*: nemorosum calyculis paleaceis *B. P.* Holostium Matthioli junceum *I. B.* *Toad-grasse*.
- S. Gramen junceum maritimum *Ger*: junceum foliis & spicâ Iunci *I. B.* junceum maritimum majus *Park*: Juncus parvus cum pericarpis rotundis *I*: *B*: *Rush-grasse with round seed Vessels*.
- S. Gramen junceum spicatum seu triglochin *B. P.* triglochin *I. B.* triglochin Dalechampij *Park*: marinum spicatum *Ger*: *Arrow-headed-grass*.
- S. Gramen spicatum alterum *B. P.*: *Ger*: marinum spicatum alterum *Ger*: *Sea Spiked-grasse*.
Gramen murorum spicâ longissimâ *Ger*: spicâ nutante longissimâ *Park*: *Capons-tail-grasse*.
- S. Gramen palustre echinatum *I. B.* *Ger*: aculeatum Germanicum *Park*: palustre aculeatum vel minus Germanicum *B. P.* *Hedge-hog-grasse*.

Gramen paniceum spicâ divisâ **B. P.**
 Graminis genus quibusdam Gallis Dens
 canis secundus, five Panicum sylvestre
 spicâ divulsâ **I. B.** Panicum vulgare
Ger. sylvestre herbariorum *Park.* *Grass*
with a divided Spike.

S. Gramen pratense paniculatum majus
B. P. pratense *Ger.* pratense vulgatus
Park. *The greater Meadow-grasse.*

S. Gramen pratense paniculatum mi-
 nus **B. P.** pratense minimum album
Park. minimum album *Ger.* minus al-
 bum & rubrum **I. B.** *The lesser Mea-*
dow-grasse.

S. Gramen pratense paniculâ sparsâ, ver-
 sus unam partem duriore **I. Raij.** *Mea-*
dow-grass, with harder sparsed panicles.

S. Gramen pratense paniculatum molle
B. P. *Park.* lanatum Dalechampij **I. B.**
 Gramen 6. cap. 22. lib. 1. *Ger.* *Soft-*
tufted Meadow-grass.

S. Gramen parvum præcox, spicâ laxâ
 canescente **I. Raij.** *Vernal-grass with a*
soft loose spike. Ann.

Gra-

Gramen paniculatum folio variegato *B: P: Ger: Park: parad: striis pictum I. B. Painted-grasse, or Ladies-laces,*

S. Gramen Parnassii *Ger: Parnassii vulgare Park: Parnassii flore albo simplici B. P. Parnassii Dodonæi, quibusdam Hepaticus flos I: B: Grasse of Parnassus.*

S. Gramen secalinum *Ger: secalinum majus Park: Rie-grass. Ann.*

S. Gramen sparteum spicatum foliis mucronatis vel spicâ secalinâ *B. P. Spartum spicatum, pungens Oceanicum I: B: marinum nostras Park: Anglicanum Ger: English Sea-Matweed, or Mar-ram.*

Gramen sparteum pennatum *B. P. pinnatum, alijs Spartum I. B. plumarium minus Park: parad: Spartum Austriacum Ger. Feather-grass.*

S. Gramen pratense tomentosum paniculâ sparsâ *B: P: tomentosum Ger: Gnaphalium Tragi, five Juncus bombycinus I. B. Gramen juncoides lanatum, vel*

vel *Juncus bombycinus vulgaris Park :*
Calton grasse.

- S. *Gramen tremulum I: B: tremulum majus B. P. Phalaris pratensis Ger :*
Gramen tremulum, seu Phalaris media Anglica prima Park : Quaking-grasse.

Gramen tremulum maximum B: P: I. B. tremulum maximum Hispanicum Park: Phalaris pratensis altera Ger :
The greatest white Spanish Quakers, or Pearle-grasse, Ann:

- S. *Gramen typhoides maximum spicâ longissimâ B. P. typhinum majus Ger :*
maximum Park: Gramen cum caudâ muris majoris longâ, majus I: B: The greatest Cats-tail-grasse.

GRATIOLA Ger: vulgaris Park: centauroides B: P: Digitalis minima, Gratiola dicta Hist: Oxon: Hedge-Hysop. Offic.

GROSSULARIA simplici acino vel spinosa sylvestris B: P: vulgaris Park: Uva crispa Ger: crispa sive Grossularia I: B: Common Goose-berries.

L

Gros-

Grossularia sive Uva crispa alba maxima rotunda *The cristal round or Globe-Goof-berry.*

Grossularia maxima subflava oblonga *The great yellow long Goof-berry.*

Grossularia fructu quasi gemino sine acino *The square Goof-berry without a stone.*

Grossularia viridis hirsuta *Park: Small hairy or prickly Goof-berry.*

Grossularia rubra *Park: spinosa fructu obscure purpurascens I. B. spinosa sativa altera foliis latioribus B. P. Red Goof-berries.*

Grossularia multiplici acino sive non spinosa hortensis rubra sive Ribes Officinarum *B. P. Ribes vulgare fructu rubro Ger: Park: vulgaris acidus ruber I. B. Common red Currans, or Raspberries. Offic.*

Grossularia hortensis majore fructu rubro *B. P. Ribes fructu rubro majore Ger: Park: an Ribes flore rubente? I. B. The great red Curran*

Grossularia hortensis fructu margaritis

tis simili B: P: Ribes fructu albo Ger:
Park: vulgaris acidus albas baccas ferens
 I: B: *White Curran.*

Grossularia non spinosa fructu nigro
 B: P: Ribes fructu nigro Ger: *Park:* ni-
 grum vulgo dictum, folio olente I: B:
Small black Curran.

Grossularia non spinosa fructu nigro
 majore *Great black Curran.*

Grossularia, Ribes fructu rubro foliis
 Uvæ crispæ Hort: Reg: Bles: *The red Cur-
 ran with the Goose-berry leaf.*

H.

HALIMUS five Portulaca
 marina B: P: vulgaris five
 Portulaca marina Ger: Por-
 tulaca marina nostras *Park:*
 marina fruticosa quæ Halimus secunda
 Clusij I: B: Atriplex maritima angustif-
 simo folio *Hist: Oxon: Common Sea-Pur-
 flane.*

L 2

Hay

Halimus latifolius five **frutescens** **B:**
P: **Halimus Clusij** **I:** **B:** **latitolius** five **Portulaca marina** incana major **Park:** **Atriplex latifolia** seu **Halimus fruticosus latifolius** **Hist. Oxon:** *The greater Out-landish: or hoary Sea-Purflane.*

S. **HEDERA** arborea **B:** **P:** **corymbosa** **Ger:** *arborea, five scandens, & corymbosa nigra* **Park:** *communis major & minor* **I:** **B:** *Berry-bearing Ivy. Offic.*

S. **Hedera major sterilis** **B:** **P:** **helix** **Ger:** *Park: Barren or creeping Ivy.*

S. **Hedera terrestris vulgaris** **B:** **P:** **Park:** *terrestris* **Ger:** *Chamaecitellus* five **Hedera terrestris**, & **Hedera sylvatica** **Romanorum** **I:** **B:** *Ground-Ivy. Offic.*

Hedera trifolia Canadensis **Cornut:** *trifolia Virginiana* **Park:** *Three-leaved Ivy of Virginia.*

Hedera quinquefolia Canadensis **Cornut:** *Virginiana quinquefolia* **Park:** *Virginiana* **Ger:** *Five-leaved Ivy of Virginia.*

HEDYSARUM triphyllum **Canadense** **Cornut:** *triphyllum Americanum* **Park:** *Onobrychis Canadensis triphyllus*

phyllos articulado semine triquetro
*Hist: Oxon: American Trefoil-Flatchet-
 Vetch.*

HELENIUM *Ger: vulgare* **B: P:**
Helenium sive **Enula campana** **I: B:**
Park: Elecampane. Offic:

Helenium Indicum maximum **I. B.**
Herba maxima I. B. Flos Solis major
Ger: Park: parad: The great Sun-flower.
Ann:

Helenium Indicum tuberosum, Flos
Solis pyramidalis *Ger: Battatas de Ca-*
nadâ Park: Helianthemum Indicum tu-
berosum B. P. French Potato's, or Je-
rusalem-Artichocks.

HELICHRYSUM sive **Stæ-**
chas citrina angustifolia **B. P.** **Stæchas**
citrina tenuifolia **Narbonensis** **I: B:**
Stæchas citrina sive Amaranthus luteus
Ger: Chrysocome, sive Coma aurea,
& Stæchas citrina vulgaris Park: Golden
Tuft, or Golden Cassidony.

HELIOTROPIMUM **majus** **Dios-**
coridis **B: P:** **majus** *Ger: Park: majus*
flore albo I: B: The greater Turn-sole.
Ann.

Heliotropium tricocon *B. P. I. B.*
Ger. Park: The Colouring or dying Turn-
sole. Offic. Ann.

Helleborus niger flore roseo
B. P. niger flore albo, interdum etiam
valde rubente I. B. niger verus Ger. Park.
True black Hellebore or Christmas-flower.
Offic:

S. Helleborus niger sylvestris adulteri-
 nus & jam hyeme virens *I. B. Hellebo-*
raster maximus Ger. maximus five Con-
filigo Park: Great Bastard black Hellebore,
or Bears-foot.

Helleborus niger hortensis flore vi-
 ridi *B. P. niger vulgaris flore viridi*
vel herbaceo, radice diuturna I. B.
Helleborastrum Ger. Helleboraster mi-
nor flore viridante Park: Wild Bastard-
black-Hellebore.

Helleborus albus flore attrorubente
B. P. I. B. albus præcox Ger. albus
præcox five attrorubente flore Park:
Early white Hellebore with dark red
flowers.

Hel-

Helleborus albus *I. B.* Ger. albus vulgaris *Park.* albus flore subviridi *B. P.* *Common white Hellebore. offic.*

- S. Helleborine *Ger.* minor flore albo latifolia montana *B. P.* Helleborine *Dodonæi I. B.* *Common Bastard, or wild white Hellebore.*

Helleborus niger *Saniculæ folio major B. P. Park.* Sanicula foemina quibusdam, aliis Helleborus niger *I. B.* *Astrantia nigra Lob.* nigra, five *Veratrum nigrum Dioscoridis Ger.* *The greater purging Sanicle like-Hellebore.*

HESPERIS I. B. hortensis *B. P.* *Hist. Oxon.* Viola matronalis flore purpureo *Ger. Park.* *Purple flowered Dames Violet, or Queens-Gilloflower.*

Hesperis five Viola matronalis flore simplici albo, *Single white-flowered Dames Violet, or Queens-Gilloflower.*

Hesperis, five Viola matronalis flore pleno albo. Viola matronalis flore multiplici albo *Cornut.* flore albo pleno *Ger.* *Double white Dames-Violet, or Queens-Gilloflower.*

Hesperis, five Viola matronalis flore pleno purpureo. *Double purple Dames-Violet, or Queens Gilloflower.*

HIERACIUM majus folio Sonchi semine curvo B. P. Chondrillæ Creticæ nomine missa semine crispo I: B: Sonchus asper laciniatus Creticus B. *Prodr. Park: Prickly Sow-Thistle of Candy.*
Ann:

Hieracium Apulum flore suaverubente Col: Dentis leonis folio flore suaverubente B. P. Intubaceum flore carneo Park: *Blush Garden-succory-like Hawk-weed.* Ann.

Hieracium Echioides capitulis Cardui Benedicti B. P. maximum, Buglossum Echioides quibusdam I: B: Buglossum luteum Ger: Lingua Bovis Park: *Yellow Bugloss, or Langue-de-boeuf.* Ann:

Hieracium Echioides capitulis Cardui Benedicti majus Arabicum folio sinuato Great Arabian yellow Bugloss, or Lang-de-boeuf with cut leaves. Ann.

Hieracium siliquâ falcatâ B. P. falcatum

tum Lobelij Ger : falcatum five stellatum *Park.* stellatum I. B. *Starry-headed Hawke-weed. Ann.*

Hieracium capitulum inclinans femine adunco B. P. florem inclinans I. B. folio Hedipnoidis *Park.* *Yellow succory-like Hawke-weed. Ann.*

Hieracium Dentis leonis folio monoclonon glabrum B. P. *Un-branched smooth Hawke-weed with Dandelion-leaves.*

- S. Hieracium Dentis leonis folio obtuso majus B. P. longius radiculatum Ger : *Park.* macrocaulon junceum five minus primum Dodonæi I. B. *Long-rooted Hawke-weed.*

- S. Hieracium Chondrillæ folio radice succisâ majus B. P. minus præmorsâ radice *Park.* minus præmorsâ radice, five Fuchsiæ I. B. minus five leporinum Ger : *Yellow Diuels-bit, or Hawke-weed with bitten-roots.*

Hieracium Castorei odore Monspe-liensium I. Rarj. foliis Cichorei sylvestris villosis, odore Castorei D. Magnol. *Small rough Succory-leaved Hawke-weed,*

weed, smelling of the Beaver-stones.
Ann.

Hieracium lepto-macro-caulon Cbl.
Long small stalked Hawkweed. Ann:

- S. *Hieracium murorum folio pilosissimo B: P: murorum Bauhini, quod est Pulmonaria Gallorum Lobelij Park, Pulmonaria Gallica, five aurea latifolia Ger: Pilosella major quibusdam, aliis Pulmonaria flore luteo I. B. French or Golden Lungwort.*

Hieracium murorum five Pulmonaria Gallorum, macrocaulon, Long-stalked French Lungwort.

- S. *Hieracium murorum laciniatum minus pilosum B. P. Pilosellæ majoris five Pulmonariæ luteæ species magis laciniata I. B. French Lungwort with smoother and more cut leaves.*

Hieracium fruticosum latifolium foliis dentatis glabrum B: P: fruticosum latifolium glabrum Park: Hieracij Sabaudij varietas prima, Erinus quibusdam Matthioli dicta I: B: The smoother broad-leaved bushy-Hawkweed.

Hie-

✓ Hieracium fruticosum angustifolium majus *B. P. Park.* intybaceum *Ger:* rectum rigidum, quibusdam Sabaudum *I: B: Narrow-leaved bushy-Hawkweed.*

Hieracium fruticosum latifolium hirsutum *B: P: Park:* Hieracij Sabaudij varietas altera *I: B: Bushy-Hawk-weed with rough broad leaves.*

S. Hieracium fruticosum minus *B: P: Park: The lesser bushy-Hawkweed.*

S. Hieracium minus folio subrotundo *B. P. minimum Clusij Hyoseris Tabernamontani. & Gerardi Park. Hyoseris mascula Ger: Small Swines-Succory. Ann:*

S. HOLOSTEUM affinis, Cauda muris *B. P. Holosteum Lonicæi Cauda muris vocatum Park: Cauda muris Ger: Myosuros I. B. Mouse-tail. Ann:*

S. HORDEUM distichum *I: B: Ger: Park: distichum, quod spica binos ordines habeat, Plinio B: P: Common Barly. Offic. Ann.*

Hordeum polystrichon *I. B. polystrichum*

chum hybernum *B. P.* polystichum vel
hybernum *Park: Winter or square-Barly*
or Bear-Barly. Ann:

Hordeum nudum Naked Barley.
Ann.

H O R M I N U M Sclarea dictum
B. P. sativum vulgare sive Sclarea
Park. Gallitrichum sive Horminum *Ger:*
Gallitrichum sativum *I. B. Garden-Clary.*
Offic.

Horminum, Sclarea dicto congener
flore albicante *Whitish-flowered Clary,*
like Garden-Clary.

Horminum luteum glutinosum *B. P.*
luteum, sive Colus Jovis *Park:* Colus
Jovis *Ger.* Galeopsis species lutea, vis-
cida, odorata nemorensis *I. B. Yellow*
Clary, or Jupiter-Distaff.

Horminum sylvestre latifolium Tin-
gitanum *Broad-leaved wild Clary of Tan-*
gier.

Horminum sylvestre latifolium ver-
ticillatum *B. P.* sylvestre latifoli-
um *Ger:* Germanicum humile *Park:*
Gallitricho affinis planta, Horminum
syl-

sylvestre latifolium Clusio I. B. Low-
German-Clary.

Horminum sylvestre Lavendulæ flo-
re I. B. Park. Gallitrichis affinis, Marru-
bij si non genus aliquod, Sclarea Hispanica
Tabernamontani I. B. Clary with
Lavender-like flowers.

S. Horminum pratense foliis ferratis B:
P: sylvestre Ger: sylvestre vulgare
Park. Gallitrichum sylvestre vulgò, si-
ve sylvestris Sclarea flore purpureo cæ-
ruleove magno I. B. Common wild-Clary.
Offic.

Horminum folio Betonicæ Clary with
Betony-like leaves.

Horminum sativum B: P: genuinum
sativum Dioscoridis Park. sylvestre fo-
liis purpureis Ger: Horminum comâ
purpureo-violaceâ I. B. Clary with purple
leaves. Ann.

HYACINTHUS comosus major
purpureus B. P. Park: parad: Hist:
Oxon. comosus maximus botryoides
comâ cæruleâ I. B. The great purple Fair-
haired Jacinth.

Hy-

Hyacinthus comosus major flore albo *The great white Fair-haired Jacinth.*

Hyacinthus comosus paniculâ cæruleâ *R. P.* comosus Sanesiuss paniculâ violaceâ *Hist. Oxon:* Sanesius paniculâ sâ comâ *Col:* comosus ramosus elegantior *Ger:* pennatus, sive comosus ramosus elegantior *Park: parad, The fair Curled hair Jacinth.*

Hyacinthus comosus ramosus purpureus *Ger: Park: parad: The Fair-haired branched Jacinth.*

Hyacinthus racemosus cæruleus major *B. P.* racemosus major latifolius speciosior arbuteo flore cæruleo *Hist: Oxon.* botryoides cæruleus major *Ger:* botryoides cæruleus, amœnus *Park: parad:* botryoides vernus: minor, latifolius cæruleus, inodorus. *I: B: The Sky-coloured Grape-flower.*

Hyacinthus racemosus albus *B: P:* botryoides albus *I: B:* botryoides flore albo *Park: parad. The white Grape-flower.*

Hy-

Hyacinthus racemosus cæruleus minor juncifolius *B. P.* racemosus minor juncifolius *Hist: Oxon.* botryoides cæruleus *Ger:* botryoides minor cæruleus obscurus *Park: parad:* vernus botryoides minor cæruleus angustioribus foliis odoratus *I. B:* *The dark blew Grape-flower.*

Hyacinthus racemosus moschatus *B. P.* racemosus seu botryoides major, seu Muscari majus obsoleto flore *Hist: Oxon.* botryoides major moschatus, sive Muscari flore cineritio *Park: parad:* odoratissimus dictus Tibcadi & Muscari *I. B:* Muscari Clusij *Ger:* *The Ash-coloured Grape-flower, or Muscari.*

- S. **Hyacinthus oblongo flore cæruleus major** *B. P.* floribus oblongis pendulis major Anglicus seu Belgicus cæruleus *Hist: Oxon:* Anglicus *Ger:* Anglicus, sive Belgicus *I. B:* Anglicus, Belgicus, vel Hispanicus, *Park: parad:* *English Hares-Bells, or Spanish Jacinth.*

Hy.

S. Hyacinthus Anglicus albus *Ger: White English Hares-bell.*

Hyacinthus Anglicus flore carneo,
Blush-flowered English Hares-bell.

Hyacinthus Hispanicus major flore campanulæ instar *Park: parad: The greater Spanish Bell-flowered-Jacinth.*

Hyacinthus campanularis Hispanicus flore patentiore *Spanish bell-flowered Jacinth with wider flowers.*

Hyacinthus Orientalis purpureus
B. P. The purple Oriental Jacinth.

Hyacinthus Orientalis pallide cæruleus *The pale-blew Oriental Jacinth.*

Hyacinthus Orientalis saturate cæruleus *The deep-blew Oriental Jacinth.*

Hyacinthus Orientalis flore albo *The white Oriental Jacinth.*

Hyacinthus Orientalis flore carneo
The blush Oriental Jacinth.

Hyacinthus Orientalis flore duplici
B. P. Park: parad: flore duplici seu altero alteri innato, ex colore albo & cæruleo ad pediculum parum virescenti
Hist:

Hist: Oxon: The black Oriental Jacinth once double.

Hyacinthus Orientalis serotinus striatus *P. B. Hist: Oxon: Hispanicus minor Orientalis facie Park: parad: minor Hispanicus Ger: minimus serotinus flosculis Hyacinthi Orientalis I: B: The little summer Oriental Jacinth.*

Hyacinthus stellaris bifolius Germanicus P. B. stellaris Germanicus præcox bifolius, & Hyacinthus stellaris præcox trifolius *Hist: Oxon: stellatus Fuchsj Ger: stellatus vulgaris, five bifolius Fuchsj Park. parad: stellatus bifolius & trifolius vernus dumetorum flore cæruleo & albo I. B. The common-blew Starry-Jacinth.*

Hyacinthus stellatus Martius five præcox cæruleus *Park: parad: The early blew Starr. Jacinth.*

Hyacinthus stellatus præcox flore albo *The early white Starry-Jacinth.*

Hyacinthus stellaris spicatus cinereus B. P. stellaris spicatus seu fastigiatus latâ depressâ spicâ *Hist: Oxon: stellatus mul-*
M tiflorus

tiflorus cineracei coloris *I. B.* stellatus Someri *Ger* : stellatus flore cinereo *Park* : *parad* : *The Ash-coloured Starry-Jacinth.*

Hyacinthus stellaris cæruleus amœnus *B. P.* stellaris caulibus pluribus ex eodem bulbo ortis, singulis pluribus floribus oneratis *Hist* : *Oxon* : stellatus Bizantinus nigrâ radice *Park* : *parad* : stellatus Bizantinus nigrâ radice flore cæruleo *Ger* : stellaris Bizantinus alter elegantissimus serotinus bullatus *Lob. I. B.* *The Starry-Jacinth of Turkey with the black-root.*

Hyacinthus stellatus monophyllus Lufitanicus *One-leaved Starry-Jacinth from Portugal.*

Hyacinthus Indicus bulbosus stellatus *B. P.* Peruanus *Ger* : stellatus Bæticus major, vulgo Peruanus *Park* : *parad* : stellatus Peruvianus multiflorus floribus cæruleis aut albis in rotundam metam fastigiatis *Hist* : *Oxon* : *The great Spanish Starry-Jacinth, or of Peru.*

Hy-

Hyacinthus stellatus foliis & radice
Lilij **B: P: Hist: Oxon.** stellatus lilifolius
Ger: lilifolius stellatus **I. B.** stellatus
Lilij folio & radice cæruleus **Park:**
parad: The blew Lilly-leaved starry Jacinth.

Hyacinthus stellatus Lilifolius albus
Park: parad: The white Lilly-leaved Jacinth.

S. HYOSCYAMUS niger **Ger:** vulgaris **I. B.** niger vel vulgaris **B: P:**
Park: Common black Henbane. **Offic:**
Ann.

Hyoscyamus albus I. B: Park: Ger:
 albus major **B. P. White Henbane.** **Offic:**
Ann:

Hyoscyamus Creticus Park: Creticus
 luteus major **B. P. Yellow Henbane**
of Candy. **Ann:**

HYPERCUM **B: P:** **Hypecoon**
 filiquis erectis articulatis incurvis **Hist:**
Oxon. **Hypecoon** filiquosum **I. B.** **Hypecoon**
 legitimum **Clusij Park: Cuminum**
 corniculatum sive **Hypecoon Clusij**
Ger: Horned wild Cumin. **Ann.**

S. **HYPERICUM** *Ger.* vulgare *B. P. Hist: Oxon: Park:* vulgare, sive Herba perforata caule rotundo, foliis glabris *I. B. Common Saint-Johns-wort. Offic.*

S. *Hypericum minus supinum, vel supinum glabrum B. P. Hist: Oxon: supinum glabrum Ger: minus supinum Park. minimum supinum I. B. Small creeping Saint-Johns-wort.*

Hypericum supinum tomentosum minus, vel Monspeliacum B. P. tomentosum I. B. tomentosum Lobelij Ger: supinum tomentosum minus Park: Woolly Saint-Johns-wort.

S: *Hypericum minus erectum B. P. Park: minus erectum glabrum pulchrum Hist: Oxon. pulchrum Tragi I. B. Ger: Small upright Saint-Johns-wort.*

S. *Hypericum Ascyrum dictum caule quadrangulo I. B. Ascyrum Ger: vulgare Park: Androsæmum Ascyrum dictum caule quadrangulo glabro Hist: Oxon: Common Saint-Peters-wort.*

Hypericum frutescens Americanum flore albo Park: Pruno sylvestri affinis

Ca.

Canadensis B. P. app: *Tree or shrub-Saint-Johns-wort.*

H Y S S O P U S vulgaris *Park:* Arabum *Ger:* officinarum cærulea five spicata *B. P.* vulgaris spicatus angustifolius flore cæruleo *L. B.* *Common blew-flowered Hyssope. Offic:*

Hyssopus flore albo *Ger:* Arabum flore albo *Park:* *White-flowered Hyssope.*

Hyssopus Arabum flore rubro *Ger:* *Park:* *Red-flowered Hyssope.*

Hyssopus versicolor *Ger:* versicolor foliis niveis *Park:* *Party-coloured Hyssope.*

Hyssopus foliis hirsutis *Hairy-Hyssope.*

Hyssopus angustifolia spicata *B : P :* *Park:* *Narrow-leaved spiked Hyssope.*

J.

S. **J** A C E A nigra pratensis latifolia
B. P. nigra Ger: nigra vulgaris
Park. nigra vulgaris capitata &
squammosa I: B: Black Knap-
weed.

S. *Jacea pratensis latifolia flore al-*
bo Common Knap-weed with white-
flowers.

Jacea Lusitanica semper virens Hist:
Reg Bles. Ever-green Knap-weed of Por-
tugal.

S. *Jacea nigra laciniata B. P. nigra*
vulgaris laciniata Park. major Ger:
Centaurium collinum Gesneri flo-
re purpureo I: B: Cut-leaved Knap-
weed.

Jacea cyanoides echinato capite B: P:
montana purpurea echinato capite
Park:

Park. The purple Mountain Thorny-headed Knap-weed.

Jacea marina Bætica Park: The Spanish Sea-Knap-weed.

Jacea lutea capite spinoso B. P. lutea capitulis spinosis Park: major lutea Ger: Centaurium collinum five Jacea spinosa flore luteo I. B. Yellow Knap-weed with prickly heads.

Jacea sphærocephala spinosa Tingitana Prickly glob-headed Knap-weed of Tangier.

Jacea incana Pini capite B: P: montana capite magno Strobili I B. pumila Narbonensis Park: Pine-apple-headed Knap-weed.

Jacea Oleæ folio capitulis simplicibus B: P: Ptarmica Austriaca Ger: Ptarmica Austriaca Clusij Park: Xeranthemum aliud five Ptarmica quorundam I. B. Sneez-wort of Austria Ann.

Jacea Oleæ folio flore minore B. P. Ptarmica Imperati five minor Park:

Ptarmica Imperati an *Ptarmicæ Austriacæ* species? *Ger*: *Xeranthemum* I. B. *Smaller Sneez-wort of Spain.*

Ann:

S. *JACOBÆA* *Ger*: vulgaris I: B: vulgaris laciniata B: P: vulgaris major *Park* *Common Saint-james-wort.*
Offic:

S. *Jacobæa Alpina* laciniata flore *Buphthalmi* B. P. *Pannonica latifolia* I: B: vulgaris minor *Park*: *Broad-leaved Rag-wort.*

Jacobæa Senecionis folio incano perenne I. *Raij.* *Perennial Ragwort with Groundsel-leaves.*

Jacobæa montana angustifolia lanuginosa non laciniata B. P. *Pannonica folio non laciniato* I. B. *angustifolia Ger.* *angustifolia Pannonica* non laciniata *Park*: *Mountain-Rag-wort.*

Jacobæa maritima B. P. *marina Ger:* *marina*, five *Cineraria vulgaris Park:* *marina*, five *Cineraria* I: B: *Sea Rag-wort.*

J A S M I N U M vulgatus flore albo *B. P.* album *Ger: Park:* Jasminum, five Gelseminum flore albo *I. B.* *Common white Jasmine. Offic:*

Jasminum luteum vulgo dictum baciferum *B. P.* Polemonium, five Trifolium fruticans *Ger:* Polemonium five Trifolium fruticans, vel Jasminum luteum vulgare *Park:* Trifolium fruticans quibusdam Polemonium flore luteo *I. B.* *Common yellow Jasmine.*

Jasminum Virginianum *Virginian Jasmine.*

Jasminum Persicum foliis lacinia-
tis. Syringa Persica, five Lilac Persicum incisus foliis, Jasminum Persicum dictum *Park:* Agem Lilag Persarum *Cornut:* Ligultrum foliis lacinia-
tatis *B: P:* nigrum *Prosp:* *Alpinide*
exot: The blew Persian Jasmine, or Pipe-
tree with cut-leaves.

Jasminum Persicum foliis non
la-

laciniatis *The blew Persian Jasmine with uncut-leaves.*

Iberis *I. B. latiore folio B: P: latiore folio serrato Hist: Oxon: Iberis Cardamantica Lob: Ger: Sciatica-Cresses. Offic.*

I L E X aculeata cocciglandifera *B. P. coccigera I: B: Ger: aquifolia, five coccigera Park: The scarlet Holme-Oake, or Ever-green-Oake. Offic.*

S. **Ilex** aculeata baccifera folio sinuato *B. P. Agrifolium Ger: Agrifolium, five Aquifolium Park: Aquifolium, five Agrifolium vulgo I: B: The common Holly-Tree.*

Ilex aculeata baccifera folio sinuato, five Agrifolium foliis variegatis Guilded, or stript Holly.

IMPERATORIA *I: B: Ger: major B. P. Imperatoria, five Astringia vulgaris Park: Master-wort, or Bastard Pellitory of Spain. Offic.*

INTYBUS *fativa Ger: fativa la-*

latifolia five Endivia vulgaris **B: P:**
 Intybum sativum latifolium **I: B:** En-
 divia sativa *Park: Garden Endive. Offic.*
Ann.

Intybus crispa **B: P:** Intybum sativ-
 um crispum **I: B:** Endivia crispa *Ger :*
Park : Curled Endive. Ann:

I R I S vulgaris Germanica , si-
 ve sylvestris **B : P :** *Hist: Oxon:* vul-
 garis *Ger :* purpurea five vulgaris
Park. vulgaris violacea five purpu-
 rea hortensis & sylvestris **I: B:** *The*
Common Flag-Flour-de-luce. Offic.

Iris alba Florentina B: P: Hist. Oxon.
Park : *parad :* Florentina *Ger :* flore
 albo **I. B.** *The white-flowered, or Floren-*
tine Flour-de-luce. Offic.

Iris Sufiana flore maximo ex albo
 nigricante **B. P. Hist: Oxon :** latifo-
 lia major Sufiana , vel Chalcedo-
 nica flore majore variegato , Clu-
 sio prima **I. B.** Chalcedonica *Ger :*
 Chalcedonica five Sufiana major
Park :

Park : *parad :* *The great Turkey Flour-de-luce.*

Iris Dalmatica major **B. P** *Park :* *parad. Ger: Dalmatica major flore vulgari minus violaceo* **I. B.** *The great Dalmatian Flour-de-luce.*

Iris lutea variegata **Camerarij** **B.** *P. lutea variegata* *Ger: Park: parad :* *lutea, foliis florum repandis variegatis* **I. B.** *Yellow variable Flour-de-luce.*

Iris lutea variegata **Lobelij** **B: P:** *lutea variegata* **Lob: Ludg.** *Lobels yellow variable flour-de-luce.*

Iris media longissimis foliis lutea **B.** *P. angustifolia Tripolitana aurea* **Park:** *parad :* *Tripolitana foliis longissimis flore aureo* **I. B.** *Tripolitana media inter latifolias & angustifolias* **Clus:** *The yellow Flour-de-luce of Tripoly.*

S. *Iris palustris lutea* *five* *Acorus adulterinus* **I. B.** *Hist: Oxon. palustris lutea* *Ger. Acorus adulterinus* **B: P: Acorus palustris , five Pseudoiris , &**
Iris

Iris lutea palustris Park: *Yellow Water-Flag, or Flour-de-luce.* *Offic:*

Iris pratensis angustifolia non foetida altior *B. P.* *Hist:* *Oxon:* angustifolia minor *Pannonica*; sive versicolor *Clusij Park:* *parad:* sylvestris *Bizantina Ger:* tenuifolia major flore caeruleo & striato *I. B:* *The small variable Hungarian Flour-de-luce of Clusius.*

Iris angustifolia prunum redolens, minor B:P: graminea cui percunt quotannis folia *I: B:* *Chamaeiris angustifolia minor Park:* *parad:* tenuifolia *Ger:* *The lesser Grasse Flour-de-luce.*

Iris tuberosa folio anguloso B. P. tuberosa radice pendula folio anguloso, flore obscure viridi *Hist. Oxon:* tuberosa *Ger. Park:* *parad.* rubrosa *Belgarum I. B.* *Velvet Flour-de-luce.*

Iris bulbosa Persica Park: *parad:* bulbosa praecox minus odora *Persica variegata Hist:* *Oxon:* *Persica praecox*
va.

variegata *Baptist: Ferr: descr. The Persian Bulbous Flour-de-luce.*

Iuris bulbosa latifolia caule donata B. P. bulbosa latifolia ferotina caule donata Hist: Oxon: bulbosa major five Anglica cærulea Park: parad: bulbosa Anglica Ger: The blew English bulbous Flour-de-luce.

Iris Bulbosa latifolia candida B: P: bulbosa latifolia ferotina caule donata Anglica flore albo Hist: Oxon: bulbosa major, five latifolia alba Park: parad. The great white bulbous Flour-de-luce.

Iris bulbosa major flore cæruleo, variegata, five Chamoletta Job. Rea de florum culturâ The blew stript Flour-de-luce, or the Chamolet Flour-de-luce.

Iris bulbosa major flore purpureo versicolor Job. Rea de florum culturâ The great purple variable bulbous Flour-de-luce, or the brown purpur Chamolet.

Iris bulbosa minor five angustifolia alba Park: parad: The Smaller white narrow-leaved bulbous Flour-de-luce.

Iris bulbosa angustifolia tota aurea The gold-yellow narrow-leaved bulbous Flour-de-luce.

Iris bulbosa angustifolia lutea, Common-yellow narrow-leaved bulbous Flour-de-luce.

Iris bulbosa angustifolia labris luteis maculâ aureâ, bifidis & erectis pallide cæruleis Narrow-leaved bulbous Iris, with yellow falls, with a golden spot, arches and uprights pale blew.

Iris bulbosa angustifolia labris virescentibus maculâ aureâ, bifidis pallide cæruleis, erectis saturate cæruleis. Narrow-leaved bulbous Flour-de-luce with greenish falls, with a yellow spot, the arches pale, and uprights deep blew.

Iris bulbosa angustifolia labris cæruleis maculâ aureâ bifidis & ere-

erectis cæruleis *Narrow-leaved bulbous. Flour-de-luce, with blew falls with a golden spot, arches and uprights pure-blew.*

Iris bulbosa angustifolia labris albis maculâ luteâ, bifidis pallide cæruleis, erectis cæruleis amœnis. Narrow-leaved bulbous Flour-de-luce with white falls, with a golden spot, arches pale, and uprights bright blew:

ISATIS sativa vel latifolia, *B: P: Hist: Oxon: Isatis sive Glaſtum fativum I. B. Glaſtum fativum Ger: Park: Woad. Offic. Ann.*

- S. Juncus lævis paniculâ sparsâ major B. P. Park. lævis Ger: lævis paniculâ arundinaceâ I: B: Common soft-Rush.*
- S. Juncus acutus paniculâ sparsâ B. P. acutus Ger: acutus vulgaris Park. Common hard Rush.*
- S. Juncus maximus & Scirpus major B. P. aquaticus maximus Ger: lævis maximus Park: maximus holoschoenos*

I: B: Bul-Rush, or great Water-Rush.

- S. *Juncus aquaticus minor capitulis Equiseti Ger: Park: capitulis Equiseti major B: P: capitulis longis, five clavatus I. B. Club-Rush, or Aglet-headed-Rush.*

- S. *JUNIPERUS Ger: vulgaris seu minor Park: vulgaris baccis parvis purpureis I. B. vulgaris fruticosa B: P. Common Juniper. Off: c:*

Juniperus minor montana folio latiore fructuque angustiore B: P: Alpina I. B. Park. Alpina minor Ger. Low Mountain-Juniper.

K.

K A L I semper virens grandius perpetuum *B. Prodr:* geniculatum majus *I: B: Evergreen Glaswort.*

Kali geniculatum majus *B.P. Hist: Oxon: Cali geniculatum* five *Salicornia I: B: Salicornia*, five *Kali geniculatum Ger: Park: Glaswort, or Saltwort. Offic. Ann:*

Kali majus semine cochleato *B: P: Ger: majus cochleatum Park: vulgare I.B. Great Glaswort. Ann.*

Kali minus album semine splendente *B. P. Hist: Oxon: minus Ger: minus album Park: minus*, five *Sedum minus arboreescens verticillatum I: B: White Glaswort. Ann.*

Kali spinosum cochleatum *B: P: Ka-
li*

li affinis spinosa planta *Hist: Oxon:* Tragus, five Tragum Matthioli *Park:* Tragon Matthioli seu potius Tragus improbus Matthioli *Ger:* Tragus spinosus Matthioli, five Kali spinosum *I. B. Prickly Glass-wort. Ann.*

L.

L A C T U C A sativa *B: P:*
Ger: Park: sativa vulgaris capitata & non capitata *I. B. Garden Lettuce. Offic. Ann:*

Lactuca maculosa *B: P:* rubra *I. B. Red Lettuce. Ann:*

Lactuca folio obscurius virente semine nigro *B. P. Romana* longi dulcis *I: B: Romane Lettuce. Ann.*

Lactuca capitata *B: P:* *Ger:* capitata vulgaris *Park: Common Cabbage-Lettuce. Ann:*

*Lactuca foliis Endiviæ B. P. Inty-
bacea Ger: Lumbard-Lettuce. Ann.*

*Lactuca crispa B: P: Ger: Curled-Let-
tuce. Ann:*

*Lactuca crispa altera B: P: Intyba-
bacea crispa Tab: Curled Endive-Lettuce.
Ann:*

S. *Lactuca sylvestris costâ spinosâ B.
P. sylvestris laciniata Park: sylvestris
foliis dissectis Ger: sylvestris, five En-
divia multis dicta folio laciniato,
dorso spinoso I: B: Cut-leaved wild Let-
tuce. Ann.*

S. *Lactuca sylvestris odore viroso B: P:
sylvestris Endiviæ foliis, odore viroso
Park: sylvestris lato folio, succo viro-
so I. B. sylvestris major odore Opij
Ger: Strong-sented wild Lettuce.
Ann:*

*Lactuca montana purpuro-cerulea
major B. P. sylvatica purpurea I: B:
sylvestris flore purpureo Park. Sonchus
sylvaticus Ger: Mountain Lettuce with
purple flowers.*

S. *L A M I U M album non foetens fo-
lio*

lio oblongo B: P: album *Ger: vulgare album, five Archangelica flore albo* *Park: Galeopsis five Urtica iners floribus albis* *I: B: White Archangel. Offic.*

Lamium album Parietariæ facie Hort: Reg: Bles: White Archangel with leaves like Pellitory of the wall.

Lamium maculatum & albâ lineâ notatum B. P. foliis maculatis Park: Galeopsis foliis maculatis I. B. Archangel with spotted leaves.

Lamium folio oblongo luteum B. P. luteum Ger: Park. Galeopsis five Urtica iners flore luteo I: B: Yellow Archangel.

Lamium luteum foliis maculatis Yellow Archangel with spotted leaves.

S. *Lamium purpureum foetidum folio subrotundo, five Galeopsis Dioscoridis. B. P. rubrum Ger: vulgare folio subrotundo flore rubro Park: Galeopsis five Urtica iners folio & flore minore I. B. Red Archangel. Offic: Ann:*

S. *Lamium folio caulem ambiente majus* *B: P: Galeopsis five Urtia iners folio caulem ambiente I: B: Alfine Hederula folio major Park: Alfine hederula altera Ger: Great Hen-bit. Ann.*

S. *Lamium maximum sylvaticum B. P. Galeopsis vera Ger: legitima Dioscoridis Park: Galeopsis five Urtica iners magna foetidissima I: B: Hedge-Nettle.*

Lamium maximum sylvaticum alterum B: P: Pannonicum Ger: Galeopsis Panonica Clusij Park: Hungarian Dead-Nettle.

Lamium peregrinum five Scutellaria B. P. peregrinum Scutellaria dictum Park: Cassida Col: Strange Archangel.

L A P P A T H U M præstantissimum Rhabarbarum officinarum dictum. *H. st: Oxon. Rhaponticum folio Lapathi majoris glabro, Rha & Rheum Dioscoridis B: P. Rhaponticum Prosp: Alp: de plantis exoticis Rha verum Antiquorum Ger: Hippolapathum maximum rotundifolium exoticum five Rha-*

Rhaponticum Thracicum, sed verius
Rhabarbarum verum *Park. English*
Rhuebarb. Offic.

Lapathum hortense rotundifolium si-
ve montanum *B. P.* folio rotundo Alpi-
num *I. B. Hist: Oxon.* Hippolapathum
rotundifolium *Ger: Park. Bastard-Rhue-*
barb, or Monks-Rhuebarb. Offic:

Lapathum hortense folio oblongo si-
ve secundum Dioscoridis *B: P: Hist:*
Oxon: sativum seu Patientia *Park:* Hip-
polapathum sativum *Ger: Patience, or*
great Garden-Dock. Offic:

S. Lapathum folio acuto plano *B. P.*
acutum *Ger: Hist: Oxon:* acutum sive
Oxylapathum *I. B.* acutum majus *Park:*
Sharp-pointed Dock. Offic:

S. Lapathum folio acuto crispo *B. P.*
Hist: Oxon: acutum crispum *I. B:* acu-
tum minus *Park:* Lapathi acuti varie-
tas folio crispo *Ger: Sharp-pointed-Dock*
with curled leaves.

Lapathum folio acuto rubente *B. P. Hist:*
Oxon: sanguineum, sive Sanguis Draconis
herba *I. B.* sativum sanguineum *Ger. Park:*
Blood-wort. La-

S. *Lapathum minimum* **B. P.** *Hist: Oxon:* acutum minimum **I: B: Park.** *The smallest sharp-pointed-Dock.*

S. *Lapathum folio acuto flore aureo* **B: P:** aquaticum ramosum folio angusto acuto flore aureo *Hist: Oxon.* *Lapathum anthoxanthum* **I: B: Golden-flowered Dock.**

S. *Lapathum aquaticum folio cubitali* **B. P. Hist: Oxon.** maximum aquaticum, five *Hydrolapathum* **I: B: Hydrolapathum majus** **Park.** magnum **Ger: Great Water-Dock.**

S. *Lapathum vulgare folio obtuso* **I: B:** folio subrotundo **B. P.** sylvestre vulgaris **Park:** sylvestre folio minus acuto **Ger: Round-leaved Wild-Dock.**

S. *Lapathum pulchrum Bononiense sinuatum* **I. B.** *Lapathum* ^m *mis procumbentibus seminis involucrio dentato foliis inferioribus fidium instar* *Hist: Oxon: Fiddle-Dock.*

Lapathum hortenfe five *Spinachia* femine spinoso **B. P. Hist: Oxon:** *Spinachia*

riachia Ger: *Park*: Spinachia mas &
foemina I. B. *Common Spinage. Offic.*

Ann.

Lapathum hortense five Spinachia
semine non spinoso I. B. *Hist: Oxon.*
Spinachia rotunda Ger: *Park*: Spina-
chia semine non pungente folio majore
rotundiore I. B. *Spinage with smooth-
seeds. Ann.*

S. Lapathum unctuosum B: P: *Park*:
Bonus Henricus I. B. Ger: Blitum pe-
retine Spinachiae facie *Hist: Oxon: Com-
mon English-Mercury. Offic.*

S. L A P P A major, Arcium Dios-
coridis B: P: Bardana major Ger: vul-
garis major *Park*: Personata, five Lap-
pa major, aut Bardana I. B. *The great
Bur-Dock Offic. Ann.*

S. Lappa major montana capitulis to-
mentosis five Arctium B: P: Bardana
major lanuginosis capitulis *Park*: Per-
sonata altera cum capitulis villosis I. B.
Wooly-headed Bur-Dock. Ann.

Lappa minor Xanthium Dioscoridis
B. P. Bardana minor Ger: Xanthium,
fi-

five Lappa minor I. B. *Park: The lesser Bur-dock. Offic. Ann.*

L A R I X B. P. *Ger: Park: folio deciduo conifera I. B. The Larch-Tree. Offic.*

L A S E R P I T I U M foliis angustioribus dilute virentibus D. *Morison Sect: de plaut: umbellif. Gallicum B. P. Park: e regione Massiliæ alatum I. B. Laserpitium Ger: French Laserwort. Offic.*

Laserpitium Libanotidi simile semine crispo D: *Morison sect. de plaut: umbellif. Libanotidi Theophrasti quorundam valde similis, Costus amara dicta semine crispo I. B. Broad-leaved Laser-wort with curled rough-seed-films.*

L A T H Y R I S major B. P: *Lathyrus, five Cataputia minor Ger: major vulgare, five Cataputia minor Park: Garden-spurge. Offic. Ann.*

L A T H Y R U S latifolius B. P *Hist: Oxon: major latifolius Ger. major perennis Park: major latifolius flore ma-*

S. majore purpureo speciosior *I. B. Everlasting Pease.*

Lathyrus sylvestris luteus foliis Viciæ
B: P: luteus sylvestris dumetorum I. B.
sylvestris & dumetorum flore luteo Hist:
Oxon: sylvestris flore luteo Ger: Park:
Tare-Everlasting.

Lathyrus sylvestris filiquis Pisi mino-
ris Hist: Oxon: Annual Chickling with
cods like small Pease. Ann:

Lathyrus arvensis, annuus, luteus fi-
liquis hirsutis Hist: Oxon: filiquâ hirsu-
tâ I. B. angustifolius filiquâ hirsutâ
B: P: Rough-codded Annual-Chickling.
Ann.

Lathyrus Bæticus flore luteo Park:
Hist: Oxon. Spanish yellow-flowered
Chickling. Ann.

Lathyrus luteus, annuus, foliis Con-
volvuli minoris Hist. Oxon. Vicia lutea
foliis Convolvuli minoris B: P: Vicia
quæ Pitine Anguillaræ latâ filiquâ, flo-
re luteo I: B: Aphaca Ger: Park: Yellow
Vetchling. Ann.

Lathyrus Tingitanus filiquis Orobi,
flo-

flore amplo ruberrimo *Hist: Oxon: Great red flowered Chickling of Tangiers with bunched cods. Ann.*

Lathyrus viciaoides floris vexillo phoeniceo, foliis labialibus subalbescen-
tibus filiquis *Orbi Hist: Oxon: Bæticus elegans* filiquis *Orbi Park: Spanish party-coloured Chickling. Ann.*

Lathyrus angustifolius leptomacrolobus semine rotundo flore rubello. *Hist. Oxon: Narrow-leaved annual Chickling with red-flowers and long small cods with round seed. Ann.*

Lathyrus angustifolius leptomacrolobus semine anguloso flore cæruleo *Hist: Oxon. Blew-flowered narrow-leaved annual Chickling, with long small cods and cornered seed. Ann:*

Lathyrus sylvestris minor *B. P. Hist: Oxon: Catanance leguminosa quorundam I. B: Ervum sylvestre Ger: sylvestre, five Catanance Park: Crimson Grasse-Vetch. Ann.*

LAVENDULA latifolia *B. P. major five vulgaris Park: flore cæruleo*

leo Ger: Pseudonardus quæ vulgo Spica I. B. *Broad-leaved Lavender.*

Offic.

Lavendula angustifolia B. P. minor five Spica Ger: *Park* Pseudonardus quæ Lavendula vulgo I. B. *Small Lavender Spike.*

LAUREOLA Ger: *Park*: semper virens flore viridi, quibusdam Laureola mas B. P. semper virens flore luteolo I. B. *Spurge-Laurel.*
Offic.

Laureola folio deciduo flore purpureo B. P. folio deciduo five Mezereon Germanicum I. B. Chamælaea Germanica five Mezereon Ger. Germanica five Mezereon vulgo *Park*. *The common Mezeron-Tree.* *Offic.*

Laureola folio deciduo flore saturatiore. *The Mezeron with deeper-coloured flowers.*

Laureola folio deciduo flore albo. *The white-flowered Mezeron.*

Laureola folio deciduo variegato. *The Mezeron with stript-leaves.*

LAU-

L A U R U S *I. B.* *Ger:* vulgaris *B.*
P. major five *latifolia Park:* *The common*
Sweet-Bay. Offic.

Laurustinus *Ger:* *sylvestris Corni* *fœ-*
minæ foliis subhirsutis B. P. tinus altera
I B. Laurustinus cæruleâ baccâ Lob.
The wild-Bay.

Laurus Alexandrina *I. B.* *Alexandri-*
na genuina Park: *Alexandrina fructu*
folio insidente B. P. Hippoglossum Mat-
thioli Ger: *Laurel of Alexandria.*
Offic.

Laurus Alexandrina *fructu pediculo*
insidente B. P. Bonifacia five *Bislin-*
gua I: B: *Hippoglossum mas Ger:*
Hippoglossum five *Bislingua Park:*
Horse-tongue, or Tongue upon Tongue.
Offic.

L E N S *I. B:* *minor Ger:* *Park,* *vul-*
garis minor Hist. Oxon. vulgaris B. P.
Common Lentiles. Offic. Ann.

S. **Lens palustris** *I: B:* *Ger:* *palustris,*
five aquatica vulgaris Park: *Lenticula*
palustris vulgaris B. B. Common Ducks.
meat.

Len-

- S. *Lenticula aquatica trifulca* B. P. I. B.
Hederula aquatica Ger. *Ranunculus aqua-*
ticus hederaceus Park: *Ivy-leaved Ducks-*
meat.

L E P I D I U M *latifolium* B. P.
latifolium serratum Hist: Oxon. *Lepi-*
dum Pauli I. B. *Piperitis* sive *Lepidi-*
um vulgare Park: *Raphanus sylvestris*
officinarum, *Lepidium Aeginetæ* Lobe-
lio Ger. *Dittander*, or *Pepper-wort*. Offic.

Lepidium glastifolium B. P. *glasti-*
folium perenne Hist. Oxon. non repens
 I. B. *annuum* Ger. Park: *Dittander*, or
Pepper-wort, with *Wood-leaves*, falsely cal-
 led *annual*.

Lepidium Dentillaria dictum R. P.
Lepidium Monspeliacum *Dentillaria* di-
 ctum Park: *Dentillaria Rondeletij* I. B.
Plumbago Plinij Ger. *Lead-wort*, or *French*
Dittander.

L E N C O R I U M *bulbosum* vul-
 gare B. P. *bulbosum præcox* ma-
 jus, sex petalis æqualibus & albis Hist.
 Oxon. *bulbosum hexaphyllum* unico
 flore, rarius binol. I. B. *bulbosum serotinum*
 Ger.

Ger: majus bulbosum serotinum Park:
The greater late flowering Bulbous-Violet.

Leucoium bulbosum trifolium minus B. P. bulbosum minus præcox tribus petalis albis minoribus cingentibus terna minora herbacei coloris Hist: Oxon: bulbosum minus triphyllon l. B. bulbosum præcox minus Ger: Park: Small early-flowering bulbous-Violet.

Leucoium incanum majus B: P: Hist: Oxon. purpureum, roseum & album hyemale diu durans l: B: simplex fativum diversorum colorum Park: parad: album, five purpureum, five violaceum Ger: Garden Stock-Gilloflowers, single of divers colours. Ann.

Leucoium incanum majus variegatum simplici flore B. P. Hist: Oxon: Stript single Stock-Gilloflower. Ann.

Leucoium incanum majus multiplex B: P: flore pleno diversorum colorum Park: parad. flore multiplici Ger: Double Stock-Gilloflowers. Ann.

Leu-

Leucoium album odoratissimum folio viridi **B. P.** flore albo odoratissimo folio lucide virente **Hist: Oxon: Sweet-smelling white Stock-Gilliflower with green shining leaves.**

S. **Leucoium luteum vulgare B. P. Hist: Oxon:** luteum, vulgo **Cheiri** flore simplici **I. B. Keiri**, five **Leucoium vulgare luteum Park: Viola lutea Ger: Small Wall-flower. Offic.**

Leucoium luteum pleno flore minus B. P. flore luteo minus **hortense multiplex Hist: Oxon:** luteum vulgare flore pleno **Park: parad: Viola lutea multiplex Ger: Double Wal-flower.**

Leucoium maritimum sinuato folio B. P. Hist: Oxon. maritimum magnum latifolium **I B.** maritimum purpureum **Lobelij Ger: marinum latifolium Park: Broad-leaved Sea-Stock-Gilliflower. Ann.**

Leucoium maritimum angustifolium B. P. Hist: Oxon. I: B: marinum minus **Park: marinum minus Lobelij, & Clusij Ger: Narrow-leaved Sea-Stock-Gilliflower. Ann.**

Leucoium incanum filiquis rotundis
B: P. incanum filiquis tumidis subrotundis *Hist: Oxon:* marinum Patavinum *Lob.*
 marinum luteum majus *Ger:* cum filiquis
 rotundis flore luteo *I. B.* **Thlaspi** incanum marinum Hispanicum, **Eruca** peregrina *Clusij Park:* *The yellow Sea-Stock-Gillflower.*

LIBANOTIS latifolia altera, five vulgatio *B: P:* **Libanotis** Theophrasti minor *Park:* *Ger:* **Libanotis** Theophrasti quorundam, five **Seseli** Æthiopicum, **Matthiolo** Cervaria alba *I: B:* **Seseli** Æthiopicum herba *Dod.* **Laserpitium** foliis latioribus lobatis *D. Morison* sect. de plant. umbellif. *Herbe-Frankinsence with broad leaves.*

Libanotis latifolia minor *Montis aurei* *The lesser French broad-leaved Herbe-Frankinsence.*

Libanotis latifolia **Aquilegiæ** folio *B. prodr. Park:* **Ligulstrum** Rawolfij foliis **Aquilegiæ** *I: B:* **Siler** **Aquilegiæ** foliis *D. Morison* sect. de plant. umbellif. *Columbin-leaved Herbe-Frankinsence.*

S. **LICHEN** five *Hepatica vulgaris*
Park: Lichen, five *Hepatica fontana*
I: B: Hepatica terrestris Ger: Lichen
petræus latifolius five Hepatica fontana
B: P: Common Ground-Liver-wort.
Offic:

S. *Lichen petræus cauliculo calceato*
B. P. alter minor folio calceato Park:
Small Liver-wort, with crumpled
leaves.

S. *Lichen petræus stellatus B. P. Lichen*
five Hepatica minor stellaris Park: He-
patica stellata Ger: Starry-headed Liver-
wort.

S. *Lichen petræus umbellatus B. P. Li-*
chen five Hepatica minor umbellata
Park: Hepatica umbellata Ger: Round-
headed Liver-wort.

S. *Lichen cinereus terrestris I. Raij Ash-*
coloured Ground-Liver-wort.

LIUSTICUM vulgare, an
Libanotis fertilis Theophrasti ? B: P:
Levisticum vulgare Ger. Park: Ligu-
sticum vulgare foliis Apij I: B: Common
Lovage. Offic.

Ligusticum quod **Seseli** **Officinarum**
B. P. **Siler** **montanum** **officinarum** **Ger:**
Seseli **five** **Siler** **montanum** **vulgare** **I. B.**
Siler **montanum**, **vulgo** **Seseli** **Park:**
Mountain Siler.

LIGUSTRUM **I. B.** **Ger:** **vul-**
gare **Park:** **Germanicum** **B. P.** **Common**
Privet. **Offic.**

LILIUM **album** **flore** **erecto** &
vulgare **B. P.** **album** **vulgare** & **odo-**
ratum **flore** **erecto** **Hist:** **Oxon:** **album**
vulgare **I. B:** **Ger:** **Park:** **Common** **white**
Lilly. **Offic.**

Lilium **Canadense** **imperfectis** **floribus**
& **irregularibus** **multis** **albis** **Hist:** **Ox-**
on: **The** **double** **white** **Lilly** **without**
smell.

Lilium **purpureo** **croceum** **majus** **B. P.**
Hist. **Oxon:** **rubens** **vel** **croceum** **majus**
I. B: **aureum** **Ger:** **Park:** **Gold-red**
Lilly.

Lilium **bulbiferum** **latifolium** **majus**
B. P. **Hist:** **Oxon.** **majus** **bulbiferum** **I.**
B. Park: **parad.** **cruentum**, **secundum**

caulembulbulis donatum *Ger: The greatest bulbed red-Lilly.*

Lilium bulbiferum minus B: P: Hist: Oxon: Park: parad. The dwarfe bulbed-Lilly.

Lilium floribus reflexis montanum B: P: montanum minus Ger: flore nutante ferrugineo majus I: B: Lilium montanum five silvestre minus Park: parad. The lesser mountain-Lilly.

Lilium Martagon montanum majus foliis reflexis Hist. Oxon: Martagon montanum majus Ger: Imperiale Eyst. Imperiale five Lilium montanum majus Park: parad: Lilium flore nutante maximum I: B: The Martagon Imperial.

Lilium floribus reflexis albis non punctatis B. P. montanum flore albo Ger. flore nutante albo I. B. Martagon flore albo Park: parad: The white Martagon without spots.

Lilium floribus reflexis albis punctatis B: P: Martagon flore albo maculato

Park: parad: The white spotted Martagon.

Lilium floribus reflexis purpureofanguinem B: P: angustifolium purpureofanguineum flore reflexo Hist. Oxon: flore miniato nutante sive Hemerocallis Chalcedonica aliquibus I. B: rubrum Bizantinum sive Martagon Constantinopolitanum Park: parad: Lilium Bizantinum Ger: The red Martagon of Constantinople.

Lilium Bizantinum flore dilute rubente Ger: The light red Bizantine Lilly.

Lilium miniatum odorum angustifolium B: P: Lilium, Martagon Pomponij Clus. Hist. Oxon: Martagon Pomponeum, sive Lilium rubrum præcox, vel Lilium Macedonicum Park: parad: Lilium præcox nutante flore rubro tenuifolium I. B. The early-red Martagon, or Martagon Pompony.

Lilium flavum angustifolium B. P. Lilium Martagon flavum angustifolium Mich: Oxon: Lilium flore flavo pun-

punctato *Ger* : Martagon flore luteo
 præcox *I* : *B* : Martagon luteum puncta-
 tum *Park*, *parad*. The yellow spotted Mar-
 tagon.

Lilium sive Corona Imperialis *B* : *P* :
Hist : *Oxon* : Corona Imperialis *Ger*. *Park* :
parad : Corona Imperialis, sive Tu-
 sai aliis *I*. *B*. The common Imperial
 Crown.

Lilium sive Corona Imperialis flore
 multiplici *Joh*. *Rea Flor*. The double
 Crown Imperial.

Lilium, sive Corona Imperialis flore
 luteo *Joh*. *Rea Flor*. The yellow
 Crown Imperial.

Lilium sive Corona Imperialis flore
 luteo striato. Stript-yellow Crown Im-
 perial.

Lilium Persicum *B* : *P*. *Hist* : *Oxon*.
Ger : *Park* : *parad*. Persicum sive Susia-
 num *I*. *B*. The Persian Lilly.

Lilium luteum Asphodeli radice *B*.
P. *Hist* : *Oxon* : luteum non bulbo-
 sum

sum Ger: Liliū Asphodeli radice luteum, five Lilioasphodelus quorundam flore luteo I. B. Liliaasphodelus luteus Park: *parad: The yellow day-Lilly.*

Lilium rubrum Asphodeli radice B. P. *Hist: Oxon: radice Asphodeli phœniceum five Lirioasphodelus quorundam I. B. non bulbosum phœniceum Ger: Liliaasphodelus phœniceus Park: parad: The Gold-red Day-Lilly.*

S. Lilium convallium album B: P: convallium flore albo Park: convallium Ger: convallium vulgo I: B: *The white flowered Lilly of the Valey. Offic.*

Lilium convallium flore rubente B. P. I: B: Ger: Park. *Red-flowered Lilly of the Valley.*

L I M O N I U M Ger: majus vulgare Park: maritimum majus B: P: majus multis, aliis Behen rubrum I: B: *Sea-Lavender. Offic.*

Li-

Limonium minus maritimum Oleæ folio *B: P:* parvum *Narbonense* Oleæ-folium *Lob.* minus *I: B:* parvum *Ger:* *Narbonense* parvum *Park:* *Small Sea-Lavender.*

- S. LINARIA** vulgaris lutea flore majore *B. P. Hist: Oxon.* vulgaris nostras *Park:* lutea vulgaris *I: B: Ger:* *Common Toad-flax. Offic:*

Linaria purpurea major odorata *B. P. Hist: Oxon.* purpurea magna *I. B.* altera purpurea *Dod. Great purple sweet-smelling Toad-flax.*

Linaria cærulea repens *I: B: Park:* cærulea procumbens *Hist: Oxon:* purpurocærulea repens *Ger:* purpurea parva *I: B: Small blew-flowered Toad-flax.*

Linaria annua angustifolia flore majore luteo *Hist: Oxon: Narrow-leaved Annual Toad-flax with large yellow flowers Ann:*

LINGUA CERVINA officinarum *B: P: Phyllitis Ger.* Phyllitis five *Lingua cervina vulgi I. B. Phyllitis*

litis, five *Lingua cervina vulgaris* *Park:*
Common Harts-tongue. Offic.

Lingua cervina multifido folio *B: P:*
Phyllitis multifida *Ger: polyschides I. B.*
laciniata *Park: Jagged, or Fingered-*
Harts-tongue.

S. *L I N U M* *I: B: sativum B. P. Hist:*
Oxon: Ger: Park: Manured-Flax. Offic.
Ann:

Linum sylvestre angustifolium flore
magno *B: P: Hist: Oxon: sylvestre*
angustifolium cæruleo flore major *Park:*
sylvestre floribus cæruleis *Ger: Perennial*
wild-Flax.

S. *Linum pratense flosculis exiguis* *B. P.*
Hist: Oxon: sylvestre catharticum *Ger:*
Chamælinum Clusij flore albo, five *Li-*
num sylvestre catharticum *Park: Alfine*
verna glabra flosculis albis vel potius *Li-*
num minimum *I. B. Dwarfed wilde-Flax*
or Mill-mountain. Ann.

Linum umbilicatum *Park: Strange*
wild white-flowered Flax *Ann.*

L I T H O S P E R M U M *arundi-*
naceum, forte Dioscoridis & Plinij
B.

B: P: Lachrimæ Job. Ger: Park: Lachrima Jobi multis, five Milium arundinaceum I. B. *Jobs Tears. Ann:*

Lithospermum majus erectum B. P. vulgare minus Park: minus Ger: Lithospermum, five Milium Solis I: B: *Common Grommil. Offic.*

- S. Lithospermum minus repens latifolium B. P. flore purpureo, semine Anchusæ I. B. majus Ger: vulgare majus Park: *The smaller creeping Grommil.*

- S. LOLIUM album Ger: Park: gramineum spicatum caput tentans I B. Gramen loliaceum spicâ longiore B: P: *Darnel. Offic. Ann.*

Lolium rubrum Ger: rubrum five Phœnix Park: Phœnix Lolio similis I: B: Gramen loliaceum angustiore folio & spicâ B. P. *Red Darnel-grass. Ann.*

- S. LONCHITIS aspera B. P. aspera major Ger: aspera major Matthioli Park: altera cum folio denticulato, five Lonchitis Matthioli I. B. *Great bastard Spennwort.*

Lonchitis aspera Ger: aspera minor
Park: minor B: P: altera folio Polypodij I: B: Rough Spleen-wort, or common bastard Spleen-wort.

L o t u s. fructu Cerasi B: P: Lotus arbor Ger: *Park.* Lotus arbor fructu Cerasi I: B: *The Nettle-tree.*

Lotus hortensis odora B. P. fativa, odorata, annua, flore cæruleo I. B. Trifolium odoratum Ger: *Park: Melilotus major odorata Violacea Hist: Oxon: Sweet Tre-foil. Offic. Ann:*

Lotus corniculata filiquis singularibus vel binisternisve I. B. annua *διστοχέρατος* filiquis singularibus, binis ternisve *Hist: Oxon. Small hairy long-codded Tre-foil. Ann.*

Lotus pratensis filiquosus luteus B. P. pratensis Monspeliensium *Park.* filiquosa lutea Monspeliensis I. B. lotus *διστοχέρατος τετραγωνόκοπος* perennis Monspeliensis flore luteo *Hist: Oxon: Yellow-flowered squar-codded Tre-foil of Montpellier.*

Lotus maritima filiquosa folio pingui gla-

glabro *D. Magnol. Squar-codded Sea-Trefoil with thick smooth leaves.*

Lotus ruber filiquâ angulosâ *B. P.* *lotus* *δαιρυκέραιος* *τετραγωνόλοβος* annua *Cretica* flore saturo rubro, seu holoserico coccineo *Hist. Oxon:* *Lotus* filiquâ quadratâ *Ger:* quadripinnatis filiquis *Park:* flore fusco tetragonolobos *J. B.* *Square-codded Pease. Ann:*

S. *Lotus pentaphyllos* flore majore luteo splendente *B: P:* *Loti* corniculati major species *J. B.* *Trifolij* filiquosi varietas major *Ger: Great Bird-foot-Trefoil.*

S. *Lotus* five *Melilotus pentaphyllos* minor glabra *B. P.* *lotus* *πολυκέραιος* lutea minor, foliis & filiquis glabris brevioribus & crassioribus, *Hist: Oxon:* *Lotus* corniculata glabra minor *J. B.* *Trifolium* filiquosum minus *Ger: Birds-foot-Tre-foil, or small codded-Tre-foil.*

Lotus pentaphyllus minor glabra foliis longioribus & angustioribus *Small codded Tre-foil with long narrow leaves.*

Lo-

Lotus pentaphyllus filiquosus villosus *B. P.* **Lotus πολυκέρατος** frutescens hirsuta alba major latifolia, filiquis tenuibus curtis erectis *Hist: Oxon: Hoary shrub-like Claver, with small short upright cods.*

Lotus πολυκέρατος frutescens incana alba filiquis curtis crassioribus & brevioribus *Hist: Oxon.* **Oxytriphylum** alterum Scribonij *Largi Ad: Lob:* **Lotus hæmorrhoidalis** major, & **Trifolium hæmorrhoidale** majus *Park:* **Trifolium album** rectum, hirsutum valde *I. B. The greater Pile-Trefoil.*

Lotus filiquosus glaber flore rotundo *B. P.* **Lybica Dalechampi** *Hist. Lugd.* **Trifolium hæmorrhoidale** alterum minus, sive **Lotus Lybica Dalechampi** *Park.* **Trifolium rectum** *Montepessulanum I: B: The lesser Pile-Trefoil.*

Lotus filiquis Ornithopodij *B: P: I. B.* **Lotus πολυκέρατος** annua procumbens latifolia filiquis *Ornithopodij Hist: Oxon. Claver with Bird-foot cods. Ann.*

Lotus pentaphyllos vesicaria B. P.
Anthyllis leguminosa vesicaria Hispanica
Park: Hist: Oxon: Trifolium halicacabum five *vesicarium* I. B. *Bladder Trefoil. Ann.*

- S. **Loto affinis vulneraria pratensis** B. P.
Hist: Oxon: Vulneraria rustica Gesneri
 I. B. **Anthyllis leguminosa** Ger: *leguminosa vulgaris* *Park: Kidney Vetch.*

LUPINUS sativus flore albo B.
 P: *vulgaris seu sativus albus* *Hist: Oxon:*
vulgaris flore & semine albo sativus I. B.
White Lupins. Hist: Ann.

Lupinus peregrinus major, vel villosus *cæruleus major* B. P. *Hist: Oxon:*
cæruleus maximus *Park: major flore cæruleo* Ger: *Indicus Cornut: exoticus hirsutissimus* I. B. *Great Blew-Lupins. Ann.*

Lupinus sylvestris flore cæruleo I. B.
sylvestris angustifolius flore cæruleo
Hist. Oxon: flore cæruleo Ger. *sylvestris purpureo flore, semine rotundo vario*
 I: B: *Small blew Lupins. Ann.*

Lupinus sylvestris flore aureo *B. P.* flavo flore *Clus. Hist. Oxon.* flore luteo *Ger. Park.* sylvestris luteo flore semine compresso vario *I. B. Tellow Lupins. Ann.*

LUPULUS mas & foemina *B. P.* *I. B.* sativus & sylvestris *Park.* salicarius *Ger.* Convolvulus perennis heteroclitus, floribus herbaceis capulis foliaceis Strobili instar *Hist. Oxon. Hops male and female. Offic.*

S. **LUNARIA** minor *Ger. Park.* botrytis *I. B.* racemosa minor vel vulgaris *B. P. Small Moon-wort.*

S. **LUTEOLA** *Ger.* vulgaris *Park.* Luteola herba Salicis folio *B. P.* Lutea Plinij quibusdam *I. B. Weld, or Dyers-weed. Ann.*

LYCHNIS hirsuta flore coccineo major *B. P.* Chalcedonica flore miniato simplici *Ger. Park. parad.* Flos Constantinopolitanus miniatus *I. B.* Single scarlet Flower of Constantinople.

Lychnis Chalcedonica flore carneo
Ger.

Ger. Park. parad: Flesh-coloured Flower of Constantinople.

Lychnis Chalcedonica flore albo Ger: Park: parad. White-coloured Flower of Constantinople.

Lychnis Chalcedonica flore miniato pleno Park: parad: Ger: Double scarlet Flower of Constantinople.

Lychnis coronaria Dioscoridis sativa B. P. coronaria five cotonaria sativa Hist: Oxon. coronaria vulgaris Park: coronaria vulgo I. B. coronaria rubra Ger: Red Rose-Campion.

Lychnis coronaria alba Ger: coronaria alba simplex Park: parad. The single white Rose-Campion.

Lychnis coronaria albescens maculata Park: parad. Spotted whitish Rose-campion.

S. *Lychnis sylvestris alba simplex I: B: sylvestris hirsuta perennis alba simplex Hist. Oxon: sylvestris flore albo Ger: Park: Ocymoides album multis I: B: The white Champion.*

P

Lychn.

Lychnis sylvestris five **aquatica** purpurea simplex B. P. **sylvestris** minus hirsuta flore rubello simplici *Hist. Oxon.* **sylvestris** rubello flore Ger. **sylvestris** flore rubro Park. **Ocymoides** purpureum multis I. B. *Single red wild-Campion.*

Lychnis purpurea multiplex B. P. Ger. **sylvestris** flore rubro pleno Park. *parad. Red Batchelours-Buttons, or double red wild-Campion.*

S4 **Lychnis sylvestris** hirsuta annua flore minore carneo *Hist. Oxon.* *Annual wild Champion with small flesh-coloured leaves.*

S. **Lychnis segetum** major B. P. **Lychnis** hirsuta segetum major *Hist. Oxon.* **Lychnoides** segetum five **Nigellastrum** Park. **Pseudomelanthium** I. B. Ger. *Cockle. Ann.*

Lychnis sylvestris latifolia calyculis turgidis striatis B. P. *Hist. Oxon.* **sylvestris** calyculis striatis Park. calyculis striatis, secunda Clusij Ger. *Muscipula*

capula majore calyce turgido ventricoso
I. B. Wild Champion with straked husks.
Ann.

- S.** *Lychnis sylvestris* quæ *Behen album*
 vulgo *B. P. sylvestris* perennis quæ *Behen album* vulgo *Hist: Oxon.* *Behen album* *Ger: Behen album officinarum*
I: B: Papaver spumeum sive *Behen album* vulgo *Park: spatling-Poppy.*

Lychnis sylvestris quæ *Behen album*
foliis rugulosis. Spatling Poppy with rough
leaves.

Lychnis frutescens myrtifolia *Behen albo* similis *B. P. sylvestris* glabra frutex *myrtifolia* *Behen albo* similis *Hist: Oxon.* *Ocymoides fruticosum* *Cam: Shrubby Myrtle-leaved Champion like Spatling-Poppy:*

Lychnis segetum rubra foliis *Perfoliatæ* *B: P: segetum Vaccaria dicta Hist: Oxon: segetum Vaccaria rubra dicta Park.* *Vaccaria I: B: Ger: Cow-Basil. Ann.*

Lychnis noctiflora *B: P: Park.* frutescens *noctiflora Hist: Oxon: Ocymoi-*

des non speciosum *I. B. Park: Night-flowering Champion.*

- S. *Lychnis maritima repens* *B: P:* perennis angustifolia marina annua procumbens *Hist: Oxon:* marina repens alba *Park:* marina *Anglica Ger:* marina *Anglica I: B English Sea-Campion.*

Lychnis montana viscosa alba latifolia B. P. sylvestris seu montana latifolia viscosa, florum petalis supra albis subtus virescentibus, interdum se contrahentibus *Hist: Oxon:* sylvestris nona *Clusij Ger:* *Polemonium petraeum Gesneri I. B. Lychnis sylvestris minor alba Park: The smaller white wild-Campion.*

Lychnis viscosa purpurea latifolia laevis B: P: segetalis major glabra viscosa latifolia sylvestris *Hist. Oxon: Muscipula Lobelij Ger: Muscipula Lobelij* sive *Ben rubrum Monspeliensium Park: parad. Centaurium minus adulterinum*, quibusdam *Lychnidis viscidæ* genus *I: B: Lobels Catchfly with red flowers Ann:*

Lychn-

Lychnis viscosa alba latifolia lævis.
Muscipula flore alb. Hort. Eyst. *Lo-*
bells Catchſie with white flowers. Ann.

S. *Lychnis ſylveſtris viſcoſa rubra angu-*
ſtifolia B. P. Park: ſylveſtris anguſti-
folia viſcoſa præcox rubra foliis caryo-
phylleis Hiſt: Oxon. Odontidi five
Flori cuculi affinis, Lychnis ſylveſtris
prima Cluſij in Pannonicis, quarta in
Hiſt: poſt. I. B. Red German-Catch-
ſie.

S. *Lychnis ſylveſtris viſcoſa anguſtiſo-*
lia alba. German-Catchſie with white
flowers.

Lychnis ſylveſtris lanuginosa minor
B. P. Park: minor hirsuta ſeu lanugino-
ſa minor Hiſt: Oxon: ſylveſtris hirta
minima Lob. Ger: Small hairy-Campion.
Ann.

Lychnis ſylveſtris lanuginosa minor
flore variegato. Small hairy-Campion
with party.coloured flowers. Ann.

Lychnis segetum meridionalium annua hirta floribus albis uno versu dispositis
Hist: Oxon: Annual hairy-Campion with white flowers on one side of the stalk. Ann.

Lychnis minima rigida Cherleri I. B.
Cherlerus, his small stiff-Campion..

S. *LYSIMACHIA lutea major*
quæ Dioscoridis B. P. lutea I: B:
Ger. lutea major vulgaris Park: Blat-
tariæ affinis planta major flore lu-
teo Hist: Oxon: Common yellow Loose-
strife.

Lyfimachia lutea corniculata B: P:
app. lutea corniculata non papposa
Virginiana major Hist: Oxon: lutea
Virginiana Ger. lutea filiquosa Vir-
giniana Park. parad. The Tree-Prime-
rose. Ann.

Lyfimachia lutea corniculata non
papposa Virginiana minor Hist: Oxon.
The lesser Tree-Primrose.

S. *Lyfimachia filiquosa hirsuta mag-*
no flore B: P: Lyfimachia nostras
papposa filiquosa hirsuta magno flo-
re

*re Hist: Oxon: filiquosa hirsuta major
flore purpureo I: B: filiquosa Ger:
Great hairy-codded Willow-herbe.*

S. *Lyfimachia filiquosa hirsuta parvo
flore B. P. Lyfimachia nostras pappo-
sa filiquosa hirsuta parvo flore Hist.
Oxon: filiquosa hirsuta flore minore I.
B. 12: sive silvatica Ger: The lesser hairy
codded Loose-strife.*

S. *Lyfimachia filiquosa glabra major B:
P: Lyfimachia nostras papposa filiquo-
sa glabra major Hist. Oxon. filiquo-
sa major Park: lævis I: B: campestris
Ger: The greater smooth-leaved codded
Loose-strife.*

S. *Lyfimachia filiquosa glabra minor
B: P: Lyfimachia nostras filiquosa pap-
posa glabra minor Hist: Oxon: fili-
quosa glabra media sive minor Ger:
Filius ante patrem minor Gesn. col. The
lesser, or middle smooth-leaved codded
Willow-herbe.*

Lyfimachia filiquosa glabra minor

la-

latifolia Joh. Raij. *The lesser smooth broad leaved codded-Willow-herb.*

S. *Lyfimachia filiquosa glabra minor angustifolia* Ger: *Lyfimachia filiquosa glabra angustifolia* B. P. *The least smooth codded Willow-herbe.*

S. *Lyfimachia Chamænerion dicta latifolia* B. P. *Lyfimachia nostras filiquosa papposa dicta Chamænerium latifolium* Hist: *Oxon*: *Lyfimachia speciosa quibusdam Onagra dicta filiquosa* J. B. *Chamænerion* Ger: *Chamænerion flore Delphinij* Park: *parad. Rose-Bay Willow-herbe.*

S. *Lyfimachia spicata purpurea forte Plinij* B. P. *purpurea spicata* Ger: *Park*: *purpurea quibusdam, spicata* I. B. *Blattaria rubra spicata major glabra communis folio acuto* Hist: *Oxon*: *Purple spiked Loose-strife. Offic.*

S. *Lyfimachia purpurea spicata trifolia caule hexagono* Spigel: *isagog. Three leav-*

leaved purple spiked Loose-strife with six square-stalks.

Lyfimachia spicata cærulea B. P. cærulea Ger : cærulea spicata Park: Veronica spicata recta, profunde ferrata, quam Lyfimachiam cæruleam quidam vocant I: B: Veronica spicata major recta cærulea Hist. Oxon. *Blew spiked Loose-strife.*

- S. Lyfimachia cærulea galericulata, vel Gratiola cærulea B. P. Tertianaria, aliis Lyfimachia galericulata I: B: Gratiola latifolia Ger : cærulea sive latifolia major Park: *Hooded Willow-herbe, or Loose-strife.*

M.

MAJORANA vulgaris *B. P.*
 æstiva vulgaris *Park.* major
Ger. Ordinary sweet Marjoram
Offic.

Majorana latifolia aurea *Park.* *Yellow*
or gilded Marjoram.

Majorana latifolia sive major Angli-
 ca *Ger. Park.* Origanum onites: &
 Matth. *B. P. Pot-Marjoram.*

MALVA sylvestris folio rotundo *B.*
P. sylvestris perennis procumbens flore
 minore albo folio rotundo *Hist. Oxon.*
 sylvestris minor *Park.* sylvestris pumila
~~*Ger.*~~ vulgaris flore minore folio rotun-
 do *I. B.* *Small wild-Mallow, or dwarfe-*
Mallow.

S. Malva sylvestris folio sinuato *B. P.*
 sylvestris procerior seu elatior recta-
 ve,

ve, flore majore subrubente aut purpureo venis saturate purpureis picto, folio sinuato *Hist. Oxon:* sylvestris *Ger:* vulgaris *Park:* vulgaris flore majore folio sinuato *I B. Common Mallow, Offic :*

Malva sylvestris folio sinuato flore albo. *Common Mallow with white flowers.*

Malva perennis Hispanica flore carneo amplo *Hist. Oxon:* Hispanica flore carneo amplo *Park: parad: The Spanish blush Mallow. Ann.*

Malva foliis crispis *B. P. annua foliis crispis Hist. Oxon:* Malva crispa *I: B: Ger: Park. Crisped, or curled-Mallow. Ann:*

Malva annua trimestris flore cum unguibus purpureis seminibus multis nigris rotundis subter membranaceis duplicatis orbiculis latentibus *Hist. Oxon. Malva trimestris Clus. trimestris five æstiva Park: trimestris flore cum unguibus purpureis I: B: æstiva Hispanica Ger: The Spanish Mallow, or summer Mallow. Ann.*

Malva annua rotundifolia, floribus omnium minimis albis pentapetalis verticillatim genicula ambientibus, & semibus arcte iisdem verticillatim adherentibus *Hist: Oxon.* *Small annual round leaved Mallow*, with very small white flowers, and seeds going round about the Joints of the stalks, and sticking closely to them. *Ann.*

Malva arborea Veneta dicta parvo flore B: P: maritima arborea Veneta dicta parvo flore Hist: Oxon: arborea Park: I. B. The Tree Mallow, or Venice Sea-tree-Mallow. Ann. Offic.

S. *Malva maritima arborea nostras Britanica Hist: Oxon: arborea marina nostras Park. English Sea-tree-Mallow. Ann.*

Malva rosea folio subrotundo B: P: rosea folio subrotundo flore simplici Hist: Oxon: rosea sive hortensis I: B: hortensis Ger: rosea simplex Park. Single Hollibocks of many several colours.

Mal-

Malva rosea folio subrotundo flore pleno *B. P. Hist: Oxon:* rosea multiplex *Ger: Park: Double Holliblocks of many several colours.*

Malva rosea folio *Ficus B: P:* rosea peregrina folio *Ficus obscure viridi Hist. Oxon.* rosea simplex peregrina *Tab. Ger:* folio amplo *Ficus profunde laciniato I: B: Jagged strange Hollibock.*

Malus Dod. Hist. Ludg. The Apple-Tree. Offic.

Malus cotonea vulgaris Ger: Park. The common Quince-Tree. Offic.

Malus Armeniaca major Ger: Park: The great Apricock-Tree. Offic.

Malus persica Dod. persica molli carne vulgaris & alba B. P. The common Peach-Tree. Offic.

Malus punica I. B. punica sativa B. P. Park: Granata, sive punica Ger: The Pomegranate-Tree. Offic:

Malus punica sylvestris Ger: Ba-laustium majus sive Malus punica syl.

lyvestris major Park: *parad:* Balauſtia
flore pleno *maior* B: P: Balau-
 ſtia *Hispanica* I: B: *The greater wilde,*
or double-bloſomed Pomegranate-tree.
Offic:

M A N D R A G O R A fructu rotun-
 do B. P. mas I: B: Ger: Park: *The male*
Mandrake. *Offic:*

Mandragora fructu pyri B: P: foemi-
 na I: B: Ger: Park: *The female Man-*
drake.

M A R R U B I U M *Cardiaca dictum*
 B: P: *Cardiaca* I. B. Ger: Park: *Com-*
mon Mother-wort.

Marrubium Cardiaca dictum foliis
 eleganter crispis. *Mother-wort with fine*
curled-leaves.

Marrubium palustre glabrum B. P.
aquaticum Ger: *aquaticum vulgare*
 Park: *aquaticum quorundam* I. B. *Com-*
mon Water, or Marsh-Hore-hound.

Marrubium aquatile foliis tenui-
 us dissectis Hort: Reg: Bles: *Water-*
Hore-hound with smaller cut-leaves.

mar-

- S. **Marrubium nigrum foetidum** Ballo-
te Dioscoridis B: P: nigrum foetidum
Ballote dictum Park: nigrum sive Bal-
lote I. B. nigrum Ger. Park: Black or
stinking Hore-hound. Offic.

Marrubium nigrum longifolium B. P.
Ger. Park: Herba venti Monspelien-
sis I. B. Black French Hore-hound with
long leaves.

- S. **Marrubium album vulgare** B. P. Park:
album I. B. Ger. Common white Hore-
hound. Offic.

Marrubium album angustifolium pe-
regrinum B. P. Creticum Ger. Park:
album angustiore folio I. B. Sweet Can-
dy Hore-hound.

Marrubium ex Alepo verticillis lon-
gis pediculis innitentibus Strange Hore-
hound of Alepo with long stalked-seed
vessels.

M A R U M Ger: vulgare Park:
Sampfuchus, sive Marum, Masti-
chen redolens B: P: Herbe-Mastick.
Offic.

M A T R I C A R I A Ger: vulgaris
Park.

Park: B: P: *Matricaria vulgo*, minus
Parthenium I. B. Common Fever-few.
Offic.

Matricaria flore pleno B.P. I.B. Ger.
Park: *Double Fever-few.*

Matricaria nuda Hort. Reg. Bles. bul-
latis floribus Park: Naked Fever-
few.

MELAMPYRUM purpurascens
 comâ B. P. purpureum *Ger: Melam-*
pyrum multis, five Triticum vacci-
num I.B: Cratægonon flore vario Park,
Party-coloured Cow-Wheat. Ann:

Melampyrum cæruleâ comâ B: P:
cæruleum Ger: Melampyro affinis Pa-
rietaria cærulea quorundam I. B. Blew
Cow-Wheat, Ann.

Melampyrum cristatum I: B: Crested
Cow-Wheat. Ann.

S. *Melampyrum luteum latifolium B.*
P. sylvaticum flore luteo, five Sa-
tureia lutea sylvestris I: B: Cratægo-
non vulgare Park: Common Cow-Wheat.
Ann:

MELILOTUS officinarum Germanica *B. P.* vulgaris *Park*: Germanica *Ger*: Trifolium odoratum, seu Melilotus vulgaris flore luteo *L. B.* Trifolium odoratum seu Melilotus fruticosa lutea vulgaris vel officinarum *Hist. Oxon. Common Melilote. Offic. Ann.*

Melilotus major candida *Trag.* flore albo *Park*: Trifolium odoratum, seu Melilotus fruticosa candida major *Hist. Oxon. Great white-flowering Melilote. Ann.*

Melilotus Italica folliculis rotundis *B. P.* Italica *Ger*: *Park*: magno semine rotundo rugoso *L. B.* Trifolium odoratum seu Melilotus lutea feminis pericarpio magno, rugoso, rotundo, albo. *Hist*: *Oxon*: *Italian-Melilote. Ann.*

Melilotus lutea filiculis longioribus *Dod. descr.* Trifolium odoratum seu Melilotus lutea filiculis longioribus *Hist. Oxon.* Trifolium odoratum seu Melilotus quarta vulgaris flore luteo *L. B. Melilote with longer codd. Ann.*

Mélilotus lutea minor floribus & filiculis minoribus spicatum & dense dispositis. Hist: Oxon. Small yellow Melilote with lesser flowers and seeds set in a thick spike. Ann.

M E L I S S A hortensis *B: P: vulgaris Ger. Park: vulgaris odore Citri I: B: Garden Baum. Offic:*

Melissa peregrina folio oblongo B: P: Turcica multis dicta I: B: Turcica flore cæruleo Ger: Park: Blew-flowered Turkey-Baum. Ann.

Melissa Turcica fore albo Ger: Park: White-flowered Turkey-Baum. Ann.

M E L O hortensis *B. P. Hist. Oxon. Ger. Park. Melones I. B. Common Melons. Offic: Ann.*

M E N T H A hortensis corymbifera *B: P: corymbifera five Costus hortensis I. B. Balsamita mas Ger: Costus hortorum major Park: Costmary. Offic.*

Mientha hortensis verticillata Ocy-mi odore B: P: verticillata minor acuta

ta non crispa, odore Ocymil: *B: Romana angustifolia five cardiaca Park. Mentha cardiaca Ger: Heart-Mint, or Spear-Mint.*

Mentha rotundifolia spicata altera B: P: Mentha sativa rubra Ger: fusca five vulgaris Park: Red, or brown Mint. Offic.

Mentha angustifolia spicata B: P: spicata folio longiore acuto glabro nigriore I: B: Mentha cruciata Ger: Park: Cross-Mint.

Mentha crispa verticillata B: P: crispa Park: Curled-Mint.

S: Mentha rotundifolia palustris five aquatica B: P: aquatica five Sisymbrium I: B: Ger: aquatica rubra Park: Water-Mint. Offic:

Mentha sylvestris folio longiore B: P: Mentastrum Ger: hortense five Mentha sylvestris Park: spicatum folio longiore candicante I: B: Long-leaved Horse-Mint.

Mentha sylvestris rotundiore folio B: P: Mentastrum folio rugoso rotundiore spontaneum, flore spicato, odore gravi I: B: Round-leaved Horse-Mint.

Men-

Mentha tuberosa radice *B: P: Menthastrum tuberosa* radice *I: B: Menthastrum tuberosa* radice *Clusij Ger: Mentastrum tuberosum Clusij Park: Clusius His knobbed wild Mint.*

Mentha montana verticillata B: P: Mentastrum montanum sive Pannonicum Park: montanum primum Clusij Ger: montanum folio coloris viridis I: B: Hungarian Wild-Mint.

S: *Mentha cataria vulgaris & major B: P: felina, sive cataria Ger: Nepeta major Park: Mentha cataria I: B: The great-est Cat-Mint. Offic:*

Mentha cataria minor B: P: Nepeta minor Park: The lesser Cat-Mint.

MERCURIALIS testiculata sive mas Dioscoridis & Plinij B: P: Hist. Oxon: mas I: B: Ger: vulgaris mas Park: Male French-Mercury. Offic: Ann:

Mercurialis spicata sive foemina Dioscoridis & Plinij B: P: Hist: Oxon: foemina I: B: Ger: foemina vulgaris Park: Female French-Mercury. Ann:

S: *Mercurialis montana testiculata B:*

B. P. Hist. Oxon. sylvestris Cynocrambe dicta vulgaris mas *Park.* Cynocrambe mas *Ger.* mas, sive Mercurialis mas repens **I. B.** *Male Dogs-Mercury. Offic.*

- S.** Mercurialis montana spicata **I. B.** *Hist. Oxon.* sylvestris Cynocrambe dicta vulgaris foemina *Park.* Cynocrambe foemina *Ger.* foemina sive Mercurialis repens **I. B.** *Female Dogs-Mercury.*

M E S P I L U S **I. B.** sativa *Ger.* vulgaris sive minor *Park.* Germanica folio laurino non ferrato **B. P.** *The common Medlar-tree. Offic.*

Mespilus Apij folio laciniato **B. P.** **Mespilus** Aronia *Ger.* **Aronia** veterum **I. B.** **Aronia** sive Neapolitana *Park.* *The Medlar of Naples.*

Mespilus Apij folio sylvestris non spinosa, sive Sorbus torminalis **B. P.** **Sorbus** torminalis *Ger.* torminalis sive vulgaris *Park.* torminalis, & **Crataegus** Theophrasti **I. B.** *The common Service-tree.*

S. *Mespilus Apij folio sylvestris spinosa*,
 five *Oxyacantha* *B. P. Oxyacanthus* *Ger*:
Oxyacanthus vulgaris, five *Spinus albus*
I. B. Spina appendix vulgaris *Park: The*
White-Thorne, or Haw-Thorn-Tree.

S. *MEUM* *Ger*: *vulgatus* *Park: fo-*
liis Anethi *B. P. Meum vulgare*, fi-
 ve *Radix urfina* *I: B: Common Spignel.*
Offic:

MILIMUM *semine albo* *B. P.*
vulgare album *Park: Milium* *I: B:*
Ger: Common White Millet. Offic:
Ann.

Milium semine nigro *B: P: I. B.*
nigrum *Ger: Park: Black Millet, Ann.*

Milium arundinaceum subrotundo
semine Sorgo nominatum *B: P: Meli-*
ca five Sorghum *Ger: Park. Sorghi* *I: B:*
Turkje-Millet. Ann.

S. *MILLEFOLIUM* *vulgare*
album *B. P. vulgare* *Park: terrestre*
vulgare *Ger: Milletolium stratiotes pen-*
natum terrestre *I. B. Common Yarrow,*
or Milfoil. Offic.

mil-

- S. Millefolium vulgare purpureum minus **B. P.** vulgare rubrum **Park.** flore rubro **Ger.** *Purple-flowered Tarrow, or Milfoil.*

Millefolium purpureum majus **B. P.** flore rubro maximum **Park.** *Great purple Milfoil, or Tarrow.*

Millefolium maximum umbellâ albâ **B. prodr.** *The greatest white-flowered Tarrow, or Milfoil.*

Millefolium nobile **Trag.** Achillea si-
ve Millefolium nobile **Ger.** Achillea
sideritis, siue nobilis odorata **Park.**
Achillea Millefolia odorata **L. B.** Ta-
nacetum minus album odore Campho-
ræ **B. P.** *Achilles Milfoil.*

Millefolium luteum **Ger.** **Park.** to-
mentosum luteum **B. P. L. B.** *Yellow
Tarrow, or Milfoil.*

- S. Millefolium aquaticum, siue Viola
aquatica caule nudo **B. P.** aquaticum
dictum Viola aquatica **L. B.** aquaticum
floridum, siue Viola aquatica **Park.** Vi-
ola palustris **Ger.** *Water Violet, or Mil-
foil.*

- S. *Millefolium aquaticum* flosculis ad foliorum nodos *B. P. aquaticum minus I: B: Park: aquaticum sextum, five Myriophyllum aquaticum minus Clusij Ger: Small Water-Milfoil.*
- S. *Millefolium aquaticum pennatum spicatum B: P: Park: pennatum aquaticum I: B: Feathered Water-Milfoil.*
- S. *Millefolium aquaticum lenticulatum B. P. palustre galericulatum Ger: aquaticum flore luteo galericulato I: B: Park: Hooded Water-Milfoil.*
- S. *Millefolium aquaticum solis Abrotani, Ranunculi flore & capitulo B. P. aquaticum Ranunculi flore & capitulo Park: Millefolium five Maratrophyl- lum, flore & semine Ranunculi aquat- ici, Hepaticæ facie Ger. Ranunculus aquatilis omnino tenuifolius I. B. Crow- foot Water-Milfoil.*

M O L Y latifolium luteum odo-
re Allij primum *B: P: Hist. Oxon:*
lu-

luteum Botanicorum latifolium odore Allij *I. B.* latifolium flore luteo
Ger. Park: Broad-leaved yellow Moly.

Moly angustifolium umbellatum *B. P.* angustifolium umbellatum album
Hist: Oxon: Moly Dioscoridis parvum quibusdam I. B. Moly Dioscorideum Park: parad: minus flore albo
Ger. Dioscorides his Moly, or narrow-leaved white flowered Moly.

Moly Dioscorideum flore carneo
Dioscorides his Moly with blush flowers.

Moly pixidatum argenteum Hispanicum *Park: parad: The Spanish Silver-cupped Moly.*

Moly serotinum coniferum *Park: parad: an Moly atropurpureum Swert:?*
Hist: Oxon: The late pine-Apple Moly.

Moly latifolium Liliflorum *B. P.* Moly Homericum vel potius Theophrasti *Park: parad: Homericum*
Ger: Moly Theophrasti magnum I. B.
 Or-

Ornithogalum Indicum latifolium floriferum sphaericum colore colossino aut albo *Hist. Oxon: Homers Moly.*

Morus *Ger: nigra I. B. Park. fructu nigro B. P. The black Mulberry-tree-offic.*

S. Muscus terrestris clavatus *B: P: clavatus five Lycopodium Ger: Park: terrestris repens a Trago pictus I. B. Club-Mosse, or Wolves-Clawes.*

S. Muscus clavatus foliis Cupressi *B: P: Ger: clavatus cupressiformis Park: terrestris ramosus pulcher I. B. Cypresse-Mosse, or Heath-Cypresse.*

S. Muscus erectus abietiformis *J. Raij Muscus terrestris rectus I: B: Upright Firr-Moss.*

S. Muscus pixioides, terrestris *B: P: pixioides, five pixidatus I: B: Ger: Park: Cup, or Chalice-Mosse.*

S. Muscus terrestris vulgaris minor Adianthi aurei capitulis *I. Raij. The lesser Earth-Mosse, with heads like Golden Maiden-hair.*

S. *MYAGRUM* siliquâ longa *B: P:*
Myagro affinis planta siliquis longis *I.*
B. Camelina Ger: Camelina sive *Mya-*
grum alterum amarum *Park: Eruca syl-*
vestris latifolia folio integro flore luteo
 minore *Hist: Oxon. Treacle-worm-seed.*
Ann:

Myagrum sativum *B. P.* majus seu
 sativum *Hist: Oxon: Myagrum Ger:*
sylvestre sive *Pseudomyagrum Park.*
Myagrum dictum *Chamelina I: B: Gar-*
den Gold-of-pleasure. Ann:

Myagrum monospermum latifolium
B: P: monospermum I: B: monosper-
mum majus Park. Raphanistrum mo-
nospermum latifolium filiculis fungosis
 glabris auriculatis *Hist: Oxon: One grain-*
ed Gold-of-pleasure. Ann.

Myagro similis siliquâ rotundâ *B: P:*
Park. Myagro affinis herba capitulis ro-
 tundis *I. B. Raphanistrum siliquâ mi-*
 nore, rotundâ rugosâ, asperâ *Hist:*
Oxon: Round-podded like Gold-of-plea-
sure. Ann.

MYRRHIS major vel *Cicutaria odorata* *B. P.* major vulgaris, five *Cerefolium majus* *Park*: magno semine sulcato, longo *l. B.* *Cerefolium magnum* five *Myrrhis* *Ger.* *Great sweet Garden Chervil*, or *Myrrh. Offic*:

- S.** *Myrrhis sylvestris* seminibus lævibus *B. P.* *sylvestris* *Park*: *Cicutaria vulgaris* *l. B.* alba *Lugdunensis* & *Cicutaria palustris* *Camerarij* *Ger* : *Wild Cicely*.

Myrrhis annua nodosa semine aspero *Hort. Reg. Bles. Annual Chervil with knotty joynts, and rough seeds. Ann*:

- S.** *Myrrhis sylvestris* seminibus asperis *B. P.* *sylvestris* *Neapolitana* atque etiam *Anglicana* *Park*. *Chærefolium quintum* five *Myrrhis nova* *Æquicolorum Columnæ* *Ger.* *Small Hemlock-Chervil with rough seeds. Ann*:

N.

N A R C I S S U S latifolius
 omnium maximus, amplo ca-
 lice flavo five Nonparielle
Park: parad. Narcissus om-
nium maximus Ger. Narcissus Nonpa-
rel Joh. Rea Flor. The great None-
such Daffodil, or Incomparable-Daffo-
dil.

Narcissus Nonparel flore five calice
 pleno *Joh. Rea Flor. The Incomparable*
Daffodil with a double flower, or cup.

Narcissus medioluteus vulgaris *Park:*
parad. medioluteus Ger: The common
white Daffodil called Primrose-peer-
lesse.

Narcissus albus multiplex *Park. pa-*
rad. Joh. Rea Flor. The double white
Daffodil.

Nar.

Narcissus mediopurpureus serotinus *Park. parad.* albus circulo purpureo *B. P. mediopurpureus Ger : 1. B.* flore simplici uno mediopurpureo *Hist. Oxon. The late purple-ringed Daffodil.*

Narcissus mediopurpureus multiplex *Park. parad. B. P. mediopurpureus flore pleno I: B: Ger: The double purple-ringed Daffodil.*

Narcissus Africanus aureus major *Park. parad. Job. Rea Flor.* flore simplici multiplicato, luteus totus polyanthos de Argiers *Hist. Oxon. The great yellow Daffodil of Africa.*

Narcissus Narbonensis major amplo flore *Park. parad. The French Daffodil with great flowers.*

Narcissus Narbonensis sive medioluteus præcox *Park. parad. The early French Daffodil.*

Narcissus angustifolius sive juncifolius maximus amplo calice *Park. parad. The great Junquilia with a large flower or cup.*

Nar-

Narcissus angustifolius luteus semper florens Caccini *Park: parad: The yellow Italian Daffodil of Caccini.*

Narcissus juncifolius luteus vulgaris major *Park: parad. The ordinary Junquilia, or Rush-leaved-Daffodil.*

Narcissus juncifolius flore pallide flavo. *The Rush leaved Daffodil, or Junquilia, with pale yellow flowers.*

Narcissus juncifolius luteus flore pleno *Park: parad: juncifolius multiplex Ger: The double Junquilia, or Rush Daffodil.*

Narcissus, five Pseudonarcissus aureus Hispanicus maximus *Park: parad. Joh. Rea Flor. great yellow Spanish bastard Daffodil.*

Narcissus, five Pseudonarcissus Hispanicus maximus albidus *Park: parad: The greatest Spanish whitish bastard-Daffodil.*

Narcissus five Pseudonarcissus Pyrenæus

us Hispanico similis *Park. parad. The Mountain bastard-Daffodil.*

Narcissus sylvestris pallidus calice luteo *B. P. Pseudonarcissus Anglicus Ger: Anglicus vulgaris Park: parad: Bulbocodium vulgatus I: B: The common English bastard Daffodil.*

Narcissus parvus totus luteus *B: P: Pseudonarcissus Hispanicus luteus minimus Park parad: Bulbocodium minus I: B. The least Spanish bastard-Daffodil.*

Narcissus, sive Pseudonarcissus aureus maximus flore pleno, sive roseus Tradescanti *Park: parad: maximus flore pleno Joh. Rea Flor. Narcissus roseus Tradescanti Ger: The greatest double yellow bastard-Daffodil, or John Tradescant his great Rose-Daffodil.*

Narcissus, sive Pseudonarcissus aureus Anglicus maximus *Park: parad: Pseudonarcissus minor flore pleno*
no

no *Joh. Rea Flor.* *Master Wilmers great double Daffodil.*

Narcissus, five *Pseudonarcissus Anglicus* flore pleno *Park. parad: Joh. Rea Flor.* *Pseudonarcissus* flore pleno *Ger. The double English bastard Daffodil, or Gerards double Daffodil.*

Narcissus five *Pseudonarcissus Gallicus* minor flore pleno *Park: parad: The lesser French double bastard Daffodil.*

Narcissus montanus juncifolius calice aureo *B. P. Hist. :Oxon: Pseudonarcissus juncifolius luteus minor Park: parad.* *Narcissus montanus juncifolius minimus Ger: Bulbocodium tenuifolium flore luteo I. B. The lesser yellow bastard Funquilia.*

Narcissus maritimus B. P. Pseudonarcissus marinus albus Pancratium vulgo Park: parad: Pancratium Lob. marinum Ger. Monspessulanum, multis Scilla alba parva I. B. Lilionarcissus albus maritimus minor Hist. Oxon: The white Sea bastard Daffodil.

R

Nar-

Narcissus marinus, five tertius Matthioli *Park: parad: tertius Matthioli*
Ger: Illyricus Liliaceus B: P: Lilionar-
cissus albus maritimus major Hist. Ox-
on. Pancratij Monspeliani vel Hemero-
callidis Valentinae facie, Lilionarcissus
vel Narcissus tertius Matthioli I: B: The
great white Sea Daffodil, or Matthiolus
his third Daffodil.

N A S T U R T I U M hortense vul-
 gatum *B. P. Ger. Park: vulgare I: B:*
vulgare seu hortense tenuiter divisum
Hist. Oxon: Common Garden-Cresses. Offic.
Ann:

Nasturtium hortense crispum B. prodr.
Ger: hortense crispum latifolium Hist:
Oxon: crispum latifolium Park: cris-
pum Joh. Bauhini I. B. Curled Garden-
Cresses. Ann.

Nasturtium hortense latifolium B.
Prodr. Hist: Oxon. hortense latifolium
Hispanicum Park. Nasturtium Hispani-
cum Ger: latifolium Dioscorideum Joh.
Bauhini I. B: Broad leaved Garden Cres-
ses, or great Spanish-Cresses- Ann.

Na-

- S. Nasturtium pratense magno flore B.
P. pratense magno flore simplici *Hist.*
Oxon: pratense majus, five Cardamine
latifolia *Park.* Cardamine *Ger.* Iberis
Fuchij, five Nasturtium pratense sylve-
stre I. B. *Ladies Smocks, or Cuckow-*
flowers. Offic.
- S. Nasturtium pratense magno flore,
five Cardamine flore albo. *Ladies-*
Smocks with white flowers.
- S. Nasturtium minimum annuum flo-
re albo *Hist.* *Oxon:* Sium minimum,
Noli me tangere, dictum, five impa-
tiens, Nasturtij sylvestris folio *Park.* Car-
damine impatiens, vulgo Sium minus
impatiens *Ger:* Sifymbrij Cardamines
species quædam insipida I. B. *Impatient*
Ladies-smock, or Cuckow-flower. Ann.
- S. Nasturtium aquaticum supinum B:
P: aquaticum supinum flore albo *Hist.*
Oxon: aquaticum vulgare *Park:* aqua-
ticum, five Cratævæ Sium *Ger:* Sifym-
brium Cardamine, five Nasturtium
aquaticum I. B. *Common Water-Cresses.*
Offic:

S. Nasturtium aquaticum majus & amarum *B. P. Hist. Oxon:* aquaticum amarum *Park:* Sium Matthioli & Itallorum *Ger.* Sisymbrium Cardamine si-
ve Nasturtium aquaticum flore majore
elatus *I: B: Bitter Cress.*

S. Nasturtium aquaticum minus *B. P. Hist. Oxon.* Sisymbrium aquaticum minus *Cam:* Sisymbrium Cardamine dictum hirsutum minus flore purpureo
*I: B: Cardamine quarta Dalecham-
pij Hist. Lugd:* Cardamine impatiens
altera hirsutior *J. Ray The other impa-
tient Cuckow-flower, or Ladies-Smock.*

S. Nasturtium sylvestre tenuissime di-
visum *B. P. sylvestre tenuissime divi-
sum seu Nasturtium μυρίοφυλλον* flore lu-
teo minimo *Hist: Oxon.* Sophia Chi-
rurgorum *Ger: Park.* Seriphium Germanicum si-
ve Sophia quibusdam *I.B. Flax-
weed. Offic. Ann:*

Nasturtium Indicum majus *B. P. Hist: Oxon:* Indicum *Ger: Park: parad:* Indicum folio peltato scandens *I: B: Inaian Cresses. Ann:*

NICOTIANA major latifolia *B.*
P. Hist: Oxon: major sive Tabacum
 majus *I. B.* Tabacco latifolium *Park.*
parad: Sana sancta Indorum *Ger: Lob.*
Broad-leaved Tobacco. Ann.

Nicotiana minor *B: P:* minor cap-
 sulâ rotundâ priapi forma, floribus lu-
 teis minoribus, foliis subrotundis ob-
 scure virentibus, glutinosis *Hist: Oxon.*
Tabacco Anglicum *Park.* Priapeia, qui-
 busdam **Nicotiana** minor *I. B.* **Hyoscy-**
mus luteus *Ger. English Tobacco. Offic.*
Ann.

NIGELLA arvensis cornuta *B. P.*
 arvensis *Park.* Melanthium sylvestre *Ger.*
 sylvestre sive arvense *I. B. Field Nigella.*
Ann.

Nigella latifolia flore majore simpli-
 ci cæruleo *B. P:* Hispanica *Park.* Hispanica
 flore amplo *Ger. Great Spanish*
Nigella. Ann.

Nigella flore majore pleno cæruleo
B. P. **Nigella** sive Melanthium Damas-
 cenum flore pleno *Ger. Damascena flo-*

re multiplici *Park. parad:* Melanthium capite vel calyce & flore majore pleno
I *B. Double blew Nigella, or the Fennel-flower.*

N U M M U L A R I A *Ger. vulgaris*
Park: major lutea *B. P. major flore luteo Hist. Oxon:* Nummularia five Centimorbia **I**, *B. Money-wort, or Herbe-two-pence Offic.*

Nummularia minor flore purpurascerte *B. P. Hist: Oxon: Ger: Park. rubra I. B. Small purpleflowered Money-wort.*

N U X J U G L A N S five regia vulgaris *B. P. Nux Juglans Ger: Juglans vulgaris Park: Nux, forte Persica, forte Euboica Theophrasti, regia Dioscoridis & Galeni, Persica & Basilica Plinij I. B. The Common Walnut-tree. Offic:*

Nux Juglans fructu majore, & putamine fragili. *The great thin-shelled Walnut.*

S. N Y M P H Œ A major alba *B. P. al-*

alba I. B. Ger. alba major vulgaris
Park : The great white Water-Lilly.
Offic.

S. Nymphæa major lutea B. P. *Park :*
 lutea I. B. Ger : *The great yellow Water-*
Lilly.

S. Nymphæa lutea minor flore fimbria-
 to B. P. I:B: *The lesser Water-Lilly with*
fringed flowers.

S. Nymphæa alba minima B: P: alba
 minima five Morfus ranæ *Park: mi-*
nor five Morfus ranæ I. B. Morfus
ranæ Ger : The least Water.Lilly, or
Frog-bit.

O.

OCHRUS sive Ervilia Ger :
 Ochrus folio integro capre-
 olos emittente I. B. Ochrus
 sive Ervilia flore & fructu
 albo Park: Lathyri species quæ Ervi-
 lia sylvestris Dodonæo I. B. Lathyrus
 folio integro producente bina foliola,
 capreolos emittentia Hist: Oxon: *The*
white winged wild pease. Ann.

O C Y M U M vulgatus B. P. Park:
 magnum Ger. medium vulgatus & ni-
 grum I. B. *Common Basil. Offic: Ann.*

S. **O** E N A N T H E aquatica B. P.
 Oenanthe sive Filipendula aquatica J:
 B: Filipendula aquatica Ger: Filipen-
 dula aquatica prima sive major Park:
Water Drop-wort.

Oe-

S. *Oenanthe Apifolio* succo viroso *D. Morison sect. de plant. umbel.* Chærephylli foliis *B. P. Cicutæ facie Lobelij Park: succo viroso, Cicutæ facie Lobelio I. B. Filipendula Cicutæ facie Ger: Hemlock Drop-wort.*

O L E A sylvestris foliis molli incano *B. P. Olea Bohemica Matth. Oleaster Cappadocicus Park: Zizypha Cappadocica Ger: Ziziphus Cappadocica, quibusdam Olea Bohemica I: B: The Bastard, or Sweet wild Olive.*

O N O B R Y C H I S foliis Viciæ fructu echinato major *B. P. major siliculis echinatis cristatis in spicâ digestis Hist: Oxon: Onobrychis sive Caput gallinaeum Ger: vulgaris Park: Polygalon Gesneri I: B: Cocks-head, or Saint-foin.*

Onobrychis semine clypeato aspero major *B. P. major perennis siliculis articulatis asperis, clypeatis, recta junctis flore ruberrimo Hist: Oxon: Hedyсарum clypeatum Ger: clypeatum vulgare park: Altragalus Romanus, sive Hedyсарum cly-*

clypeatum filiquâ asperâ I: B: *The French Honeysuckle.*

Onobrychis semine clypeato aspero, five Hedyfarum clypeatum flore albo
White-flowered French Honeysuckle.

Onobrychis arvensis, five Campanula arvensis erecta B. P. Campanula glabra minor arvensis Hist: Oxon: Speculum Veneris Ger: Speculum Veneris majus Park: Avicularia Sylvij quibusdam, floribus purpuroviolaceis I. B. *The great Corn-Violet, or Venus-looking-Glasse. Ann.*

Onobrychis Viola pentagonia perfoliata, Hort. Reg. Bles. Campanula pentagonia perfoliata Hist: Oxon: *Thorough-leaved Venus Looking-Glasse. Ann.*

S. OPHIOGLOSSUM I. B. Ger: vulgatum B. P. Ophioglossum five Lingua serpentina Park: *Common Adders-tongue. Offic.*

S. OPHRYS bifolia B. P. Ger: major quibusdam I: B: Bifolium sylvestre vulgare Park: *Two-blade.*

OR-

S. ORCHIS morio mas foliis macu-
latis B: P: park: Cynosorchis morio mas
Ger: Orchis major tota purpurea ma-
culoso folio I. B. *The male Fools-Stones.*
Offic.

S. Orchis morio foemina B. P. Park:
minor purpurea & aliorum colorum cum
alis virentibus I. B. Cynosorchis morio
foemina Ger: *The female Fools-Stones.*
Offic.

S. Orchis muscae corpus referens minor
galea & alis herbidis B. P. Orchis my-
odes Ger: myodes minor Park: myo-
des galea & alis herbidis I. B. *The Flie-*
Orchis.

S. Orchis fucum referens major foliolis
superioribus candidis & purpurascen-
tibus B: P: Orchis sphegodes, sive fu-
cum referens Park: Orchis fuciflora ga-
lea & alis purpurascens I. B. Orchis,
sive Testiculus vulpinus secundus sphe-
godes Ger: *Common humble-Bee Saty-*
rian.

S. Orchis spiralis alba odorata I: B:
Triorchis Ger: Triorchis alba odora-
ta

ta major & minor *B. P. Park: Triple Ladies-Traces.*

S. Orchis alba bifolia minor calcari oblongo *B: P:* Orchis Serapias, bifolia vel trifolia minor *Park:* Orchis hermaphroditica *Ger:* alba calcari oblongo *I. B. B. tter-flie-Satyrion.*

S. Orchis palmata pratensis latifolia longis calcaribus *B: P:* palmata major mas sive Palma Christi mas *Park.* palmata non maculata *I. B. Palma Christi mas Ger: The great male handed-Orchis, or Satyrion-Royal.*

S. Orchis palmata pratensis maculata *B: P:* palmata foemina, sive Palma Christi foemina maculato folio *Park.* Orchis palmata speciosiore thyrso, folio maculato *I. B. Palma Christi foemina Ger: The Female handed Orchis, or female Satyrion Royal.*

S. Orchis palmata minor calcaribus oblongis *B: P:* palmata rubella cum longis calcaribus rubellis *I. B:* palmata minor flore rubro *Park.* Orchis Serapias minor nitente flore *Ger: Red handed Orchis with long spurs.*

O:.

8. *Orchis abortiva fusca* B. P. *arabortiva ruffa*, five *Nidus avis* *Park.* *Satyrion abortivum*, five *Nidus avis* *Ger:* *Orobanche affinis*, *Nidus avis* *I. B.* *Birds-nest*, or *mishapen Orchis*.

S. *ORIGANUM* sylvestre *Cunila bubula* *Plinij* B: P: vulgare spontaneum *I. B.* *Anglicum* *Ger:* *Majorana sylvestris* *Park. Wild*, or *field-Marjoram. Offic.*

Origanum sylvestre foliis variegatis *Wild Marjoram*, with party-coloured-leaves.

Origanum fistulosum Canadense *Cornut:* *Origanum fistulosum Cornuto*, ted potius *Mentastrium fistulosum Americanum* *Park. app. Wild Mint of America.*

ORNITHOGALUM umbellatum medium album angustifolium B: P: umbellatum minus candidum vulgare *Hist: Oxon:* *Ornithogalum vulgare* *Ger. Park:* vulgare & verius majus & minus *I. B.* *The common Star of Bethlehem.*

Or-

S. **ORNITHOGALUM luteum B:**
P: *Park. parad.* luteum majus floriferum
Hist: Oxon. luteum, five Cæpe agraria
Ger: Bulbus sylvestris Fuchſij flore luteo, five Ornithogalum luteum **I: B:** *Tellus Star of Bethlehem.*

Ornithogalum latifolium & maximum **B. P.** spicatum maximum floribus albis innumerabilibus *Hist: Oxon:* maximum album *Park. parad:* *The greatest white Star-flower, or Star of Bethlehem.*

Ornithogalum majus spicatum flore albo **B: P:** spicatum album *Park. parad:* spicatum **Ger.** spicatum majus lacteo flore *Hort: Eyst. Hist: Oxon.* spicatum flore albo *Montpeſſulanum I: B:* *The great white spiked Star of Bethlehem.*

Ornithogalum exoticum, magno fiori, minore innato **B: P:** exoticum seu Neapolitanum flore minore, majori innato *Hist: Oxon:* Ornithogalum Neapolitanum *Park. parad: I. B. Ger.* *The Star-flower of Naples.*

Or-

Ornithogalum angustifolium majus floribus ex albo virescentibus *B. P.* spicatum majus angustifolium floribus ex albo virescentibus *Hist. Oxon.* *Asphodelus bulbosus Galeni* five *Ornithogalum majus* flore subvirescente *Park. parad.* *Asphodelus bulbosus Dodonæi*, five *Ornithogalum spicatum* flore virente *I. B.* *The bulbous Asphodil, or green Star-flower.*

S. ORNITHOPODIUM majus *B. P. Hist. Oxon. Ger. Park.* *Ornithopodium* flore flavescente *I. B.* *The great Birds-foot.*

S. OROBANCHE major, garyophyllum olens *B. P.* *Orobanche* five *Rapum Genistæ* *Ger. Park.* *Orobanche* flore majore *I. B.* *Broom-Rape.*

OROBUS filiquis articulatis femine majore *B. P.* sativus five *Ervum* semine anguloso, filiquis inter grana & grana junctis *Hist. Oxon.* *Orobus* annuus receptus herbariorum *Lob. Ger.* vulgaris herbariorum *Park.* *Orobus* five *Ervum* multis *I. B.* *Ordinary bitter-Vetch.*
Offic. Ann. *Oro-*

Orobus sylvaticus **Viciæ foliis** **B: P:**
 sylvaticus **Viciæ foliis** filiquis propen-
 dentibus floribus purpurascens **Hist:**
Oxon: Pannonicus secundus **Clus:** A-
 stragaloides **Ger:** Astragaloides herba-
 riorum **Park:** Astragalus major **Fuch-**
sio I B. *Base Milk-Vetch.*

Orobus sylvaticus nostras **Joh. Raij**
English Wood-Milk-Vetch.

OXYACANTHA Dioscoridis;
 five **Spina acuta pyri folio** **B. P.** **Oxy-**
acantha **Theophrasti** **Ger:** **Pyracantha**
Park. **Pyracantha** quibusdam **I. B.** *The*
Ever-green-Thorne.

P.

PÆONIA folio nigricante splendido, quæ mas B. P. mas I. B. Ger: *Park: parad: The male Peony. Offic.*

Pæonia communis vel fœmina Ger: fœmina vulgaris I: l: fœmina flore simplici vulgaris *Park: parad: The single female Peony.*

Pæonia fœmina flore pleno rubro majore B: P: fœmina multiplex Ger: fœmina vulgaris flore pleno rubro *Park: parad: Pæonia flore pleno rubro I. B. The great double female Peony.*

Pæonia fœmina flore pleno albicante *Park: parad. flore exalbido pleno major & minor B. P. The double blush Peony.*

PANAX Pastinacæ folio, an Syriacum Theophrasti *B. P.* panax Herculeum majus *Ger* : Heracleum alterum five peregrinum Dodonæi *Park*: Sphondylion vel potius Pastinacæ Germanicæ affinis, **Panax** vel **Pseudocostus** flore luteo *I. B. Hercules his All-beall. Offic.*

PANICUM Germanicum five paniculâ minore *B : P :* vulgare *I. B. Ger* : album vulgare *Park* : *Ordinary Panick. Offic. Ann.*

PAPAVER hortense semine albo *B. P.* hortense simplex semine albo *Hist*: *Oxon*: sativum album simplex *Ger* : *Park*: *Single white Garden Poppie. Offic. Ann.*

Papaver hortense nigro semine *B : P :* hortense simplex semine nigro *Hist* : *Oxon*. sativum nigrum simplex *Ger* : *Park* : *Single black Garden Poppies. Offic. Ann.*

Papaver cristatum floribus & semine album *B : P.* *Hist*: *Oxon*: fimbriatum album *Ger*: *White Fagged Poppie. Ann.*

Papaver cristatum floribus rubris femine nigro *B. P. Hist: Oxon:* fativum rubrum Dalechampi *Hist: Lugd. Red jagged Poppie. Ann.*

Papaver laciniatum rubrum unguibus purpureis *Hort: Eyst: Red jagged Poppie with a purple bottom. Ann.*

Papaver flore multiplici purpurascente *Hort: Eyst: Double purple-flowered Poppie. Ann.*

Papaver flore miniato pleno *Hort: Eyst: Double Scarlet-coloured Poppie. Ann.*

Papaver flore pleno argentei coloris *Hort: Eyst: Double silver-coloured Poppie. Ann.*

Papaver flore pleno album *B: P: Hist: Oxon. multiplex album Park: parad. album polyanthon, five multiflorum Lcb. Ger: Double white Poppie. Ann.*

Papaver flore pleno rubro *Hort: Eyst: multiplex rubescens Ger: Park:*

parad. Double red , or blush Poppies.
Ann:

Papaver flore pleno incarnato *Hort.*
Eyst: Double incarnate Poppies. Ann.

Papaver flore pleno laciniato eleganter striato *Double jagged finely stript Poppies. Ann.*

- S. Papaver erraticum majus B: P: erraticum five rhœas flore phœniceo majore simplici *Hist. Oxon: rubrum campestre I: B: Papaver rhœas Ger: erraticum, rhœas, five sylvestre Park: Corn-Popple, or Corn-Rose. Offic. Ann:*

Papaver erraticum majus, five rhœas florum unguibus albis , *Corn-Popple with white bottoms:*

Papaver erraticum majus five rhœas flore carneo *Flesh-coloured Corn-Popple. Ann.*

Papaver erraticum flore pleno B:P. *Hist: Oxon: rhœas flore multiplici Ger: Park: parad: Double-flowered Corn-Poppy. Ann.*

Papaver spinosum *B. P. I. B. Ger:*
spinosum Americanum Park: spinosum
luteum foliis albis venis notatis Hist.
Oxon: Thorny-Poppie of America.
Ann.

- S. **Papaver corniculatum luteum** *B. P. I. B. Park: Hist: Oxon: cornu-*
tum flore luteo Ger: Yellow-flowered
Horned-Poppie.

Papaver corniculatum violaceum *B. P. I. B. Park: cornutum flore violaceo*
Ger: Hist: Oxon: Violet-coloured Horn-
ed-Poppie. Ann:

- S. **PARIETARIA** *I. B. Ger: vulga-*
ris Park: Officinarum & Dioscoridis
B: P: Hist: Oxon: Pellitory of the wall.
Offic.

PASTINACA *latifolia sativa. B. P. Ger: Park: sativa latifolia Germanica*
flore luteo I. B. Common Garden-Pars-
nep. Offic. Ann.

Pastinaca tenuifolia sativa radice lu-
teâ B. P. sativa tenuifolia lutea Ger. Park:
sativa sive Carota lutea I. B. The yellow-
rooted Carrot. Offic. Ann.

*Pastinaca tenuifolia sativa radice
Mali aurantij coloris. The Orange Car-
rot. Ann.*

*Pastinaca tenuifolia sativa alba B. P.
sativa five Carota alba I: B: The white-
rooted Carrot. Ann.*

*Pastinaca tenuifolia sativa radice a-
trorubente B: P: sativa tenuifolia atro-
rubens Ger: Park: sativa five Carota
rubra I. B. Red-rooted Carrot.*

S. *Pastinaca tenuifolia sylvestris Dios-
coridis vel Daucus Officinarum B. P.
sylvestris tenuifolia Ger: Park: sylve-
stris five Staphylinus Græcorum I: B:
The common wild-Carrot, or Birds nest.
Offic. Ann.*

S. *P E D I C U L A R I S pratenfis lutea
vel Crista galli B: P: Pedicularis vel
Crista galli lutea Park: Crista galli
Ger: Crista galli foemina I: B: Yellow
Rattle, or Cocks-Comb. Ann.*

S. *Pedicularis pratenfis purpurea B: P:
pratenfis rubra vulgaris Park: Pedicu-
laris Ger: Pedicularis, quibusdam Cri-
sta galli flore rubro I. B. Red Rattle-
grass. Ann.*

S. Pedicularis Gerardi flore albo *White flowered Rattle-grasse. Ann:*

S. Pedicularis palustris rubra elatior
J. Raij *Great Red Rattle, or Lousewort. Ann.*

PENTAPHYLLOIDES fragariæ folio *Hort. Reg. Bles.* majus erectum flore luteo, ternis foliis, Fragariæ instar, hirsutis *Hist: Oxon: Strawberry-leaved Cinquefoil.*

Pentaphylloides fruticosum J. Raij maximum rectum fruticosum *Eboracense Hist: Oxon: Tree, or shrub-Cinquefoil.*

S. **PENTAPHYLLUM** vulgatissimum *Park:* Pentaphyllum sive Quinquefolium vulgare repens *L. B.* Pentaphyllum minus procumbens flore luteo vulgare radículas emittens ex geniculis *Hist: Oxon.* Quinquefolium majus repens *L. B.* vulgare *Ger: Common Cinquefoil, or Five-leaved-Grasse. Offic.*

S. Pentaphyllum incanum repens
Alpinum Park: minus incanum

Alpinum flore aureo radículas in terram demittens *Hist: Oxon:* Quinquefolium minus repens **Alpinum aureum** *B: P:* minus flore aureo *Ger:* Alpinum splendens flore aureo *I: B: Small Golden-flowered Cinquefoil.*

Pentaphyllum majus erectum I: B: Ger. Park: Pentaphyllon seu potius **Heptaphyllum majus luteum montanum** flore majore *Hist: Oxon:* Quinquefolium rectum luteum *B. P Great Upright-Cinquefoil.*

S. Pentaphyllum erectum foliis profunde sectis subtiis argenteis flore luteo I. B. Hist: Oxon. rectum minus *Park:* Quinquefolium erectum folio argenteo *B. P.* Quinquefolium Tormentillæ facie *Ger: Tormentil-Cinquefoil.*

S. Pentaphyllum rubrum palustre Ger: Pentaphyllum seu Heptaphyllum majus rubrum rectum palustre Hist: Oxon: Pentaphyllum vel potius Heptaphyllum flore rubro *I. B. Marsh-Cinquefoil.*

S. **PEPLUS** five *Esula rotunda* B.
P. I. B. *Ger: Esula rotunda five Peplus*
Park: Petty-Spurge. Ann.

PEPO oblongus B: *P: Hist: Oxon:*
maximus oblongus Ger: Park: The great
long Pompon. Offic. Ann.

Pepo compressus major B: *P: Indi-*
cus compressus maximus Lob: Hist: Ox-
on: maximus rotundus Ger: Great round
Pompon. Ann.

Pepo seu Melo pepo verrucosus *Hist:*
Oxon: Cucurbita verrucosa Park, Ger.
Ludg: The rudged Gourd, or Me-
kin.

PERFOLIATA vulgarissima,
 five arvensis B: *P: vulgaris Ger: Park:*
Perfoliata simpliciter dicta, vulgaris,
annua I. B. Common Thorow-wax. Offic.
Ann.

PERICLYMENUM *Ger: non*
perfoliatum Germanicum B. P. Pericly-
menum five Caprifolium vulgare Park:
Periclymenum plurimis, five Caprifo-
lium non perfoliatum I. B. Common wild
Hony-suckle. Offic:

Periclymenum perfoliatum **B. P. Ger:**
I: B: perfoliatum five Italicum **Park:**
Italian Hony-suckle, or double, or thorough-
leaved Hony-suckle.

Periclymenum perfoliatum seroti-
num flore rubro **Hort. Reg. Bles. Late-**
flowering red thorough-leaved Hony-
suckle.

S. PERSICARIA mitis maculosa
 & non maculosa **B: P: Hist: Oxon:** ma-
 culosa **Ger:** mitis **I: B:** vulgaris mitis
 five maculosa **Park: Dead, or spotted**
Arsmart. Offic. Ann.

S. Persicaria urens five **Hydropiper**
B. P. acris five **Hydropiper Hist: Ox-**
on: I. B. vulgaris acris five minor **Park.**
Hydropiper Ger: Hot Arsmart. Offic.
Ann.

S. Persicaria minor B. P. minor five
 pusilla procumbens **Hist: Oxon.** pusil-
 la repens **Ger: Park: Small creeping Ars-**
mart.

S. PETASITIS Ger: vulgaris Park:
 major & vulgaris **B. P. vulgaris rubens**
 ro-

rotundiore folio **I. B.** *The common Butter-Bur. Offic.*

Petafitis minor **B: P:** *Park:* flore albo *Hort:* *Eyst:* albus anguloso folio **I: B:** *The Lesser, or white-flowered Butter-Bur.*

PEUCEDANUM majus *Italicum* **B: P: I. B. Park:** majus *Ger. Italian Sow-Fennel.*

Peucedanum Germanicum **B. P.** minus *Germanicum* **I: B:** vulgare *Park:* *Peucedanum* *Ger: Common Sow-Fennel. Offic.*

PHALANGIUM parvo flore ramosum **B: P:** *Hist: Oxon:* parvo flore ramosius **I: B:** ramosum *Ger: Park:* *Small-branched Spider-wort.*

Phalangium magno flore **B: P:** *Phalangium Allobrogicum magno flore, seu flore Lilij* *Hist: Oxon:* *Allobrogicum* *Park: parad.* *Phalangium Antiquorum* *Ger:* *Phalangium flore Lilij* **I. B.** *Savoy Spider-wort,*

Pha-

Phalangium Virginianum Tradescanti *Ger*: ephemerum Virginianum Iohannis Tradescanti *Park* : Phalangium Virginianum foliis latioribus radice repente flore tripetalo cæruleo *Hist*: *Oxon*. Allium seu Moly Virginianum *B*: *P*: app: *Tradescant his Virginian Spider-wort.*

Phalangium Virginianum flore albo
White flowered Virginian Spider-wort.

PHALARIS *I. B.* *Ger.* vulgaris *Park*: major semine albo *B. P. Common Canary-Grass. Offic. Ann.*

Phalaris minor semine nigro *Hort. Reg*: *Bles. Canary-Grass with lesser black seed. Ann:*

PHASEOLUS flore puniceo *Cornut*: Indicus flore coccineo seu puniceo *Hist*: *Oxon*: **Americanus** flore coccineo *Ger*: *Park*: *Scarlet Beans. Ann.*

Phaseolus albus *Ger. Park*: *White Kidney-Beans. Offic. Ann.*

Pha-

Phaseolus five Smilax hortensis rubra

Ger: *Red Kidney-Beans.* Ann.

Phaseolus fructu eleganter maculato. *Fine-spotted Kidney-Beans.*

Ann.

Phaseolus minor fructu albo umbilico maculâ nigrâ notato, vel fructu renali parvo albo, umbilico circa hilum maculâ nigrâ insignito *Hist: Oxon. Small white Kidney-Bean with a black spot in the middle.* Ann.

PHILLYREA folio Ligustri
B. P. laticusculo folio I. B. latiore folio
Ger: angustifolia prima Park: *The broader-leaved Mock-privet.*

PICEA Park: major Ger: major
prima five Abies rubra B. P: Picea Latinorum, five Abies mas Theophrasti
I. B. *The Pitch-Tree.*

S. **PILOSELLA** major repens
hirsuta B. P. majore flore, five vulgaris repens I: B: repens Ger: minor
vulgaris repens Park: *Common Mouseear.*
Offic.

Pilosella Indica *Cornut.* major *Park.*
parad. *Hieracium hortense latifolium*
 five *Pilosella major* *Ger. Golden Mouse-*
ear.

S. *PIMPINELLA saxifraga* major
 umbellâ candidâ B. *P. Saxifraga hirci-*
na major *Park.* *saxifraga* *Ger.* *Saxi-*
fraga hircina major I: B: *Great Burnet*
Saxifrage. Offic.

S. *Pimpinella saxifraga* major altera B:
P. *saxifraga* major nostras *Park.* *Saxi-*
fragia hircina minor foliis *Sanguisorbæ*
 I: B: *The lesser round-leaved Burnet Saxi-*
frage.

S. *Pimpinella saxifraga* minor B: *P.*
saxifraga hircina minor *Park.* *Saxifra-*
gia hircina minima, *Pimpinella cris-*
pa *Tragi* I. B. *Small Burnet Saxi-*
frage.

Pimpinella maxima Canadensis *Corn-*
nut. *maxima Americana* *Park.* *Great*
American Burnet.

Pimpinella sanguisorba major B: *P.*
Sanguisorba major flore *spadiceo* I. B.
major vulgaris *Park.* *sylvestris* *Ger.* *Great*
Burnet. pim-

Pimpinella sanguisorba minor lævis
B. P. hortenſis Ger: vulgaris minor Park:
Sanguisorba minor I. B. Small Burnet, or
Garden-Burnet. Offic:

Pimpinella agrimonoides Hort. Reg.
Bles: Burnet with Agrimony-leaves.

P I N U S *fativa B: P: fativa ſi-*
ve domestica Ger: urbana ſive do-
meſtica Park: Pinus officulis duris
foliis longis I: B: The Pine-Tree.
Offic.

Pinus ſylveſtris B: P: Pinaster Au-
ſtriacus major albus Cluſ: I. B. The wild
Pine.

P I S T A C I A *ſylveſtris B: P: Nux*
veſicaria Ger: Park: Staphylodendron
I. B. The Bladder-Nut.

Piſtacia Virginiana ſylveſtris trifolia
Hort: Reg: Bles: The three-leaved Blad-
der-Nut of Virginia.

P I S U M *majus quadratum B: P:*
majus flore albo Hiſt: Oxon: majus Ger:
Rouncival-Peaſe. Ann.

Pisum umbellatum B. P. *Hist. Oxon.* : Ger : umbellatum sive roseum *Park. parad.* : comosum erectius I. B. *Rose-Pease* , or *tufted* , or *Scottish-Pease Ann.*

Pisum fructu majore albo ovato *Hist. Oxon. Egg-Pease. Ann.*

Pisum leptolobum , seu sine cortice aut membranâ duriore *Hist. Oxon.* : Pisa sine cortice duriore B : P : Pisum sacharatum *Park. parad.* : excorticatum Ger : sine tunicis durioribus in siliquâ magnâ albâ I. B. *Sugar-Pease. Ann.*

S. Pisum arvense B : P : minus Ger : Pisa arvensia I. B. *Field-Pease. Offic. Ann.*

Pisum vesicarium fructo nigro albâ maculâ notato B : P : cordatum vesicarium *Park.* : Halicacabum peregrinum Cor Indum I. B. : Halicacabum peregrinum Ger : Halicacabum peregrinum vesicarium fructu nigro albâ maculâ notato *Hist. Oxon. The Bladder heart-like spotted-Pease. Ann.*

S. *P L A N T A G O* latifolia sinuata B.
P. latifolia *Ger:* latifolia vulgaris *Park*
 major folio glabro non laciniato ut plu-
 rimum *I:* *B:* *Great Plantain, or Way-*
bread. Offic.

S. *Plantago* latifolia incana *B:* *P:* inca-
 na *Ger.* major incana *Park:* major hir-
 suta, media a nonnullis cognominata *I.*
B. Hoary Plantain.

S. *Plantago* latifolia incana spicâ albâ
Hoary Plantain with a white spike.

Plantago rosea *I. B.* *Ger:* *Park:* latifo-
 lia rosea floribus quasi in spicâ disposi-
 tis *B:* *P:* *Rose-Plantain.*

Plantago angustifolia paniculis La-
 gopi *B. P.* *Park:* quinquenervia cum
 globulis albis pilosis *I:* *B:* *Hares-foot,*
Plantain. Ann.

S. *Plantago* angustifolia major *B:* *P.*
 quinquenervia *Ger:* quinquenervia mas-
 jor *Park:* lanceolata *I:* *B:* *Ribwort, or*
lesser Plantain. Offic.

Plantago marina *Ger:* marina vulgaris
Park: *Coronopus* maritima major *B:* *P:*

Coronopus maritima nostras *I: B: Common Sea-Plantain.*

S. Plantago aquatica latifolia B: P: aquatica I: B: aquatica major Ger: Park: Great Water-Plantain. offic.

S. Plantago aquatica angustifolia B. P. aquatica minor Park: aquatica humilis Ger: aquatica humilis angustifolia I. B. The lesser Water-Plantain, or Dwarf Water-Plantain.

S. Plantago aquatica stellata B: P: aquatica minor stellata Ger: aquatica minor muricata Park: Damasonium stellatum Dalechampij I: B: Starry-headed Water-Plantain.

PLATANUS Dod, I. B. Ger: Platanus Orientalis verus Park. The True Oriental-Plane.

Platanus Occidentalis aut Virginienfis Park. The Plane-tree of the west parts of Virginia, or the Occidental-Plane.

POLIUM montanum luteum B: P: Ger: montanum vulgare Park: Ordinary Poley-mountain.

Polium montanum album B: P: Ger: Po-

Polium Monspessulanum *I. B.* *Polium montanum* *Monspeliacum* *Park: White Poley-mountain.*

S. *POLYGALA* vulgaris *B: P: minor* *Park: cærulea* *Ger: Polygala tetrapetala filiculosa bicausularis longo & angusto folio minor* *Hist. Oxon. Polygalon multis* *I: B: Blew Milk-wort. Ann.*

S. *Polygala rubra* *Ger: minor rubra* *Park: Red Milk-wort. Ann.*

Polygala alba *Ger: Park White Milk-wort. Ann.*

POLYGONATUM *Ger: vulgare* *Park: latifolium vulgare* *B: P: Polygonatum, vulgò Sigillum Solomonis* *I. B. Solomons-Seal. Offic.*

Polygonatum latifolium flore majore odore *B. P. majus flore majore* *Park: latifolium secundum Clusij* *Ger: Polygonatum floribus ex singularibus pediculis* *I. B. The great-flowered Solomons-seal.*

Polygonatum latifolium Hellebori albi foliis *B: P: maximo folio* *Park: amplitudinis foliorum Ellebori albi* *I: B. The greatest-leaved Solomons-seal.*

Polygonatum latifolium maximum
B. P. majus *Park:* majus vulgari simile
I. B. The great Solomons-seal.

Polygonatum angustifolium non ramosum *B. P. minus* *Ger:* angustifolium
I. B. Park: Narrow-leaved Solomons-seal.

S. POLYGONUM latifolium B.
P. vulgare latifolium *Hist: Oxon.* mas vulgare
Ger: mas vulgare majus *Park:*
Polygonum sive Centinodia *I. B. Common Knot grass. Offic. Ann.*

Polygonum minus candicans *B. P. montanum minimum niveum & sericeum*
Lob: Hist: Oxon: montanum *Ger:* montanum
niveum Park: Paronychia Hispanica *Clusij,* sive **Anthyllis nivea**
I. B. White mountain-Knot-grasse. Ann:

S. Polygonum angustissimo, & acuto vel gramineo folio, minus repens *B. P. Polygonum polyspermum*
Knawel dictum flosculis viridibus *Hist: Oxon:* tertium
Dodonæi sive tenuifolium *I. B. Germanicum,* **Knawel Germanorum** *Park: felineoides*

noides sive Knawel *Ger: German Knot-grass, or Knawel. Ann.*

- S. Polygonum minimum, sive Millegrana minima *B: P: Hist: Oxon. Millegrana Ger: minima sive Herniaria minor Park: The least Rupturewort, or Allseed. Ann.*

- S. POLYPODIUM *I. B. Ger: vulgare B: P: Park: Common Polypody. Offic.*

POPULUS alba *Ger: Park: alba, Λευκή Theophrasti I: B: alba quæ Λευκή ab albedine dicitur, foliis majoribus B: P: The white Poplar-tree.*

Populus alba foliis minoribus *B: P: Ger: Park: The smaller-leaved Poplar.*

Populus nigra *B: P: Ger: Park: nigra, sive Ἀγριεῖος Dioscoridis & Theophrasti I. B. The black Poplar-tree. Offic.*

- S. Populus tremula *B: P: Lybica Ger: Lybica Plinij, Κερκίς Theophrasti I. B. The Aspen-tree, or Quaking-Asp.*

PORRUM *I. B. Park: capitatum Ger: commune capitatum B. P. Hist: Oxon: Common Leeks. Offic. Ann.*

Porrum foliis eleganter variegatis
adinstar Graminis striati. *A Leek with
party coloured leaves, like Ladies-laces.
Ann.*

Porrum sectivum juncifolium *B. P.*
sectivum, Schænoprassum quibusdā
*I. B. Schænoprassum Ger: Park: Cēpa
sectilis juncifolia perennis Hist: Oxon:
Cives.*

PORTULACA latifolia sive fativa
*B: P: Hist: Oxon: fativa Park: dome-
stica Ger: hortensis latifolia I. B. Garden-
Purslane. Offic. Ann.*

Portulaca hortensis folio flavo. *Hort.
Reg. Bles. latifolia, sive fativa foliis fla-
vis Hist. Oxon. Golden-Purslane. Ann.*

Portulaca angustifolia sive sylvestris
*B: P: Hist. Oxon. sylvestris Ger: Park:
sylvestris minor spontanea I. B. Wild-
Purslane. Ann.*

S. POTAMOGEITON Salicis fo-
lio *B: P: angustifolium, seu Salicis fo-
lio Hist. Oxon. angustifolium Ger: Po-
tamogeyton, sive Fontalis Perficariæ fo-
liis*

liis major longifolia *Park: Narrow-leaved Pondweed.*

- S. *Potamogeton* foliis angustis splendentibus *B: P: Hist. Oxon.* longis acutis foliis *Ger: Fontalis major lucens I. B. Long-leaved shining Pondweed.*

- S. *Potamogeton* foliis latis splendentibus *B: P: Hist. Oxon.* tertia *Dodonæi Ger: altera Dodonæi I. B. Small Pondweed, or thorough-leaved Pond-weed.*

- S. *Potamogeton* rotundifolium *B: P: majus rotundifolium Hist. Oxon.* rotundiori folio *I. B. latifolium Ger: Fontalis major latifolia vulgaris Park: Broad-leaved Pond-weed.*

- S. *POTENTILLA* *B: P: Park: Potentilla, five Argentina I. B. Argentina Ger: Pentaphylloides minus supinum seu procumbens foliis alatis argenteis & ferratis flore luteo Hist. Oxon. Silver-weed, or Wild-Tansie. Offic.*

PRUNUS *Dod. &c. The Plum-tree. Offic.*

- S. *Prunus sylvestris B: P: I. B. Ger: Park: The Sloe-tree. Offic.*

PSEUDODICTAMNUS verticillatus inodorus **B:** **P:** Pseudodictamnus **Park:** Pseudodictamnus **Ger:** Dictamnium adulterinum quibusdam verticillatum, vel potius Gnaphalium Veterum **I.B.** *Bastard Dittany.*

PSYLLIUM majus erectum **B:** **P.** **I.** **B.** vulgare **Park:** Psyllium seu pulicaris herba **Ger:** *Common Flea-wort.* **Offic.** *Ann.*

Psyllium Dioscoridis, vel Indicum crenatis foliis **B:** **P:** Indicum foliis crenatis **I.B.** **Park:** *Indian Flea wort, with dented leaves.* **Ann.**

Psyllium majus supinum **B:** **P:** **I.** **B:** majus semper virens **Park:** semper virens **Lobelij** **Ger** *Ever-green Flea-wort.*

PULEGIUM **I:** **B:** latifolium **B.** **P.** regium **Ger:** vulgare **Park.** *Common Penny-royal.* **Offic:**

Pulegium angustifolium **B:** **P:** **Ger:** angustifolium seu cervinum **Park:** cervinum angustifolium **I. B.** *Hart Penny-royal.* **Offic.**

PULSATILLA folio crassiore &
ma.

maiore flore *B. P.* folio crassiore flore
maiore dilutior *Hist: Oxon: vulgaris*
Ger: Park: purpurea I: B: The purple Pas-
que-flower.

S. *PYROLA I. B. Ger: rotundifolia*
major *B. P. nostras vulgaris Park: Com-*
mon Winter-green. Offic.

S. *Pyrola Alines flore Europæa B. P.*
Park: Herba trientalis I: B: Winter-green
with Chickweed-flowers.

PYRUS Dod: fativa B. P. The Pear-
tree. Offic.

Q.

Q.

QUADRIFOLIUM
 hortense album B: P: Qua-
 drifolium phæum fuscum
Park: Lotus quadrifolia Ger:
 Trifoliis affinis, Quadrifolium phæum
 Lobelij I: B: Trifolium pratense dege-
 nerans in Quadrifolium phæum seu fuscum
Hist. Oxon. Four-leaved, or purple-Grasse.

S. **Q**UERCUS latifolia mas quæ bre-
 vi est pediculo B: P: latifolia *Park: vul-*
garis Ger: vulgaris pediculis brevibus I:
B: The Common Oake-tree: Offic.

R.

R.

S. **R**ANUNCULUS nemorosus Moschatelina dictus
 B: P: Ranunculus Moschatelina, sive Moschatella dictus
Hist: Oxon: nemorosus Moschatella dictus *Park:* Moschatelina foliis Fumariæ bulbosæ, de quâ Cordus I: B: Radix cava minima viridi flore *Ger: The Muskwood-Crow-foot,*

S. Ranunculus pratensis radice verticilli modo rotundâ B: P: *Hist: Oxon:* tuberosus major I: B: bulbosus *Ger: Park: Round-rooted, or Bulbous Crow-foot.*

Ranunculus bulbosus flore pleno B: P: maximus Anglicus *Ger: Anglicus maximus multiplex Park: parad: maximo tuberosus flore magno pleno. I: B: The Garden double*

double yellow Crowfoot, or Batchelours-Buttons.

S. *Ranunculus pratensis erectus acris*
B: P: Hist: Oxon: pratensis erectus acris
vulgaris Park: Ranunculus surrectis cau-
liculis Ger: rectus non repens flore sim-
plici luteo I: B: Upright Meadow-Crow-
foot.

S. *Ranunculus pratensis erectus acris flo-*
re pleno Double-flowered Upright Mea-
dow Crow-foot.

S. *Ranunculus pratensis repens hirsutus*
B. P. Hist: Oxon. pratensis repens Park:
pratensis etiamque hortensis Ger: repens
flore luteo simplici I. B. Common Crow-
foot, or Butter-cups:

Ranunculus montanus lanuginosis fo-
liis Ranunculi pratensis repentis B: P:
Park: Ranunculus magnus valde hirsu-
tus flore luteo I: B: Woolly Mountain-
Crow-foot.

S. *Ranunculus nemorosus vel sylvaticus*
folio rotundo B. P: Hist: Oxon: nemo-
rosus dulcis secundus Tragi Park: ro-

• run-

tundifolius vernus sylvaticus *L. B. auricomus* *Ger: Sweet Wood-Crow-foot.*

- S. *Ranunculus montanus Aconiti folio* flore luteo globofo *B: P: globofus* *Ger: Park: parad: flore globofo, quibusdam Trollius flos* *L: B: The Glob-Crow-foot.*

Ranunculus montanus Aconiti folio, flore albo minore *B: P: Ranunculus albus simplici flore* *L: B: Alpinus albus* *Ger: montanus albus minor simplex* *Park: The lesser single white Mountain Crow-foot.*

Ranunculus folio Aconiti flore albo multiplici *B: P: albus multiflorus* *Ger. albus flore pleno* *Park: parad. albus flore denso* *L: B: Double white Crow-foot.*

Ranunculus stellatus echinatus Creticus *B: P: Hist: Oxon: echinatus Creticus* *Park: palustris echinatus* *L: B: Prickly Crow-foot of Candy. Ann.*

Ranunculus arvensis echinatus *B: P: Hist: Oxon. arvorum* *Ger: Park: arvensis echinatus* *L: B: Rough-headed, or Corn Crow-foot. Ann.* Ra-

Ranunculus hirsutus annuus flore minimo *Joh. Raij* arvensis annuus hirsutus flore omnium minimo luteo *Hist. Oxon.*
Field Crow-foot with a smal flower.
Ann.

Ranunculus lanuginosus angustifolius grumosa radice minor *B. P. Hist. Oxon.* *Illyricus* *Ger:* *Illyricus minor* *Park.* *Illyricus radicibus bulbosis, foliis longis* *I: B: Crow-foot of Illyria.*

Ranunculus montanus folio gramineo *B: P: Hist. Oxon.* *gramineus* *Lobelij* *Ger:* *gramineus flore luteo simplici* *Park:* *pumilus gramineis foliis* *I. B. Yellow single grass-leaved Crow-foot.*

S. Ranunculus palustris Apij folio levis *B: P: Hist. Oxon.* *palustris rotundifoliis* *Ger:* *palustris Sardonius levis* *Park.* *palustris flore minimo* *I. B. Round-leaved Marsh Crow-foot. Ann.*

S. Ranunculus longifolius palustris major *B: P: Hist. Oxon.* *flammeus major* *Ger.* *palustris flammeus major* *Park:* *Ranunculus longo folio maximus, Lingua Plinij* *I. B. Great Spear-wort.*

Ra-

- S. *Ranunculus longifolius palustris minor* *B. P. Hist. Oxon.* flammeus minor
Ger: palustris flammeus minor, sive angustifolius *Park:* longifolius, aliis *Flammula I. B. The lesser Spear-wort.*
- S. *Ranunculus palustris ferratus B. P.* palustris longifolius minor ferratus *Hist. Oxon:* flammeus ferratus *Ger: Park: Dented Spear-wort.*
- S. *Ranunculus aquaticus folio rotundo & capillaceo B: P: Hist. Oxon:* aquaticus Hepaticæ facie *Park.* aquatilis albus tenuifolius *I: B: Water Crow-foot with various leaves.*
- S. *Ranunculus aquaticus hederaceus Hist. Oxon.* aquaticus hederaceus luteus *B. P.* hederaceus rivulorum se extendens, atrâ maculâ notatus *I: B: Ranunculi aquatilis varietas altera Ger: Ivy-leaved Water-Crow-foot.*
- S. *Ranunculus aquaticus Cotyledonis folio B: P: Hist. Oxon.* Cotelydon aquatica *I: B: Cotyledon aquatica acris Septentrionalium Lob. Cotyledon palustris Ger: Park: Marsh Penny-wort.*

RAPHANUS niger major rotundus *Hist. Oxon:* niger rotundiore radice *Park. The rounder-rooted black Radish. Ann.*

Raphanus niger radice longâ pyramidalis *Hist. Oxon:* pyriformis five radice nigrâ *Ger. The black, or Pear-fashion Radish. Ann.*

Raphanus *I: B:* minor oblongus *B: P: Hist. Oxon:* sativus vulgaris *Ger: Park: Common Garden-Radish. Offic. Ann.*

S. **Raphanus** rusticanus *B: P: Hist. Oxon:* *Ger: Park:* sylvestris five *Armoria* multus *I: B: Horse-Radish. Offic.*

S. **Raphanus** aquaticus foliis in profundas lacinias divisus *B: P: Hist. Oxon.* aquaticus *Ger: Park:* aquaticus *Taberna-* montani *I: B: Water-Radish.*

S. **RAPISTRUM** flore luteo *B. P:* *I: B:* arborum *Ger: Park:* Sinapi arvense præcox semine nigro *Hist. Oxon: Char-* lock, or *Wild-Mustard. Ann.*

S. **Rapistrum** flore albo filiquâ articula

tâ **B: P:** album articulatum *Park:* flore albo striato, Sinapi album agreste *Trago I: B:* Raphanistrum flore albo striato filiquâ articulatâ striatâ minore *Hist: Oxon. White flowered Charlock with joynted cods. Ann.*

- S.** Rapistrum luteum filiquâ glabrâ articulata *J. Raij* Rapistrum alterum arborum *Park:* Raphanistrum filiquâ articulatâ glabrâ majore & minore *Hist: Oxon. Yellow Charlock with smooth joynted cods. Ann.*

Rapistrum maximum monospermum *Cornut:* maximum rotundifolium monospermum Hispanicum *Park:* Raphanistrum monospermum maximum rotundifolium capsulâ rotundâ glabrâ *Hist. Oxon. Spanish one-grained-Charlock. Ann.*

R A P U M fativum rotundum *I: B.* rotundum majus & minus *Ger:* Rapa fativa rotunda *B. P. Hist. Oxon. Round rooted Turnep. Offic. Ann.*

Rapum fativum oblongum *I: B:* radi-

ce oblongâ Ger: Rapa fativa oblonga
seu foemina B: P: *Hist: Oxon. Long-rooted Turnep. Ann.*

Rapum luteum *Hort. Reg. Bles. The yellow-rooted Turnep. Ann.*

R A P U N C U L U S esculentus B: P: *Hist: Oxon: esculentus vulgaris Park: vulgaris campanulatus I: B: Rapuntium parvum Ger: Rampions. Ann.*

Rapunculus spicatus B. P. corniculatus spicatus seu alopecuroides *Hist: Oxon: spicatus alopecuroides Park: spicatus sive comosus albus & cæruleus I: B: Rapuntium majus Ger: Long Fox-tail-Rampions.*

S. Rapunculus Scabiosæ capitulo cæruleo B. P. *Park: ramosus corniculatus Scabiosæ capitulo cæruleo Hist: Oxon. Scabiosa 12, five minima hirsuta Ger: Scabiosa globularis quam ovinam vocant I: B: Hairy Sheeps-Scabious, or Rampion with Scabious heads. Ann.*

S. **R E S E D A** vulgaris B. P. *Plinij Ger: lu-*

lutea *I. B.*: minor seu vulgaris *Park*: *Base-Rocket. Ann.*

Reseda alba *I. B.*: maxima *Ger*: *Crambling-Rocket. Ann.*

RHAMNUS catharticus *B. P. I. B.*: solutivus *Ger*: solutivus sive *Spina. infectoria vulgaris Park*: *Buck-Thorn, or common purging-Thorn. Offic.*

Rhamnus catharticus minor B. P.: solutivus minor *Ger*: solutivus minor *Pannonicus Park*: *Rhamnus solutivus pumilus Pannonicus primus Clusij I. B.*: *The lesser Purging-Thorn of Hungary.*

Rhamnus Salicis folio angusto, fructu flavescente B. P.: primus *Dioscoridis Lobelio, sive littoralis Park*: secundus *Clusij Ger*: *Rhamnus, vel Oleaster Germanicus I. B. Sallow-Thorn, or Sea-Buck-thorn.*

S. *RHODIA RADIX B. P. I. B.*: *Ger*: *Park*: *Rose-root. Offic.*

RHUS *Virginianum B. P. app. Park*: *Virginian Sumach, or Buck-horn-tree.*

Rhus myrtifolia Monspeliaca B. P.

- myrtifolia Ger: Rhus Plinij putata
I: B: Plinij myrtifolia Park. *Mirtle-
leaved Sumach.*

S. Rhus myrtifolia Belgica B. P. sylve-
stris five Myrtus Brabantica vel Angli-
ca Park: Myrtus Brabantica, five Elæ-
agnus Cordi Ger: Gale, frutex odora-
tus Septentrionalium I. B. *Gaule, sweet
Willow, or Dutch Myrtle.*

- RICINUS major vulgaris B. P. I. B.
- Ricinus five Palma Christi Ger: Ricinus
five Cataputia major vulgarior Park:
*The ordinary Palma Christi, or great Spurge
Offic. Ann.*

S. ROE-SOLIS folio rotundo B. P.
- I: B: Ger: Park: *Round-leaved Sun-dew.
Offic. Ann.*

- ROSA rubra B. P: Ger. I. B. An-
glica rubra Park: *parad. Joh. Rea Flor.
The Red Rose. Offic.*

Rosa Mundi Joh. Rea Flor. *The Rose
of the World, or the stripped Red-
Rose.*

Rosa Hungarica Park: *parad. Joh.
Rea Flor. The Hungarian Rose.*

Ro

Rosa Provincialis flore rubro Joh.
Rea Flor. Provincialis rubra Park. pa-
rad. *The red-Province-Rose.*

Rosa Belgica sive vitrea flore rubro
Joh. Rea Flor. *The red Belgick-Rose, or
the Marygold-Rose.*

Rosa holoserica multiplex Park. pa-
rad. Joh. Rea Flor. Rosa holoserica Ger:
The double Velvet-Rose.

Rosa marmorea Joh. Rea Flor. *The
marble-Rose.*

Rosa Francofurtensis Park. parad. Joh.
Rea Flor. *The Franckford Rose.*

Rosa Cinamomea Joh. Rea Flor. Cina-
momea multiplex Park. parad. odore
Cinamomi flore pleno B: P: Cinnamo-
mea flore pleno Ger: Rosa minor rubel-
lo multiplicato flore asperis spinis arma-
ta I: B: *The double Cinamon-Rose.*

Rosa Cinamomea simplex Park. pa-
rad: Cinamomea flore simplici Ger: o-
dore Cinamomi flore simplici B. P. Ci-
namomea floribus subrubentibus spino-
sa I. B. *The single Cinamon Rose.*

Rosa Damascena Park. parad. Damasce-

na vulgaris *Joh. Rea Flor.* Provincia-
lis five Damascena *Ger.* purpurea *B. P.*
Rosa rubello flore majore multiplicato
five pleno, incarnata vulgo *I. B. The*
common Damask-Rose.

Rosa Damascena versicolor *Joh. Rea*
Flor. versicolor *Park. parad. B. P. Ro-*
sa Prænestina alba & versicolor I. B. The
party-coloured Rose, of some York and Lan-
caster.

Rosa Crystallina *Park. parad. Joh.*
Rea Flor. The Cristal-Rose.

Rosa Damascena variegata eleganti-
or *J. Rea Flor. The Elegant variegated*
Damask-Rose, or Mistress Hearts-Rose.

Rosa Provincialis five Hollandica Da-
mascena *Park. parad. Damascena pro-*
vincialis Joh. Rea Flor. Hollandica, five
Batava *Ger.* maxima multiplex *B. P.*
Hollandica rubella plena, quibusdam
Centifolia spinoso frutice *I. B. The great*
double Damask-Province, or Holland-
Rose.

Rosa mensalis *Joh. Rea. Flor. The*
monethly Rose.

Ro-

Rosa belgica five vitrea flore rubicante *Joh. Rea Flor.* The Blush Belgick-Rose, called by some, The white Province-Rose, and the Batavick-Rose.

Rosa Belgica flore rubicante pleno minor, *Rosa Madama dicta.* A lesser kind of the Blush Belgick Rose, called *Rosa Madama.*

Rosa lutea simplex B:P: *Park: parad: Joh. Rea Flor:* *Rosa lutea* Ger: I.B. The single yellow Rose.

Rosa lutea multiplex P.B: Ger: *lutea flore pleno* I. B. *Joh. Rea Flor.* *lutea multiplex* five flore pleno *Park, parad.* The double yellow Rose.

Rosa punicea Cornut: *Austriaca* flore phœniceo *Joh. Rea Flor:* *sylvestris Austriaca* flore phœniceo *Park: The Vermilion-Rose of Austria.*

Rosa alba vulgaris major P. B. *alba* Ger: *alba vulgaris* *Joh. Rea Flor.* *Anglica alba* *Park: parad.* *candida plena* I: B: The common white Rose, or English white Rose. *Offic.*

Rosa alba flore duplici major. Rosa candida semiplena I. B. The greater white Rose with two range of leaves.

Rosa alba flore duplici minor, The lesser white Rose with two range of leaves.

Rosa incarnata Park. parad. Joh. Rea Flor. The carnation-Rose, or bluish-Rose.

Rosa moschata simplici flore B. P. Ger: moschata simplex Park: parad. moschata minor simplici flore I. B. The single musk-Rose.

Rosa moschata flore pleno B. P. Joh. Rea Flor. moschata multiplex Park: parad. Ger: moschata minor flore pleno I. B. The double musk-Rose.

Rosa Hispanica moschata simplex Park: parad. Hispanica moschata Joh. Rea Flor. The Spanish musk-Rose.

Rosa sylvestris pomifera major B. P. pomifera major Joh. Rea Flor. Park. parad.

rad. Rosa pomo spinoso folio hirsuto

I: B: *The great Apple-Rose.*

- S. Rosa sylvestris vulgaris flore odora-
to incarnato B: P: sylvestris inodora,
five canina *Park* canina inodora *Ger*:
sylvestris alba cum rubore, foliis glabro
I: B: *The ordinary wild Briar-bush.*
offic.

- S. Rosa sylvestris inodora five canina
flore albo. *The ordinary wild Rose, or*
Briar-bush with white flowers.

- S. Rosa sylvestris nostras flore albo odo-
ratissimo. *A Scottish wild Rose with most*
fragrant white flowers.

Rosa sylvestris minor rubello flore
B.P. rubello parvo flore simplici non
spinosa I. B. *The small red Rose without*
prickles.

Rosa parvo rubello flore foliis lucen-
tibus. An Rosa sylvestris Virginienfis
Park: ? *The Rose with shining-leaves,*
perhaps the Virginian Briar-Rose of Par-
kinson.

- S. Rosa sylvestris foliis odoratis B: P:
sylvestris odora *Ger*: sylvestris odora five
Eg-

Eglentaria simplex *Park: parad. Rosa foliusodoratis Elegantina dicta I. B: The single Eglantine, or sweet-Briar-Bush.*

Rosa sylvestris odora five Eglentaria flore duplici Park: parad : Eglentaria flore duplici Joh. Rea Flor. sylvestris odora flore duplici Ger: Eglentina flore pleno I. B The double Eglantine.

S. *Rosa sylvestris pomifera minor P. B. Pimpinellæ folio Ger. Rosa Pimpinella five pomifera minor Park: pumila spinosissima foliis Pimpinellæ glabris flore albo I. B. The Pimpinel-Rose.*

S. *Rosa Pimpinellæ foliis minor nostras flore eleganter variegato. The lesser Scottish Burnet, or Pimpinel-Rose with fine-stript flowers.*

Rosa arborescens non descripta. An undescribed Tree-Rose.

ROSMARINUS *hortensis angustiore folio P. B. coronarius Ger. coronarius fruticosus I. B. Libanotis coronaria five Rosmarinum vulgare Park. Common Rosemary. Offic.*

Ros-

Rosmarinus hortensis folio aureo
Hort. Reg. Bles. **Rosmarinum striatum**
 five aureum *Park: Gilded-Rosemary.*

Rosmarinum sylvestre minus nostras
Park. Viti *Idææ* affinis **Polifolia mon-**
tana I. B. **Myrtus tenuifolia Thalij. Wild**
Rosemary.

RUBIA tinctorum sativa B. P. tin-
ctorum Ger: sativa, an sylvestris *Mon-*
spessulanus minor I. B: major sativa si-
 ve hortensis *Park: Common Madder.*
Offic.

Rubia minor e rupe Sancti Vincentij.
Aleser kind of Madder from Saint Vincents
Rock.

Rubia erecta quadrifolia I. B: Narrow-
leaved Crosse-wort-Madder.

S. **Rubia parvo flore cæruleo se spar-**
gens I. B. **Rubeola arvensis cærulea re-**
pens B: P: minor *pratensis cærulea Park:*
Small creeping Field-Madder. Ann.

Rubia cynanchica B: P: I. B. Ger:
Gallium tetraphyllum montanum cru-
ciatum Col. Squinancy-wort.

Rub

Rubia angustifolia spicata B: P:
Park: Narrow-leaved spiked Madder.

Ann: Madder.

S. *Rubus* Ger: vulgaris, five *Rubus* fructu nigro B. P. major vulgaris
Park: major fructu nigro I. B: The common Bramble, or Black-berry-bush Offic.

Rubus minor fructu cæruleo I. B. repens fructu cæcio B: P: Ger: minor Chamærubus, five Humirubus *Park: Small Bramble, or Dew-berry.*

S. *Rubus Idæus spinosus* B. P. *Idæus* Ger: *Park: Idæus spinosus fructu rubro I. B: Red Rasp-berry, or Hind-berry.* Offic.

Rubus Idæus fructu albo B. P. Ger: Park: Idæus spinosus fructu albo I. B. The White Rasp-berry.

S. *Rubus saxatilis* Ger: *Alpinus saxatilis* *Park: Alpinus humilis I. B. Chamærubus saxatilis B. P. The Stone-Bramble.*

Ruscus B: P: I: B: *Park: Ruscus five Bruscus* Ger: *Butchers-Broom.* Offic.

Ruta hortensis latifolia B: P: *hortensis*

tenfis major latifolia *Hist: Oxon:* hortensis *Ger:* hortensis vel fativa *L. B.* hortensis major *Park:* grave olens hortensis *Dod. Garden-Rue. Offic.*

Ruta sylvestris magno flore albo *B. P.* Syriaca sylvestris Harmala dicta flore magno albo *Hist: Oxon.* sylvestris Syriaca sive Harmala *Park.* Ruta quæ dici solet Harmala *L. B.* Harmala *Ger: Aſyrian wild-Rue: Offic.*

S.

S A B I N A folio Tamarisci Dioscoridis *B. P.* vulgaris *Park.* sterilis *L. B. Ger. Common Savine. Offic.*

S A L I X vulgaris alba arboreſcens *B. P.* maxima fragilis alba hirsuta *L. B.* arborea angustifolia alba vulgaris *Park:* Salix *Ger: The common white-Willow.*

Sa-

- S.** *Salix vulgaris rubens* B: P: *The common red-Willow.*
- S.** *Salix spontanea fragilis amygdalino folio non auriculata* L: B: *The Crack-Willow.*
- S.** *Salix folio laureo, five lato glabro odorato* J. *Raij Bay-leaved Willow, or Sweet-Bay-Willow.*
- S.** *Salix pumila brevi angustoque folio incano* B: P: *humilis repens* Ger. *angustifolia repens* Park: *The creeping Dwarf-Willow.*
- S.** *Salix folio ex rotunditate acuminato* B: P: *caprea latifolia* Ger: *latifolia oblongior* Park. *inferne hirsuta* L. B. *Common Sallow.*
- S.** *Salix latifolia rotunda* B. P: Park: *caprea rotundifolia* Ger: *Round-leaved-Sallow.*

Salix fativa lutea folio crenato B: P: *lutea tenuior fativa viminea* L: B: *aquatica* Ger: *aquatica humilis* Park. *The Oster.*

SALVIA major ; an *Sphacelus*
The-

Theophrasti? B: P: major vulgaris Ger.
 Park. latifolia I: B: *Common Sage*. *Offic.*
 Salvia nigra B: P. nigra vel rubra I. B.
Red Sage.

Salvia variegata vulgaris Ger. albis
 foliis I. B. *Common painted Sage, or green-*
stript Sage.

Salvia variegata elegans Ger. versicolor
 Park. *Fine-stript Sage, or red-*
stript Sage.

Salvia foliis aureis, *Gilded-Sage.*

Salvia latifolia serrata B. prodr. maxima
 five latifolia Park: serrata crispa I. B.
 an? Salvia Alpina Ger. *Great Sage with*
dented-leaves.

Salvia minor aurita & non aurita B.
 P. minor auriculata I. B. minor pinna-
 ta, Park. minor Ger: *Small Sage, or Sage*
of vertue.

Salvia minor altera B. P. salvia Absinthium
 redolens I. B. minor altera flore
 rubente Park. Salvia absinthites Ger :
Worm-wood-Sage.

Salvia baccifera B. P. gallifera Cretica
 I. B. Cretica pomifera & non
 po-

pomifera Ger : *major Cretica latifolia*
 & *angustifolia aurita* & *non aurita*, *po-*
mifera Park. *Apple-bearing Sage of Candy,*
and Candy Sage without Apples.

Salvia Cretica five *pomifera* flore
 albo *White-flowered Sage of Candy, or*
Apple-bearing Sage.

S. *SAMBUCUS* Ger. *vulgaris* Park:
I: B: fructu in umbellâ nigro B. P. Com-
mon Elder, offic:

Sambucus fructu in umbellâ viridi B:
P: fructu albo Ger : Park: Elder with
whitish-green-berries.

Sambucus racemosa rubra B:P: Park:
racemosa acinis rubris I B. racemosa vel
cervina Ger. Red-berried Elder.

Sambucus foliis laciniatis B. P: Ger :
Park: laciniata I. B. Cut-leaved El-
der.

Sambucus humilior frutescens foliis
eleganter variegatis. Shrub-dwarfe-
Elder, with fine party coloured leaves;

S. *Sambucus humilis* five *Ebulus B:*
P:

P. Ger. Park: Ebulus five Sambucus herbacea I *B. Dwarfse Elder, or Walwort. (Offic.)*

- S. Sambucus aquatica flore simplici *B. P. aquatica* I *B. aquatilis* five palustris *Ger: palustris* five aquatica *Park. Marsh, or water-Elder.*

Sambucus aquatica flore globofo pleno *B. P. rosea* I *B. Ger: Park: Rose-Elder.*

- S. *SANICULA* officinarum *B. P. Hist: Oxon:* mas Fuchsj, five *Diapensia* I *B. Sanicula*, five *Diapensia Ger: vulgaris*, five *Diapensia Park: Common Sanicle. Offic:*

Sanicula montana rotundifolia major B: P: guttata Ger: guttata major park: parad: Alpina guttata I: B: Spotted Sanicle.

Sanicula montana rotundifolia minor B: P: minor minus guttata Park: parad: The lesser spotted Sanicle.

Sanicula montana crenata umbilico rubro Hort. Reg. Bles. Sedum ferratum flore rubente maculato Park: parad:

The Princes-Feather , or None so pretty, with a red poyntel in the middle of the flower.

Sanicula montana crenata umbilico pallido *Hort. Reg. Bles. The Princes-Feather , or None so pretty with a pale poyntel in the middle of the flower.*

Sanicula Alpina vel Auricula Urſi variorum colorum. *Bears-ears of divers colours.*

Sanicula montana latifolia laciniata B:P: *Hist. Oxon: Alpina five Cortufa Matthioli Park. Alpina Clusij five Cortufa Matthioli Ger: Cortufa I. B. Bears-ear-Sanicle.*

Sanicula five Cortufa Americana fruticosa *Park. montana Americana five Cortufa Americana Stapel: in Theophr: Shrube-Sanicle of America.*

S. Sanicula montana flore calcari donato B: P: Pinguicula Gefneri I.B. Pinguicula five Sanicula Eboracensis *Ger: Park. Viola palustris Pinguicula dicta Hist. Oxon: Butter-wort , or York-shire Sanicle.*

SAPONARIA *Ger: vulgaris I. B.*
Park: major levis B: P: Lychnis Sapo-
naria dicta vulgaris major simplex Hist.
Oxon. Common Sope-wort. Offic.

Saponaria flore pleno Cornut. Ger:
Park. Lychnis Saponaria dicta major
vulgaris multiplex Hist: Oxon; Double
Sope-wort.

SATUREIA *hortensis, sive Cu-*
nila sativa Plini B: P: hortensis Park.
fativa I: B: sativa hortensis Ger: Summer-
Savory. Offic. Ann.

Satureia montana B. P. durior I: B:
hortensis Ger: vulgaris Park. Winter-
Savory.

S. **SAXIFRAGA** *rotundifolia alba*
B. P. alba Ger: alba vulgaris Park: alba
radice granulosa I. B. Common White-
Saxifrage. Offic.

S. *Saxifraga rotundifolia aurea B: P:*
aurea Ger: Park. aurea Dodonæi I: B:
Golden Saxifrage.

S. *Saxifraga foliis pediculis oblongis in-*
fidentibus I. Raij. Golden Saxifrage with
long-foot-stalks.

S. *Saxifraga Anglica* facie *Seseli praten-*
sis *Ger:* *Seseli pratense nostras* *Park:*
Saxifraga Anglorum foliis *Foeniculi* la-
 tioribus, radice nigra, flore candido, se-
 mine *Foeniculi*, similis *Silao* *I. B. Meadow*
Saxifrage.

S. *Saxifraga palustris Anglica* *Park:* Al-
 sine palustris foliis tenuissimis, sive *Saxi-*
fraga palustris alsinifolia *Ger:* *English*
Marsh-Saxifrage.

S. *SCABIOSA* pratenfis hirsuta quæ
 officinarum *B. P.* vulgaris pratenfis *Park:*
 major vulgaris *Ger:* major communior
 hirsuta folio laciniato & non laciniato
I. B. Common field-Scabious. Offic.

Scabiosa capitulo globoso minor *B.*
P. minor sive *Columbaria* *Ger:* minor
 vulgaris *I. B:* minor campestris *Park:*
The lesser field-Scabious.

Scabiosa montana calidarum regio-
 num, major *Lobelio* *I. B:* montana alba
Ger: *Pannonica* flore albo *Park:* fruti-
 cans angustifolia alba *B. P. White Hun-*
garian Scabious.

Scabiosa Alpina foliis *Centaurij* mayo-
 ris

ris B. P. montana maxima Ger : Park :
The great mountain Scabious.

Scabiosa latifolia rubra non laciniata
 secunda B. P. latifolia rubro flore I. B.
 rubra Austriaca Ger. Park. parad: Red
Scabious of Austria.

Scabiosa peregrina rubra capitulo ob-
 longo B. P. Indica rubra Ger: Park pa-
 rad: rubra peregrina , quibusdam In-
 dica I. B. *Indian Scabious with red flowers.*
Ann.

Scabiosa Indica flore variegato. *Party*
coloured Indian Scabious. Ann.

Scabiosa Indica prolifera. *Childing*
Indian Scabious. Ann.

Scabiosa peregrina capitulo oblongo
 flore, albo Promontorij Bonæ spei. *White*
flowered Indian Scabious from the Cape of
good-hope. Ann.

Scabiosa stellata folio laciniato major
 B. P. Hispanica major Park. Ger: major
 cum semine pulchro I: B: *Great Spanish*
Scabious. Ann.

Scabiosa Virgæ pastoris folio B.
 P. latifolia peregrina. Tab. *Scabious*

with leaves like the small wild Teasel.

Scabiosa arborea *Prosp. Alp. de exot.* arborea Cretica *Ponæ Park:* fruticosa folio non dissecto peregrina *I. B.* peregrina *Ger.* stellata folio non dissecto *B. P. Shrub-Scabious of Candy.*

Scabiosa maritima parva *I. B.* *Small Sea-Scabious.*

Scabiosa argentea angustifolia *B. P.* *Park:* graminea argentea *I. B.* *Silver-leaved Scabious.*

S. SCANDIX semine rostrato vulgaris *B. P.* vulgaris sive Pecten Veneris *Park:* Pecten Veneris *I. B.* Pecten Veneris sive Scandix *Ger: Venus-Combe, or Shepherds-Needle. Ann:*

Scandix Cretica major *B. P. Park:* Pecten Veneris Creticus *I. B.* *The greater Shepherds-Needle of Candy. Ann.*

SCILLA vulgaris radice rubrâ *B. P. Hist: Oxon:* ruffa magna vulgaris *I. B.* rubra sive Pancratium verum *Park:* *parad.* Pancratium Clusij *Ger: Great Squil, or Sea-Onyon. Offic:*

SCOLYMUS chrysanthemus annuus *Hort. Reg. Bles. The annual Golden Thistle. Ann.*

SCORDIUM B.P. I.B. *Ger: legitimum Park: Water-Germander. Offic.*

S. Scordium alterum five *Salvia agrestis B: P: Scorodonia, five Salvia agrestis Ger. Scorodonia five Scordium alterum quibusdam & Salvia agrestis Park: Scordotis, five Scordium folio Salviæ I: B: Wood-Sage. Offic.*

SCORPIOIDES Bupleuri folio *B: P: Ger: Scorpioides Bupleuri folio corniculis asperis, hirsutis minus contortis Hist Oxon: Scorpioides Bupleuri folio major Park: Scorpioides I: B: The greater rough Caterpillers, or Scorpion-grass. Ann.*

Scorpioides filiquâ crassâ Boelij Ger: app. Scorpioides Bupleuri folio corniculis crassioribus, mollioribus, seu magis spongiosis, lituui instar in se contortis & convolutis Hist: Oxon: Scorpioides major Park: parad. The great Caterpillar. Ann.

Scorpioides Bupleuri folio corniculis asperis, hirsutis minus contortis Hist Oxon: Scorpioides Bupleuri folio major Park: Scorpioides I: B: The greater rough Caterpillers, or Scorpion-grass. Ann.

Scorpioides Portulacæ folio *B: P:*
 Telephium Dioscoridis, seu Scorpioides
 ob filiquarum similitudinem *Ejusdem.*
 Scorpioides Portulacæ folio, corniculis
 articulatis, longioribus, ac tenuiori-
 bus. *Hist: Oxon: Scorpioides Matthi-*
oli Ger. Scorpioides Matthioli five Por-
tulacæ folio Park. Telephium Scorpi-
oides I: B: Matthiolus his Scorpion-grass,
Ann.

Scorpioides minima Viciæ foliis *Hist:*
Oxon: The least Scorpion-grass with Vetch-
leaves. Ann.

SCORZONERA latifolia sinuata
B: P: Viperaria five Scorzonera His-
panica Ger. Hispanica major Park. Tra-
gopogon Hispanicum five Escorzonera,
aut Scorzonera I. B. Spanish Vipers-
grass. Offic.

Scorzonera foliis nervosis *B: P: mi-*
nor angustifolia Pannonica Park: Ger-
manica angustifolia Tab. Viperaria
humilis Ger: The small Hungarian Vipers
grass.

9. SCROPHULARIA nodosa foetida
B:

B. P. perennis radice nodosâ foetidâ
Hist. *Oxon:* major *Ger:* major vulga-
 ris *Park:* vulgaris & major *I. B. Common*
Figg-wort. Offic:

- S.** Scrophularia aquatica major **B:** **P:**
 perennis radice fibrosâ Betonicæ foliis
Hist. *Oxon:* maxima radice fibrosâ *I:*
B: Betonica aquatica *Ger.* aquatica ma-
 jor *Park.* *Water-Betony, or Water-Figg-*
wort. Offic.

Scrophularia flore luteo **B:** **P:** *Park.*
Ger. annua folio Lamij flore luteo *Hist:*
Oxon: lutea magna amplis foliis *I:* **B:**
Yellow-flowered Figg-wort. Ann:

Scrophularia folio Urticæ **B. P.** an-
 nua folio Urticæ *Hist:* *Oxon:* peregri-
 na *Park.* flore rubro *Camerarij I. B.*
Nettle-leaved Figg-wort. Ann.

Scrophularia Ruta canina dicta vul-
 garis **B. P.** major Ruta canina vulgò
 dicta *Hist.* *Oxon.* Ruta canina dicta *Park:*
 Ruta canina *Ger:* Scrophularia tertia
 Dodonæi tenuifolia, Ruta canina qui-
 busdam vocata *I. B. Great Figg-wort.*
without knobbed roots.

S. E. C. A. L. E. *I. B.* *Ger.* vulgatius
Park: hybernum vel majus *B. P. Ric.*
Offic. Ann.

S. E. C. U. R. I. D. A. C. A. lutea major *B. P.*
Securidaca vera, plurimis flosculis lu-
 teis corymbi modo dispositis, filiquis
 latis compressis inter granum & granum
 junctis, seminibus quadratis *Hist. Oxon.*
Securidaca flore luteo filiquâ latâ ob-
 longâ *I. B.* *Hedysarum* majus *Ger.* ma-
 jus five *Securidaca* major verè *Park: The*
greater Hatchet-Vetch. Ann.

Securidaca lutea minor corniculis re-
 curvis *B. P.* minor lutea *Ger.* altera five
 minor *I. B.* *Hedysarum* minus *Park. A-*
stragalus luteus annuus *Monspeliensis*
 procumbens *Hist. Oxon. The lesser horn-*
ed. Hatchet-Vetch. Ann.

Securidaca filiquis planis utrinque
 dentatis *B. P.* filiquis planis dentatis *Ger.*
 peregrina *Clusij Park: Lunaria* ra-
 diata *Robini I. B. Astragalus* pur-
 pureus annuus peregrinus filiquis
 utrinque serræ similibus *Hist:*
Oxon:

*Oxon: [Strange Hatchet Vetch of Clusius.
Ann.*

SEDUM majus vulgare **B: P: Park:**
I. B. Sempervivum majus **Ger: Com-**
mon great House-leek, or Sengreen.
Offic.

Sedum echinatum vel stellatum flore
albo I: B: Sempervivum tertium Dios-
coridis Col. Cotyledon stellata B: P: Ai-
zoon peregrinum Cam. Portulaca Cre-
tica Park: Candy-Parflane, or Starry-
headed Sengreen. Ann.

S. Sedum minus luteum folio acuto B.
P. minus flore luteo I. B. minus hæma-
todes Ger. Vermicularis & Crassula
minor vulgaris, five Illecebra major
Park: Yellow Prick-madam, or small
House-leek. Offic:

Sedum minus à rupe S. Vincentij
Joh. Raij Saint Vincents Sen-green.

S. Sedum parvum acre flore luteo I. B.
Sempervivum minus vermiculatum a-
cre B. P. Vermicularis, five Illecebra mi-
nor acris Ger: Illecebra minor five
Se-

Sedum tertium Dioscoridis *Park*: *Stone-crop*, or *Wall-Pepper*. *Offic.*

- S. *Sedum Alpinum luteum minus* *Joh. Raij.* *Small yellow Mountain-Sengreen.*

Sedum Alpinum ericoides purpureum vel cæruleum B: P: I. B. *Mountain Heath-like-Sengreen with large purple flowers.*

Sedum minus folio circinato B: P: *parvum folio circinato flore albo* I: B: *Vermicularis dasphylllos* *Park*: *A smaller white flowered Stone-crop.*

- S. *Sedum arvense flore rubente* B. *prodr.* *arvense sive palustre flore rubente* *Park.* *minus palustre* Ger: *purpureum pratense* I: B: *Small Marsh-Sengreen. Ann.*

- S. *Sedum Alpinum trifido folio* B: P: *Alpinum laciniatis Ajugæ foliis* *Park.* *Sedis affinis trifulca Alpina flore albo* I. B. *Small Mountain Sengreen with jagged-leaves.*

- S. *Sedum tridactylites tectorum* B: P: *tridactylites tectorum flore albo* I: B: *Pa-*

Paronychia rutaceo folio Ger: *Paronychia foliis incisis* Park: *Rue-Whitlow-grass.*
Ann.

SELINUM Sij foliis Ger: *segetale*
 Park. *Hone-wort.* *Ann.*

S. **SENECIO** minor vulgaris B: P:
 vulgaris Park: vulgaris sive *Erigeron*
 I: B: *Erigeron* Ger: *Common Groundsel.*
Offic. Ann.

S. **Senecio** incanus pinguis B. P. hirsutus
 viscidus major odoratus I: B: foetidus
 Park: *Erigerum tomentosum alterum*
 Ger: *Cotton Groundsel, or Stinking*
Groundsel. *Ann.*

S. **SERPYLLUM** vulgare minus B. P.
 Park: vulgare I. B. Ger: *Wild-Thyme, or*
Mother of Thyme. *Offic.*

S. **Serpyllum** vulgare flore albo. *Mother*
of Thyme with white flowers.

S. **Serpyllum** vulgare foliis variegatis.
Mother of Thyme with party-coloured leaves

S. **Serpyllum** hirsutum Ger: *Hairy wild*
Thyme.

Serpyllum foliis Citri odore B: P: citratum
 Ger: Park, Citri odore I. B. *Lemon-Thyme.*
 ser-

Serpyllum aureum five verficolor
Park: Gilded, or yellow Thyme.

B. S. SERRATULA B. P. I. B. pur-
 purea *Ger: vulgaris flore purpureo Park.*
Saw-wort.

SIDERITIS vulgaris hirsuta
 erecta *B: P: vulgaris Ger: vulgaris Clu-*
sij Park: vulgaris hirsuta I. B. Common
Iron-wort. Offic.

Sideritis arvensis angustifolia rubra
B: P: arvensis rubra Park: Sideritis sep-
tima Ger: Ladanum segetum quorundam
flore rubro I. B. Narrow-leaved Albeal,
or Iron-wort. Ann.

S. Sideritis Alfinestrifaginifolia *B: P:*
Park: humilis lato obtuso folio Ger: Iron-
wort with Germander Chick-weed-leaves.
Ann.

SILIQUA edulis *B: P: dulcis five*
vulgatior Park: Siliqua arbor five Ce-
ratia I. B. Ceratia Siliqua five Cerato-
nia Ger: The Carob-Tree.

Siliqua sylvestris rotundifolia *B: P:*
arbor Judæ Ger, Park: Judaica arbor
I: B: Judas-Tree.

- S. **SINAPI** Rapæ folio **B: P:** fativum Rapæ folio, filiquâ planâ, semine rufefcente *Hist. Oxon:* fativum Rapæ folio *Park:* fativum *Ger:* filiquâ latiusculâ glabrâ, semine ruffo, sive vulgare *I. B. Common Mustard. Offic. Ann.*

SISARUM *Ger.* vulgare *Park:* Sisarum multis *I: B:* Sisarum Germanorum **B: P:** *Skirrets. Offic:*

SISON quod Amomum officinis nostris **B: P:** vulgare, sive Amomum Germanicum *Park:* Sison sive officinarum Amomum *I: B:* Petroselinum Macedonicum Fuchsj *Ger: Bastard Stone-Parsley. Ann.*

- S. **SIMUM** Erucae folio **B: P:** foliis rugosis multifidis dentatis *D. Morison Sect. de plant. umbellif.* alterum Olusatrici facie *Lob. Ger.* majus alterum angustifolium *Park:* Cicuta aquatica Gesneri *I. B. Long-leaved Water-Parsnep.*

- S. Sium majus latifolium *Ger:* maximum latifolium *I: B:* Sium Dioscoridis sive Pastinaca aquatica major *Park. Great Water-Parsnep.* Si-

S. *Sium majus angustifolium* Ger: minus alterum Park: umbelliferum I. B. *Common Water-Parsnep.*

S. *Sium umbellatum repens* Ger, *Creeping Water-Parsnep.*

S. *Sium minimum* foliis ferulaceis Hort. Reg. Bles. minimum Joh. Raij *The least Water-Parsnep.*

SMILAX aspera fructu rubente B. P. Park. aspera I: B: Ger: *Prickly Bindweed with red berries.*

S. *SMYRNIUM* Fuchf. *Hipposelinum* Ger: *Hipposelinum* five *Smyrniū* vulgare Park: *Hipposelinum* Theophrasti, vel *Smyrniū* Dioscoridis B. P. *Macerone* quibusdam *Smyrniū* semine magno nigro I. B. *Common Alexanders.* Offic. Ann.

Smyrniū peregrinum rotundo folio B. P: *Smyrniū* Creticum Ger: Park. Creticum perfoliatum I: B: *Candy Alexander.* Ann.

SOLANUM officinarum B: P: vulgare Park: hortense Ger: hortense five
ve

ve vulgare *I. B. Common Night-shade.*
Offic. Ann.

Solanum vesicarium B. P. halicacabum
Ger: halicacabum vulgare I: B: Halica-
cabum five, Alkakengi vulgare Park:
Common Winter-Cherry. Offic.

Solanum μελανοκέραιος B: P: lethale
Park: Solanum manicum multis, fi-
ve Bella donna I. B. Deadly Night-
shade.

Solanum fruticosum bacciferum B.
P. fruticosum Park: Amomum Pli-
nij Ger: Strychnodendros I. B. Tree-
Night-shade.

S. *Solanum scandens five Dulcamara*
B: P: lignosum five Dulcamara Park:
Amara dulcis Ger: Glycypicros, five
Amara dulcis I. B. Bitter-sweet, or Woody-
Night-shade. Offic.

Solanum scandens five Dulcamara
flore albo. Bitter-sweet, with white-
flowers.

Solanum scandens foliis ex albo vari-
egatis Hort. Reg. Bles. Bitter-sweet, with
party-coloured leaves.

S. Solanum quadrifolium bacciferum **B:**
P: Herba Paris **I: B:** *Ger. Park: Herbe-
 true-love, or One-berry. Offic:*

Solanum tuberosum esculentum
*Matth: ed: Bauh: Battatas Virginiana
 Ger Park: Pappas Americanum I: B: Vir-
 ginian Potato's.*

Solanum pomiferum fructu rotundo
 striato molli **B: P:** Mala aurea odore
 foetido, quibusdam Lycopersion **I: B:**
 Pomum amoris fructu rubro *Ger. Park.
 Red Apples of Love. Offic: Ann.*

Solanum pomiferum, sive Pomum
 amoris fructu striato molli aureo. *Gold-
 coloured Apples of Love. Ann.*

Solanum foetidum pomo spinoso ob-
 longo **B: P:** Stramonium altera major, si-
 ve Tatura quibusdam **I: B:** Stramonium
 spinosum *Ger. majus album Park. White-
 flowered Thorn-Apple. Offic. Ann.*

Solanum foetidum pomo spinoso ob-
 longo flore violaceo. *Purple-flowered.
 Thorn-Apple. Ann.*

Solanum foetidum pomo grandibus
 aculeis donato *Hort. Reg. Bles. Thorn-
 Apple with great prickles. Ann.* So-

Solanum Mexicanum flore magno
 B: P: *Mirabilia Peruviana Park. parad.*
The Merveil of Peru. Ann.

- S. *Solanifolia* *Circæa dicta major* B: P:
Hist. Oxon. *Circæa Lutetiana Ger.* *Cir-*
cæa Lutetiana major Park. *Ocymastrum*
verrucarium I: B: Enchanters Night-
shade.

- S. **SOLDANELLA** *maritima minor*
 B: P: *Soldanella marina Ger: vulgaris*
sive Volubilis marina Park: Brassica ma-
rina sive Soldanella I: B: Convolvulus
maritimus nostras rotundifolius Hist.
Oxon: Sea-Binde-weed. Offic.

Soldanella Alpina rotundifolia B: P:
Alpina rotundifolia major Hist. Oxon:
Alpina major Ger: Park: Soldanella
Alpina quibusdam I: B: Mountain Binde-
weed.

- S. **SONCHUS** *levis laciniatus latifoli-*
us B: P: levis Ger: levis vulgaris Park:
laciniatus non spinosus I: B: Smooth-
Sow-Thistle, or Flares-Lettuce. Offic.
Ann.

Sonchus levis laciniatus muralis par-

vis floribus **B.** **P.** levis muralis **Ger.** levis alter parvis floribus **Park.** **Lactuca sylvestris murorum flore luteo** **I. B.** *Ivy-leaved Sow-Thistle.*

S. **Sonchus asper laciniatus** & non laciniatus **B. P.** laciniatus spinosus **I.** **B.** asperior **B.** **P.** asper laciniatus **Park.** *The prickly Sow-Thistle. Ann.*

S. **Sonchus repens** multis **Hieracium** **I.** **B.** **Sonchus arborescens** **Park.** arborescens alter **Ger.** **Hieracium arborescens palustre** **B.** **P.** *Tree-Sow-Thistle.*

S. **Soncho affinis** **Lampfana domestica** **B. P.** **Lampfana** **Ger.** **Lampfana vulgaris** **Park.** **Lampfana Dodonæi** **I.** **B.** *Nipplewort. Ann.*

SORBUS **I. B.** **Ger.** sativa **B.** **P.** legitima **Park.** domestica **Lob.** *The true Service-Tree. Offic.*

S. **Sorbus sylvestris** foliis domesticæ similis **B.** **P.** sylvestris, sive **Fraxinus bubula** **Ger.** **Sorbus aucuparia** **I. B.** **Ornus** sive **Fraxinus sylvestris** **Park.** *Quicken-Tree, or Wild-Service-tree.*

S. **SPARGANIUM** ramosum **B. P.**
Ger.

Ger: Park. Sparganium quibusdam *I: B: Branched Bur-reed.*

- S.** Sparganium non ramosum *B: P: Park.* non ramosum five latifolium *Ger: Sparganium alterum I. B. Bur-reed not branched.*

SPARTIUM arborescens seminibus Lenti similibus *B: P: Spartium Hispanicum frutex vulgare Park. Genista Hispanica Ger: Genista juncea I: B: Spanish Broom.*

- S.** **SPHONDYLIIUM** *Ger. vulgare Park. vulgare hirsutum B. P: Sphondylium quibusdam five Branca ursina Germanica I. B. Cow-Parsnep. Ann.*

SPIRÆA Theophrasti Clusio *Ger. Park: Frutex spicatus foliis salignis ser-ratis B: P: Mock-Willow.*

STACHYS major Germanica *B: P. Park. Stachys Fuchsi I: B: Ger. Base Hore-Hound.*

- S.** Stachys palustris foetida *B. P. Sideritis Anglica strumosa radice Park: Panax coloni , & Marrubium aquaticum*

acutum Ger: Galeopsis angustifolia
foetida I: B: *Clowns Alheal, or Clowns
Wound-wort.*

STAPHIS agria Dod. I. B. Ger.
*Park. Stavesacre, or Louse-wort, Offic.
Ann.*

STOEBE major foliis cichoraceis
mollibus lanuginosis B: P: Stoebe Sala-
mantica prima Clusij *Park. Salamanti-
censis prior Clusio, five Jacea intyba-
cea I: B: Stoebe argentea major Ger: Sil-
ver Knapweed with purple-flowers.*

Stoebe Salamantica prima Clusij flore
albo. *Silver Knapweed with white-
flowers.*

Stoebe major calyculis non splenden-
tibus B: P: Stoebe Austriaca elatior
*Park. Centaurij majoris species tenui-
folia I: B: The greater Silver Knapweed
of Austria.*

Stoebe caliculis argenteis B: P: ar-
gentea minor Ger: Salamantica argen-
tea five tertia Clusij *Park: Scabiosa
squammata argentea I. B. Little Silver-
Knapweed.*

STOE-

STŒCHAS purpurea **B: P:** Stœchas five Spica hortulana, *Ger. vulgaris Park: Stœchas, Arabica vulgo dicta I. B: Ordinary French-Lavender, or Stikadove. Offic.*

S. Succisa glabra **B: P:** Succisa five Morus Diaboli **I. B.** Morfus Diaboli *Ger: Morfus Diaboli vulgaris flore purpureo Park: Purple-flowered Divels-bit. Offic.*

S. Succisa five Morfus Diaboli flore albo. *Divels-bit with white-flowers.*

S. Succisa five Morfus Diaboli flore carneo. *Divels-bit with flesh-coloured-flowers.*

SYMPHYTUM, **Consolida** major **B. P.** magnum **I. B.** majus vulgare *Park: Consolida major Ger: Great Comfry. Offic.*

Symphytum, five **Consolida** major flore albo. *White-flowered Comfry.*

Symphytum majus tuberosâ radice **B: P:** **Symphytum** tuberosum **I. B.** *Ger: Park. Comfry with Knobbed roots, and yellow-flowers.*

Sym-

Symphytum maculosum, five *Pulmonaria latifolia* *P. B.* *Pulmonaria maculosa* *Ger.* *maculata* *Park:* *Pulmonaria Italorum* ad *Buglossum accedens* *I. B.* *Spotted Lung-wort. Offic.*

SYRINGA *cærulea* *B: P:* *Ger:* flore *cæruleo* five *Lilac* *I. B.* *Lilac* five *Syringa cærulea* *Park, parad:* *The blew Pipe-Tree, or Lilac:*

Syringa flore *lacteo* five *argenteo* *Park: parad:* *The silver-coloured Pipe-Tree, or Lilac.*

Syringa five *Lilac* flore *saturate purpureo.* *The deep purple Lilac.*

Syringa alba five *Philadelphus Athenæi* *B: P:* *alba* *Ger:* flore *albo* *I. B.* flore *albo simplici* *Park: parad:* *The single white Pipe-Tree.*

T

T:

T A M A R I X altera folio tenuiore, five Gallica *P. B.* major five arborea Narbonensis *L. B.* Tamariscus folio tenuiore *Park:* Tamariscus Narbonensis *Ger:* *The ordinary French Tamarisk-Tree.* *Offic.*

S. **T** A N A C E T U M *Ger:* vulgare *Park:* odoratum five vulgare luteum *B: P:* vulgare flore luteo *L: B:* *Common Tanſie.* *Offic.*

Tanacetum foliis crispis *B: P:* crispum *Ger: Park:* crispum flore luteo *L: B:* *Curled or crisped Tanſie.*

Tanacetum five Flos Africanus major flore pleno *P. B:* Flos Africanus major, five maximus multiplex *Park: parad:* Flos Africanus major polyanthos *Ger:* Tagetes maximus rectus flore maximo mul-

multiplicato *I. B.* *The great double African Marygold. Ann.*

Tanacetum Africanum majus simplici flore *B. P.* Flos Africanus major flore simplici *Ger:* Africanus major simplex *Park: parad:* Tagetes maximus rectus flore simplici ex luteo pallido *I: B:* *The great single French, or African Marygold. Ann.*

Tanacetum Africanum sive Flos Africanus minor *B. P.* Flos Africanus minor flore simplici *Ger:* Flos Africanus minor simplex *Park: parad:* Tagetes Indicus minor simplici flore sive Caryophyllus Indicus, sive Flos Africanus *I: B:* *The lesser single African Marygold. Ann.*

Tanacetum Africanum sive Flos Africanus minor flore pleno. Flos Africanus minor multiplex *Park: parad:* Africanus flore multiplici minor *Ger:* Tagetes Indicus minor multiplicato flore *I: B:* *The lesser double African Marygold. Ann.*

Tanacetum, sive Flos Mexicanus flore

re fistuloso simplici *B. P.* Flos Africanus simplex fistulosus *Park: parad.*
The single hollow African Marygold.
Ann:

Tanacetum, five Flos Mexicanus flore fistuloso pleno *B. P.* Flos Africanus multiplex fistulosus *Park: parad:*
Double hollow African Marygold. Ann.

S. *T A X U S* *B. P. I: B: Ger. Park: The Yew-tree.*

S. *TELEPHIUM* vulgare *B: P:*
Telephium five *Crassula* major vulgaris *Park: Crassula,* five *Faba* inversa *Ger: Anacamseros,* vulgò *Faba crassa I. B. Common Orpine. Offic.*

Telephium repens folio deciduo *B: P: sempervirens Ger: minus repens* five *Cepæa Pancij Park: Anacamseros* minor rotundiore folio semper virens *I. B. Small creeping Ever-green Orpine.*

Telephium repens folio non deciduo *B: P: Telephium legitimum Imperati Ger: Park: Polygonum* perenne procumbens folio brevior floribus in capitulum congestis

stis *Hist. Oxon; Imperatus of Naples, his true Orpine.*

TEUCRIUM *B. P.* majus vulgare *Park: latifolium Ger: Teucrium multis L. B. The more common Tree-Germander.*

Teucrium peregrinum folio sinuoso *P. B. Teucrium Bæticum Ger: Park: Bæticum & Creticum Clusij L: B: Tree-Germander of Spain:*

THALICTRUM majus filiquâ angulofâ aut striatâ *B: P: nigrius caule & semine striato L: B: Thalictrum sive Thaliectrum majus Ger: majus vulgare Park: Common great Meadow-Rue:*

S. Thalictrum minus *B: P: Ger: Park: minus, sive Ruta pratensis genus minus semine striato I: B: The lesser Meadow-Rue.*

Thalictrum Canadense Cornut: Thalictrum Canadense filiquâ seminis triquetra, & caulibus subrubentibus, *Aquilegiæ foliis D. Morison Sect. de plant. umbellif. American Meadow-Rue, with Columbine-leaves.*

THAP-

THAPSIA Carotæ folio **B: P:**
Thapsia Carotæ facie **I: B:** vulgaris
Ger: vulgaris Carotæ effigie Park: The
deadly-Carrot.

Thapsia Thalictri folio **D.** *Magnol.*
Deadly, or Scorching-Carrot, with Mea-
dow Rue-leaves.

S. **THLASPI** arvense filiquis latis
B: P: arvense filiculis latis *Hist: Oxon.*
Drabæ folio *Park: Thlaspi Dioscoridis*
Ger: cum filiquis latis I: B: Treacle Mu-
stard Offic: Ann.

Thlaspi arvense **Vaccariæ** incano fo-
lio majus **B. P. Hist. Oxon.** **Thlaspi**
Vaccariæ folio *Park: vulgatus I: B: vul-*
gatissimum Ger: Mithridate-Mustard.
Ann.

Thlaspi umbellatum **Creticum** **Iberi-**
dis folio **B: P: Hist. Oxon.** **Creticum**
umbellatum flore purpureo *Park: pa-*
rad. Thlaspi Candiaæ Ger: Candy Tufts
with purple flowers. Ann.

Thlaspi umbellatum **Creticum** flore
albo. *Candy-Tufts with white-flowers.*
Ann.

Thlas.

Thlaspi umbellatum arvense Iberidis folio **B: P: Hist: Oxon. Park:** umbellatum arvense amarum **Ger: Variable-flowered Mustard. Ann.**

Thlaspi umbellatum Nasturtij folio Monspeliacum **B: P: Hist: Oxon. Park:** umbellatum Narbonense **Ger:** umbellatum tenuiter diviso folio, amarum Narbonense Lobelij **I: B: Mompeliers Umbelliferous-Mustard. Ann.**

Thlaspi spinosum fruticosum **B: P: Hist: Oxon: Park,** spinosum **Ger.** Leucoium spinosum, sive **Thlaspi spinosum** aliis **I: B: Thorny-Treacle-Mustard.**

Thlaspi fruticosum incanum **B: P: Ger: Machliniense** flore albo capsulis oblongis **Hist: Oxon.** capsulis sublongis incanum **I. B.** incanum Mechliniense **Park: Hoary Treacle-Mustard of Machline.**

Thlaspi biscutatum villosum flore calcar donato **B: P: Park:** Leucoium filiculosum bicapsulare montanum flore pedato seu calcar donato **Hist: Oxon: Leucoium**

coium montanum flore pedato *Col. Spur-flowered Buckler-Mustard. Ann.*

Thlaspi Alyssum dictum campestre minus *B: P: Hist: Oxon:* minus quibusdam, aliis *Alysson* minus *I: B:* arvense minus luteum *Park: Alyssum* minus *Dalechampi* *Lugd: Yellow field Triacle-Mustard. Ann.*

THUYA Theophrasti *B: P:* Arbor Vitæ *Ger. Park. Arbor Vitæ* five *Paradisiaca* vulgò dicta, odorata, ad *bi-*nam accedens *I: B: Tree of Life.*

THYUM vulgare folio tenuiore *B: P:* vulgare rigidius folio cinereo *I: B:* *Thymum* durius *Ger: durius* vulgare *Park: Common Garden-Thyme. Offic.*

TILIA foemina folio majore *B: P:* foemina *Ger. foemina* major *Park: vul-*garis platyphyllos *I: B: The common fe-*male-Lime, *Lin, or Linden-tree. Offic.*

Tilia foemina folio minore *B: P:* foemina minor *Park: Tilia* folio minore *I: B: Small-leaved Lime-tree.*

TITHYMALUS characias rubens
pe-

peregrinus B: P: Tithymalus characias
 Monspeliensium Ger: *Park*. Tithymalus
 Amygdaloides, five characias I. B. *Great
 French Wood-spurge.*

Tithymalus latifolius Hispanicus B:
 P: *Park*: Tithymalus platyphyllos Ger:
Broad-leaved Spanish-Spurge.

S. Tithymalus helioscopius B: P: Ger:
Park: helioscopius five solisequus I. B.
Sun-Spurge. Ann.

S. Tithymalus five Esula exigua B: P:
 Tithymalus leptophyllos *Park*: minimus
 angustifolius annuus I. B. Esula exigua
 Tragi Ger: *Dwarfe Spurge, or narrow-
 leaved annual-Spurge. Ann.*

Tithymalus arvensis latifolius Ger-
 manicus B: P: platyphyllos Fuchsj; I. B.
Broad-leaved Spurge.

Tithymalus sylvaticus lunato flore
 B: P: Tithymalus lunato flore Colum-
 næ *Park*: *Small Wood-Spurge with horned-
 flowers.*

TORDYLIIUM maximum Sphon-
 dylij aculeato semine D. *Morison Sect:*
de plant: umbellif. Caucalis maxi-
 ma

ma Sphondylii aculeato femine B: P:
 Caucahis major femine minus pulchro
 hirsuto I: B: Caucahis maxima Park: *The
 common great Buckler-wort, or the great-
 est Blizard Parsley Ann.*

Tordylium minus limbo granulato,
 seu maximum Apulum Columnæ D.
 Morison. Sect: de plant: umbellif. Tor-
 dylium five Seteli Creticum minus
 Park: Seteli Creticum minus B. P. Ger:
 Caucahis minor pulchro femine five Bel-
 lonij I: B: *Small Buckler wort of Apuleia
 in Naples, or the lesser Hart-wort of Candy.
 Ann.*

Tordylium minus limbo granulato
 Syriacum D. Morison Sect: de plant: um-
 bellif. Gingidium latifolium Ger: Gin-
 gidium latifolium Syriacum Park: Gin-
 gidium foliis Pastinacæ latifoliæ B: P:
 Caucahis Syriaca cum maximo femine
 I: B: *Syrian Buckler-wort, or broad-leaved
 Chervil of Syria. Ann.*

S. T O R M E N T I L L A Ger: vulga-
 ris Park: sylvestris B: P: Officinarum I:

B. Pentaphyllum aut potius **Heptaphyllum** flore aureo tetrapetalo, **Tormentilla** dictum *Hist: Oxon. Tormentil. Offic.*

TRAGACANTHA *B. P. vera Park: Tragacantha Massiliensis I: B: Tragacantha sive Spina hirci Ger: The true Goats-Thorn. Offic.*

S. TRAGOPOGON pratensis luteum majus *B. P. luteum Ger: Park: flore luteo I: B: Yellow Goats-beard. Ann.*

Tragopogon purpureo caruleum *Porri folio B. P. purpureum Ger: Park: flore purpureo I: B: Purple-flowered Goats-beard. Ann.*

Tragopogon Coronopi folio majus *B: P: Buck-horn-leaved Goats-beard. Ann.*

S. TRIBULUS aquaticus minor *Muscicellæ floribus Ger. aquaticus minor alter Park. Fontalis media lucens I: B: Potamogeton foliis crispis, sive Lactuca ranarum B: P: Hist: Oxon: Small Frog Lettuce, or Water-Caltrops.*

S. Tribulus aquaticus minor *Quercus flo-*

floribus *Ger:* aquaticus minor prior *Park.*
Fontinalis crispa *I. B.* Potamogeton mi-
 nor folio Quercus *Hist. Oxon:* *Small Wa-*
ter-Caltrops, or Frogs-Lettuce with Oak
leaves.

S. **TRICHOMANES** five Polytri-
 chum Officinarum *B: P:* Trichomanes
 five Polytrichum *I. B.* Trichomanes
Park. mas Ger: English Maiden-hair.
Offic.

TRIFOLIUM bitumen redolens
I. B: bituminosum *Ger:* bituminosum
 seu Trifolium cæruleum aut violaceum,
 bitumen redolens *Hist: Oxon:* Trifolium
 asphaltites five bituminosum *Park.* as-
 phaltites five bituminosum odoratum *I. B.*
Strong-smelling Claver, or Treacle-Claver.

S. **Trifolium** pratense album *B. P:* *Park.*
 pratense album vulgare odoratum *Hist:*
Oxon. minus pratense flore albo five se-
 cundum *Ger.* pratense flore albo minus
 & foemina, glabrum *I. B:* *White-flower-*
ed Trefoil.

S. **Trifolium** pratense purpureum
B: P: pratense purpureum vulgare
Hist:

Hist. Oxon. Park: Trifolium purpureum vulgare I: B: Trifolium pratense
Ger: Common purple-Trefoil.

- S. Trifolium purpureum majus five fativum *Joh. Raij. Claver-grasse.*

Trifolium montanum spicâ longissimâ rubente B: P: purpureum montanum pinnatum lagopoides spicâ longissimâ *Hist. Oxon.* purpureum majus folio & spicâ longiore I: B: Lagopus major folio pinnato *Park:* major spicâ longiore *Ger: Great large-headed Hares-foot.*

Trifolium spicâ subrotundâ rubrâ B: P: purpureum annuum folio hirsuto rotundo, Trifolij pratensis formâ *Hist. Oxon.* Trifolium alboincarnatum, spicatum, five Lagopus I: B: Lagopus maximus *Ger: maximus flore rubro Park: The great Hares-foot Trefoil. Ann.*

- S. Trifolium arvense humile spicatum B: P: Trifolium lagopoides purpureum arvense humile annuum seu Lagopus minimus vulgaris *Hist. Oxon. Lagopus vulga-*

ris Park: tenuifolius, quorundam I. B.
Lagopodium sive Pes leporis Ger:
Hares-foot, or Hares-foot-Trefoil. Ann:

S. Trifolium pratense luteum capitulo
 Lupuli vel agrarium **B: P:** agrarium lu-
 teum capitulo Lupuli majus *Hist. Oxon.*
 pratense luteum foemina flore pulchrio-
 re, sive lupulino *I. B.* luteum lupulinum
Ger: Hope-Trefoil. Ann.

S. Trifolium pratense luteum capitu-
 lo breviori **B: P:** pratense luteum mas
 flore minore semine multo *I. B.* lute-
 um minimum *Ger: Park: Melilotus lu-*
tea minima hirsuta procumbens, spica
breviore densissime disposita, seminis
pericarpio renali nigro Hist. Oxon:
Little yellow Trefoil, or Melilot-Tre-
foil.

S. Trifolium luteum lupulinum mini-
 mum *Hist: Oxon:* an lupulinum alte-
 rum minus *Joh. Raij? The least Hope-*
Tre-foil. Ann.

Trifolium cum glomerulis ad cau-

lium nodos rotundis *Joh. Raij Knotted Trefoil with round heads.*

Trifolium stellatum B: P. purpureum Monspeffulanum L: B: *Hist: Oxon.* stellatum Monspelienfium Park. stellatum hirsutum Ger. *Starry-headed Trefoil.* Ann.

S. Trifolium fragiferum Ger. fragiferum frificum B: P: Park: fragiferum frificum folio cordato flore rubro *Hist: Oxon.* *Straw-berry Trefoil:*

Trifolium cochleatum fructu latiore B. P. Trifolium cochleatum Ger: Medica cochleata vulgaris Park: *parad: Medica scutellata* L. B. Medica cochleata major *Δικαμπος* fructus capsulâ rotundâ globosâ scutellatâ *Hist: Oxon. Common Snail-Trefoil, or Barbary-buttons.* Ann.

Trifolium cochleatum, five Medica cochleata major *Δικαμπος*, fructus capsulâ compressâ orbiculatâ, nigrâ, planâ, oris crispis *Hist: Oxon: Great flat Snail-Claver.* Ann.

Trifolium cochleatum, five Medica coch-

cochleata major *Σινάπρις* fructus capsulâ turbinatâ planâ *Hist. Oxon.* Medica tornata major levis *Park. The great smooth Medica, turned like a Tun. Ann.*

Trifolium cochleatum, five Medica cochleata major *Σινάπρις*, fructus capsulâ turbinatâ, rugosâ *Hist. Oxon.* Medicamagna turbinata *L. B.* Medica tornata spinosa *Park. The Thorny Tun-like Medica. Ann.*

Trifolium cochleatum, five Medica cochleata spinosa major, *Σινάπρις*, seu capsulâ rotundiore majore, spinis paucioribus & rigidioribus *Hist. Oxon.* Medica spinosa major *Park. parad. Great prickly Snail-Claver, or Hedge-hogs. Ann.*

Trifolium cochleatum folio cordato maculato *B. P.* Medica cochleata minor *αδυνάπρις* annua, capsulâ majore albâ, folio cordato maculâ fuscâ notato *Hist. Oxon.* *Trifolium cordatum* *Ger.* Medica echinata gla-

bra cum maculis nigricantibus & sine illis I. B. Medica Arabica Camerarij, sive Trifolium cordatum *Park: Heart-Trefoil. Ann.*

Trifolium echinatum arvense B: P: Medica echinata minima I. B. echinata parva recta *Park: The smallest Hedgehog Trefoil. Ann.*

Trifolium fructu echinato foliis eleganter dissectis D. Magnol. *Small prickly Snail-Claver with fine cut leaves. Ann.*

Trifolium filiquâ cornutâ sive Medica B: P: Trifolium Burgundiacum *Ger: Fœnum Burgundiacum* sive Medica legitima *Park: Medica major erectior floribus purpurascens I. B. Medica sativa* sive Trifolium sativum filiquâ cornutâ magis tortili *Hist: Oxon: Burgundy-Trefoil, or Burgundy-Hay.*

Trifolium sylvestre luteum filiquâ cornutâ vel medica frutescens B: P: Medica sylvestris frutescens vel Trifolium falcatum seu Medica filiquâ

quâ cornutâ tortili *Hist. Oxon. Medica sylvestris I. B. frutescens sive flavo flore Clusij Park. Yellow Medick, with flat wreathed cods.*

S. *Trifolium acetosum vulgare B. P. Park. Hist. Oxon. Oxys alba Ger. Oxys sive Trifolium acidum flore albo & purpurascens I. B. Common Wood Sorrel. Offic.*

Trifolium acetosum corniculatam luteum majus rectum Indicum seu Virginianum Hist. Oxon. Upright yellow Indian Wood-Sortel.

Trifolium hepaticum flore simplici B. P. Hist. Oxon. Hepaticum sive Trinitatis herba flore cæruleo I. B. Hepaticum trifolium Ger. Hepatica flore cæruleo simplici major Park. parad. Single blem-flowered Noble-Liverwort.

Trifolium hepaticum sive Hepatica nobilis flore simplici albo, Noble Liverwort, with single white-flowers.

Trifolium hepaticum sive Hepatica nobilis flore simplici rubro Noble Liver-wort with single red-flowers.

Tri

Trifolium hepaticum flore pleno *B:*

P: *Hepatica nobilis* flore cæruleo pleno *Park: parad. Hepatica multiflora Lobelij Ger: Double-blew Noble-Liver-wort.*

Trifolium hepaticum sive *Hepatica nobilis* flore rubro pleno. *Double red Noble-Liver-wort.*

S. Trifolium palustre B. P. I: B: paludosum Ger: Park: Marsh-Trefoil, or Buck-Beans.

S. TRIPOLIUM majus cæruleum B. P. majus I: B: majus vulgare Ger: majus sive vulgare Park: Common Sea-Starwort.

S. TRITICUM filigineum C: B: in Theatr: White Wheat. Ann.

S. Triticum Hybernum aristis carens B. P. Red Wheat. Ann:

TULIPA flore simplici præcox & serotina variorum colorum. *The early and late-flowering Tulip with single flowers of many colours.*

Tu-

Tulipa ferotina flore pleno **B: P:**
The double late-flowering-Tulip.

Tulipa minor lutea Italica **B: P:** minor lutea Italica *ἡ δούκλονος* *Hist: Oxon:*
Tulipa Bononienfis *Ger.* Bononienfis flore luteo **I: B: Park. parad.** *The yellow Tulip of Bononia.*

S. *Tussilago* **I: B: Ger:** *Park: vulgaris* **B: P:** *Colts-foot. Offic.*

S. *Typha* *Ger:* palustris major **B: P:** *L.B.* palustris maxima *Park: Cat-tail, or Re-Mace.*

S. *Typha palustris clavâ gracili* **P: P:** palustris media **I: B:** minor *Park: The lesser Red-Mace.*

V

VALERIANA hortensis,
 Phu folio Olusatri **B: P:** hor-
 tensis **Ger:** Phu majus five
 Valeriana major **Park:** Va-
 leriana major radice odoratâ **I: B:**
The great Garden Valerian, or Setwall.
Offic.

S. Valeriana sylvestris major **B. P.** **Ger:**
Park: sylvestris magna aquatica **I. B.**
Great wild Valerian. Offic.

S. Valeriana palustris minor **B: P:** mi-
 nor **Ger:** sylvestris minor **Park.** minor
 pratensis vel aquatica **I. B.** *Small wild-*
Valerian, or Marsh-Valerian.

Valeriana foliis Calcitrapæ **B: P:** Va-
 leriana annua Clusij **Ger:** annua five
 æstiva Clusij **Park:** *Summer Valerian.*
Ann.

Va-

Valeriana rubra P. B. **rubra** **Dodonæi** Ger. **latifolia rubra** I. B. **marina latifolia** seu **major rubra** D. *Morison Sect. de plant. umbellif. Dodonæus his Valerian with red flowers:*

Valeriana marina latifolia alba. *Dodonæus his Valerian with white flowers.*

Valeriana Urticæ folio flore albo **Cornut.** **Cacalia Americana** Park: *Nettle leaved Valerian of Canada, or strange Colts-foot of America.*

Valeriana Græca Ger: **Park: Græca** quorundam **cærulea** I: B: **Valeriana cærulea** P. B. *Greek Valerian with blew flowers.*

Valeriana Græca flore albo. *Greek Valerian with white floweres.*

Valeriana seu **Valerianella cornucopoides peregrina**, seu **Siciliana** D. *Morison Sect. de plant. umbellif.* **Valeriana maxima** Ger. **Indica** seu **Mexicana** Park: **peregrina** seu **Indica** I. B. *Indian Valerian Ann.*

- S. **Valeriana campestris inodora major**
P. B: **Lactuca agnina** Ger: **Park:**
Lo-

Locusta herba I. B. *Lamb-lettuce, or Corn-sallad.* Ann.

S. VERBASCUM mas latifolium luteum B: P: Verbasum foliis incanis mas latifolium floribus luteis arcte caulis adhærentibus sine foliis angustis inter flores emanantibus *Hist: Oxon:* vulgare flore luteo magno, folio maximo I. B. album vulgare sive *Tapfus barbatus communis* Park, *Tapfus barbatus* Ger: *White-Mullen. Offic. Ann.*

Verbasum nigrum flore ex luteo purpurascēte B: P. foliis viridibus perenne floribus luteis racematim provenientibus staminulis purpurascētibz *Hist: Oxon.* nigrum flore parvo luteo apicibus purpureis I: B: nigrum vulgare Park: *Common Black-Mullen.*

Verbasum latis *Salviæ* foliis B: P: Verbasum *Matthioli* Ger: sylvestre salvifolium exoticum folio rotundiore I. B. *Salvia fruticosa lutea latifolia*, sive Verbasum sylvestre *quartum*

tum Matthioli *Park: parad: Sage-leaved Mullen.*

VERBASCULUM pratense odoratum *B: P: Hist: Oxon: Primula veris major Ger: Primula veris odorata flore luteo simplici I: B: Paralyfis vulgaris pratensis flore flavo simplici odorato Park: parad: The common field-Cowslip. Offic.*

Verbasculum proliferum *B. P. Hist. Oxon. Primula veris caulifera prolifera odorata I. B. Primula veris flore geminato Ger. Paralyfis flore geminato odorato Park: parad: Double Cowslips one within another, or hose in hose.*

S. Verbasculum sylvaticum vel pratense inodorum *B. P. Hist. Oxon. Primula pratensis inodora lutea Ger: Primula veris caulifera pallido flore inodoro, aut vix odoro I. B. Great Cowslips, or field Oxlipps.*

Verbasculum, five Paralyfis flore flavo simplici inodoro absque calicibus *Park: parad: Single Ox-lips.*

Vere

Verbasculum, five Paralyfis flore geminato inodora *Park: parad: Double Ox-lipps, hose in hose.*

Verbasculum, five Paralyfis flore geminato purpureo absque calicibus. *Purple-flowered Ox-lipps, hose in hose.*

S. Verbasculum sylvarum majus singulari flore *B: P: sylvestre majus singularibus floribus, singularibus cauliculis insistentibus Hist. Oxon: Primula veris vulgaris Park: Primula veris minor Ger: Primula veris, floribus ex singularibus pediculis, majoribus simplicibus I. B. Common Primrose. Offic.*

Verbasculum, five Primula veris flore viridi simplici *Park: parad: Primula flore viridi Ger: Primula veris floribus obscure virentibus fimbriatis I. B. The single-green-Primrose.*

Verbasculum sylvaricum magno plenoque flore *P. B. Primula hortensis flore pleno vulgaris Park: parad: Primula veris flore pleno Ger: Primula*

la veris floribus plenis, ex singularibus
pediculis I: B: *The ordinary double Prim-
rose.*

Verbasculum Turcicum, five Car-
chichec Turcarum *Hist. Oxon.* Primu-
la veris Turcica Tradescanti flore pur-
pureo *Park:* Carchichec Turcarum, five
Primula veris Constantinopolitana *Cor-
nut: Tradescants Turkey purple Prim-
rose.*

Verbasculum Turcicum, five Car-
chichec Turcarum flore albo. *White-
flowered Turkey Prim-rose.*

Verbasculum Turcicum, five Carchi-
chec Turcarum flore obsoleto. *The
Turkey Prim-rose of an overworn co-
lour.*

Verbasculum Turcicum five Carchi-
chec Turcarum flore eleganter rubro.
The fine red Turkey Prim-rose.

Verbasculum Turcicum five Carchi-
chec Turcarum flore purpureo mino-
re. *The lesser Turkey purple-Prim-
rose.*

Verbasculum umbellatum Alpinum

minus **B. P.** *Primula veris minor rubra Eboracensis foliis parvis glabris Auriculæ urfi instar* *Hist. Oxon.* *Primula veris flore rubro* *Ger.* *Primula veris minor purpurascens* *I. B.* *Paralyfis minor flore rubro* *Park. parad.* *Red Birds-eyes.*

- S.** **VERBENA** communis flore cæruleo **B. P.** communis *Ger.* vulgaris **I. B.** mas seu recta & vulgaris *Park. Common Vervain. Offic.*

Verbena Urticæ folio *Hort. Reg. Bles.*
Nettle-leaved Vervain.

- S.** **VERONICA** mas supina & vulgatissima **B. P.** mas vulgaris supina *Park.* supina vulgaris foliis serratis *Hist. Oxon.* vulgator folio rotundiore **I. B.** vera & major *Ger. The Male-Speed-weel, or Fluellen. Offic.*

- S.** *Veronica pratensis serpyllifolia* **B. P.** *Hist. Oxon.* pratensis minor *Park.* *Veronica foemina quibusdam, aliis Betonica Pauli serpyllifolia* **I. B.** *Little or Smooth Fluellen, or Pauls-Betony,*

Veronica spicata latifolia *B. P. Ger.*
 major latifolia erecta *Hist. Oxon.* spi-
 cata latifolia major *Park.* major latifolia
 foliis splendentibus, & non splendenti-
 bus *I. B. Broad-leaved spiked Speed-*
well.

VIBURNUM *Park:* Vibur-
 num vulgò *B: P:* Lantana sive Vi-
 burnum *Ger:* Lantana vulgò, aliis
 Viburnum *I. B. The Way-faring-*
Tree.

- S. VICIA** *Ger:* major vulgaris sa-
 tiva *Hist. Oxon.* vulgaris sativa *I. B.*
Park. sativa vulgaris semine nigro
B: P: Common Vetch, or Tare.
Ann.

Vicia flore luteo pallido filiquis hir-
 sutis crassis brevibus erectis *Hist. Oxon.*
Pale-yellow-flowered Vetch with short gross
upright hairy pods. Ann.

- S.** Vicia semine rotundo nigro *B. P.*
 sylvestris semine nigro & variegato acu-
 tiore folio *Hist. Oxon.* vulgaris sylvestris
 semine parvo & nigro frugum *I. B. syl-*
 vestris sive Cracca major *Ger. Aracus*

five Cracca major *Park. strangle Tare, or wild Vetch. Ann.*

S. *Vicia segetum* cum filiquis plurimis hirsutis *B. P. Hist: Oxon:* parva five Cracca minor cum multis filiquis hirsutis *I. B.* sylvestris five Cracca minima *Ger. Small wild Tare, or Tine-Tare. Ann.*

S. *Vicia multiflora B: P:* perennis multiflora spicata cærulea sepiaria *Hist: Oxon:* sylvestris multiflora five spicata *Park:* multiflora nemorensis perennis five dumetorum *I: B: Tufted Vetch, or Birds-Tares.*

S. *Vicia sylvatica multiflora maxima P. B. Joh. Raij. The great tufted Wood-Vetch.*

S. *Vicia maxima dumetorum B: P: Ger. Park:* perennis maxima dumetorum flore obscure rubente *Hist: Oxon:* *Vicia sepium perennis I. B. Bush-Vetch.*

Vicia sesamacea Apula Col. Astragalus luteus annuus Bæticus maritimus

rectus *Hist. Oxon:* Astragalus marinus
 Bæticus *Park:* Astragalus marinus Lusit-
 anicus Boelij *Ger: app.* Foenugræco fil-
 vestri Tragi in quibusdam accedens
 planta I. B. *Spanish Sea Milk-Vetch,*
Ann.

- S. VIOLA Martia purpurea flore
 simplici odoro B: P: *Hist. Oxon:* Martia
 purpurea I: B: nigra five purpurea *Ger:*
 simplex Martia *Park: parad. The single*
purple March-Violet. Offic.

Viola Martia multiplici flore B: R:
 Martia purpurea flore multiplicato ma-
 jore I. B. Martia flore cæruleo multi-
 plici *Park: parad.* Martia purpurea mul-
 tiplex *Ger: Double purple March-Vio-*
let.

Viola Martia alba B: P: Martia flo-
 re albo odorato I: B: flore albo *Ger.*
 simplex Martia flore albo *Park: parad.*
The white March-Violet.

Viola Martia flore pleno cinericeo.
The Ash-coloured double March-Vio-
let.

- S. Viola Martia inodora filvestris B: P:

Hist: Oxon: canina filvestris *Ger:* cærulea *Martia* inodora sylvatica in cacumine semen ferens *I. B.* *Viola filvestris Park: Wild, or Dog-Violets.*

Viola Martia major inodora hirsuta
Hist: Oxon: The great rough-leaved March Violet without smell.

S. *Viola bicolor arvensis B: P: Hist.*
Oxon: tricolor petraea *Ger:* tricolor filvestris *Park:* Jacea bicolor, frugum & hortorum vitium *I. B: Wild Pansies. Ann.*

S. *Viola tricolor hortensis repens B: P:*
tricolor hortensis procumbens Hist:
Oxon. tricolor *Ger:* tricolor major & vulgaris *Park:* tricolor sive Flos Trinitatis *I. B: Hearts-ease, or Pansies. Offic. Ann.*

S. *Viola montana lutea grandiflora B:*
P: Hist: Oxon: Jacea tricoloris sive Floris trientalis genus flore luteo magno repens, non annuum *I. B: Pansies with a large yellow flower.*

Viola Martia arborescens purpurea
B: P: surrecta purpurea Park: erecta flo-

re

re cæruleo & albo *Hist. Oxon.* Mater
 Violarum Dalech. *Lugd:* Viola surrectis
 cauliculis, quibusdam arborea dicta *I: B:*
The Upright Violet.

Viola lunaria major filiquâ oblon-
 gâ *B: P:* lunaris altera seu peregrina
Park, parad. lunaris longioribus filiquis
Ger: lunaria minor filiquâ longiore *I: B:*
Leucoium majus perenne filiquâ lunatâ
longâ mucronatâ Hist. Oxon: Long-
codded Honesty, or white Satine
flower.

Viola lunaria major filiquâ rotundâ
B: P: lunaris sive Bolbonach *Ger:* lu-
 naris vulgaris *Park, parad.* Lunaria ma-
 jor filiquâ rotundiore *I: B:* *Leucoium*
lunatum sive Lunarium latifolium majus
annuum filiquâ rotundâ flore violaceo
seu subcæruleo Hist. Oxon: Honesty,
or white Satine flower with round codd.
Ann.

VIRGA aurea major vel Doria *B: P:*
 Herba Doria Lobelij *Ger:* Herba Do-

ria vulgaris *Park.* Alisma Matthioli si-
ve Doria *I. B.* Dorias his Wound-
wort.

Virga aurea angustifolia ferrata *B. P.*
aurea angustifolia ferrata sive Solidago
Saracenica *I. B.* Solidago Saracenica
Dod: Lob: Saracenica vera Salicis fo-
lio *Park:* True Saracens Confound.
Offic.

S. Virga aurea angustifolia minus ferra-
ta *B. P.* Virga aurea *Ger:* aurea vulga-
ris *Park:* aurea vulgaris latifolia *I. B.*
Common Golden-rod. Offic:

Virga aurea latifolia ferrata *B. P.* au-
rea ferratis foliis *Park:* aurea Arnoldi
Villanovani *Ger,* Golden-rod with dent-
ed leaves.

Virga aurea Mexicana *B. P:* *app.*
aurea Americana *Park.* aurea Limô-
nij folio paniculâ uno versu disposi-
tâ *Hort. Reg. Bles.* Golden-rod of Ame-
rica.

Virga aurea foliis Linariae. Linaria
aurea Tragi *Ger:* Linaria folioso capi-
tulo

tulo luteo major **B. P.** *Heliochrysum*
 Tragi, five *Linaria tertia* **I. B.** *Chryso-*
 come verior, five *Coma aurea* **Ger-**
 manica & *Neapolitana* **Park**: *Golden-rod*
with Toad-flax-leaves, or *Golden-Toad-*
flax.

VITEX foliis angustioribus *Canna-*
bis modo dispositis **B. P.** *Vitex* five *Agu-*
nus castus **Ger.** *Vitex* five *Agnus castus*
folio angusto **Park**: *Agnus folio non fere-*
rato **I. B.** *The Chast-tree*. *Offic.*

VITIS vinifera. *Fuchf.* *The Vine-*
tree.

Vitis laciniatis folijs **Cornut.** *Vitis se-*
linoides, five *laciniatis folijs* **Park**: *Jag-*
ged-leaved, or *Parsley-Vine*.

S. *Vitis Idæa foliis oblongis crenatis*
fructu nigricante **B. P.** *Vitis Idæa angu-*
losa **I. B.** *Vaccinia nigra* **Ger.** *nigra vul-*
garis **Park**: *Black Whorts*, or *Bilberries*.
Offic.

S. *Vitis Idæa foliis subrotundis non cre-*
natis baccis rubris **B. P.** *Vitis Idæa sem-*
pervirens fructu rubro **I. B.** *Vaccina ru-*
bra **Ger.** *Vaccina rubra Buxeis folijs* **Park**.
Red Whorts, or *Whortle-berries*. **Vi-**

S. *Vitis Idæa palustris* B: P: *Vaccinia palustris* Ger. *Vaccinium palustre* Park. *Oxycoccus*, five *Vaccinia palustris* I: B: *Marsh-Whorts*, or *Mosse-berries*.

S. *ULMUS montana* B: P: *vulgaris* Park: *vulgatissima folio lato scabro* Ger: *The Common Elm-Tree*. *Offic.*

Ulmus minor folio angusto scabro Ger. *The narrow-leaved Elm*.

S. *URTICA urens maxima* B: P: *urens* Ger: *major vulgaris* I: B: *Park: Common Nettle*. *Offic.*

S. *Urtica urens minor* B: P: *minor* Ger: *minor annua* I: B: *minor silvestris* Park: *Small stinging Nettle*. *Ann.*

Urtica urens pilulas ferens, *prima Dioscoridis*, *semine Lini* B: P: *Urtica Romana* five *mas cum globulis*, I: B: *Roman Nettle*. *Offic. Ann.*

Urtica Romana facie Parietariæ. *Romane Nettle*, with leaves like *Pellitory of the Wall*. *Ann.*

Ur-

- S. *Urtica aculeata foliis serratis* B: P:
Cannabis spuria Ger: Park: *Cannabis*
silvestris quorundam *Urticæ inerti* affi-
 nis I: B: *Bastard Hempe. Ann.*
- S. *Urtica aculeata foliis serratis*, five
Cannabis spuria flore albo. *Bastard*
Hempe with white flowers. Ann.
- S. *Urtica aculeata foliis serratis*, five
Cannabis spuria flore luteo amplo la-
 bro purpureo Joh: Raij. *Bastard Hempe*
with large yellow flowers with purple
lips, or fair-flowered Nettle-Hempe.
Ann.

X.

XYRIS five Gladiolus foetidus *B. P.* Xyris vel Iris agria foetida *Hist. Oxon.* Xyris *Ger.* Xyris five Spatula foetida *Park.* Spatula foetida, plerisque Xyris *I. B.* *Stinking Gladdon, or Gladwyn, Offic.*

Y.

YUCA foliis Aloes *B. P. Hist. Oxon.* Yuca five Jucca *Park.* parad: Yucca, five Jucca Peruviana *Ger.* *The supposed Indian Jucca, or the root whereof the bread Casava, or Cazava, is made.*

PLAN.

PLANTÆ QUÆDAM OMMISSÆ,

ADDENDÆ.

Bellis filvestris maxima caule rubente hirsuto. *The greatest wild Daisie with reddish hairy stalks.*

Cirsium foliis non hirsutis floribus compactis *B: P: montanum capitulis compactis. Park. foliis non hirsutis. Ger. Carduus, Cirsium Monspelianum folio longo glabro, Matthioli. I: B. Melancholy-Thistle with tufted heads.*

Herba viva, seu sentiens vulgò dicta. *The Sensitive-plant. Ann:*

Herba mimosa, humilis vulgò dicta. *The Humble-plant. Ann:*

Hyacinthus Orientalis major præcox, dictus Zumbul Indi. *Park: parad. The greatest Oriental Jacinth, or Zumbul indi.*

Hyacinthus Orientalis major flore
re

re albo. *The great white Oriental Jacinth.*

- S. *Imperatoria affinis*, Umbellifera
maritima Scotica. *Scotish Sea-Masterwort.*

Iris, radice tuberofâ, ex albo & cæruleo variegata. Iris latifolia minor gloriosa. *Abr: Munting. The striped and white Flag-Flower-de-luce.*

Napus silvestris B: P: I: B: Bunias silvestris Lobelij. *Ger: Bunias five Napus silvestris nostras Park. Wild Navew. Ann.*

Narcissus totus pallidus oblongo calice serotinus minor. *Park: parad. The late pale coloured Daffodil with a long cup.*

- S. *Ophrys minima*. B: P: Bifolium minimum. I: B: *The least Tway-blade.*

Triticum Indicum. I: B: Maiz. five Frumentum Indicum *Ger: Maiz. frumentum Indicum vel Turcicum vulgare. Park. Frumentum Indicum Mays dictum. B: P: The usual Indian, or Turkey Wheat. Ann.* Vi.

- S. *Vicia lathyroides purpureo-cæruleis floribus.* Job. Raij. *Chicbling-vetch with a purple and blew flower.* Ann.
- S. *Vicia minor hirsuta flore minimo rubente.* *Small hairy Vetch, with small red flowers.* Ann.
-

FINIS.

C. Gautier Lockhart
Son Livre
à l'ancre
1770

252
The following is a list of the
names of the persons who
were present at the
meeting of the
Board of Directors
of the
Company held on
the 1st day of
January, 1900.

1917

(7)



THE
TABLE

Of the
ENGLISH NAMES.

A.

	Pag.	Plant.
R obinus his false ACACIA of America.	3.	3.
The true Acacia, or the Egyptian Thorn.	3.	4.
The true second Acacia of Dioscorides.	3.	5.
Common ADDERS-TONGUE.	250.	4.
ADONIS-FLOWER.	10.	4.
Common AGRIMONY.	114.	5.
Sweet Agrimony.	115.	1.
Common Hemp-like Agrimony.	115.	2.
Broader-leaved Hemp-Agrimony of America.	115.	3.
Water-Agrimony with undivided leaves.	115.	4. 10
Water-Agrimony with divided leaves.	115.	5.
Clowns-AL-HEAL, or Clowns Wound-wort.	325.	6.
Hercules his Al-heal.	258.	1.
Common ALEXANDERS.	320.	5.
Candy Alexander.	320.	6.
Common ALDER, or ALLER.	15.	4.
The black Alder.	15.	5.
The ALMOND TREE.	22.	3.
The Dwarfse Almond.	29.	4.
Herb ALOES of America.	15.	7: 20

B b

1500y

The Table

woody ALKANET.	24.	5.
<i>The great yellow Alkanet.</i>	24.	6.
<i>Small Alkanet with purple flowers.</i>	24.	7.
<i>Small bowing Alkanet, with dark purple flowers.</i>	25.	1.
<i>Bastard Alkanet; or bastard Gromil.</i>	25.	2.
Broad and narrow-leaved ANEMONIES,		
<i>with single and double flowers of several</i>	} 26.	4.
<i>kinds and colours.</i>		
<i>Matthiolum, his white-flowered wild Anemonie.</i>	26.	5.
<i>The three-leaved wild Anemonie.</i>	27.	1.
<i>White flowered wood Anemonie.</i>	27.	2.
<i>Bush flowered wood Anemonie,</i>	27.	3. 30
Garden ANGELICA.	27.	5.
<i>Wild Angelica.</i>	27.	6.
<i>Great wild Angelica.</i>	28.	1.
<i>Shining Angelica of Canada.</i>	28.	2.
ANISE.	28.	4.
The APPLE-TREE.	221.	3.
<i>Red Apples of Love.</i>	322.	3.
<i>Gold coloured Apples of Love.</i>	322.	4.
<i>White-flowered Thorn Apple.</i>	322.	5.
<i>Purple-flowered Thorn-Apple.</i>	322.	6. 40
<i>Thorn-Apple with great prickles.</i>	322.	7.
<i>The male Balsom-Apple.</i>	44.	3.
<i>The female Balsom-Apple.</i>	44.	4.
The great APRICOCK-TREE.	221.	5.
White Garden ARRACH.	41.	2.
<i>Red Garden Arrach.</i>	41.	3.
<i>Broad-leaved wild Arrach, or Goose foot.</i>	41.	4.
<i>The other Goose foot, or Arrach.</i>	41.	5.
<i>Common wild Arrach.</i>	42.	1.
<i>The lesser wild Arrach.</i>	42.	2. 50
<i>Stinking Arrach.</i>	42.	3.
<i>Great Berry-bearing Arrach, or Berry-bearing</i>	} 42.	4.
<i>Spinach.</i>		

Of the English Names.

<i>Common, or the lesser Berry-bearing Arrach.</i>	42.	5 ²
<i>Narrow-leaved wild Arrach.</i>	43.	1 ¹
<i>English Sea-Arrach.</i>	43.	2.
<i>White ARCHANGEL.</i>	180.	7.
<i>White Archangel with leaves like Pellitory of the wall.</i>	181.	1.
<i>Archangel with spotted leaves.</i>	181.	2.
<i>Yellow Archangel.</i>	181.	3.
<i>Yellow Archangel with spotted leaves.</i>	181.	4. 60
<i>Red Archangel.</i>	181.	5.
<i>Strange Archangel.</i>	182.	4.
<i>Dead, or spotted ARSMART.</i>	266.	3.
<i>Hot Arsmart.</i>	266.	4.
<i>Small creeping Arsmart.</i>	266.	5.
<i>Coded Arsmart.</i>	45.	1.
<i>The common ARTICHOCK.</i>	85.	3.
<i>The great English Artichock.</i>	85.	4.
<i>Prickly Artichock, or Charadon.</i>	85.	5.
<i>ASARABACCA.</i>	36.	5. 70
<i>Garden ASPARAGUS.</i>	37.	1.
<i>Marsh Sperage, or Asparagus.</i>	37.	2.
<i>Prickly Rock-Asparagus.</i>	37.	3.
<i>Common ASH-TREE.</i>	123.	7.
<i>The ASPEN-TREE, or Quaking-Asp.</i>	217.	6.
<i>The white branched ASPHODIL.</i>	38.	1.
<i>The yellow Asphodil.</i>	38.	2.
<i>Small hollow-leaved Asphodil.</i>	38.	3.
<i>Lancashire Asphodil, or bastard Asphodil.</i>	38.	4.
<i>AVENS; Herbe-Bennet.</i>	69.	3. 00
<i>Purple mountain Avens.</i>	69.	4.
<i>Purple mountain Avens with double flowers.</i>	69.	5.
<i>Yellow mountain Avens.</i>	70.	1.
<i>Cinque-foil Avens.</i>	70.	2.

The Table

B.

The BARBERRY-BUSH.	47.	8.
The Barberry without stones.	48.	1.
Common BARLEY.	155.	6.
Winter or Square Barley, or Bear-Barley.	155.	7.
Naked Barley.	156.	1.
BARRENWORT.	108.	6. 90
Common BASIL.	248.	2.
Great wild Basil.	88.	3.
Great wild Basil with white flowers.	88.	4.
Small wild Basil.	88.	5.
Cow-Basil.	211.	4.
Garden BAUM.	226.	2.
Blew-flowered Turkie-Baum.	226.	3.
White-flowered Turkie-Baum.	226.	4.
The Common Sweet Bay.	190.	1.
The wild Bay.	190.	2. 101
Great Garden BEANS.	116.	3.
Common, or Field-Beans.	117.	1.
The old Greekish-Bean.	117.	2.
Scarlet Beans.	268.	5.
White Kidney-Beans.	268.	6.
Red Kidney Beans.	269.	1.
Fine Spotted Kidney-Beans.	269.	2.
Small white Kidney-Bean with a black spot in the middle.	269.	3.
BEAN-TREFOIL, or the Peascod-tree.	24.	3.
The lesser Bean-Trefoil.	24.	4.
Stinking Bean-Trefoil.	24.	2.
BEARS-BREECH, or Branke-wine.	4.	4.
Prickly Bears-breech.	4.	5.
BEARS-EARS of divers colours.	306.	2.
Bears-ear-Sanicle.	306.	3.
The lesser round-leaved BEL-FLOWER.	62.	6.
The white round-leaved Bel-flower.	62.	7.
Blew Peach-leaved Bel-flower.	63.	1.
White Peach-leaved Bel-flower.	63.	2.
		Purple

Of the English Names.

Purple Coventry-Bel flowers.	63.	3.	120
White Coventry-Bel flowers.	63.	4.	
Blew Canterbury-Bells.	63.	5.	
White Canterbury-Bells.	63.	6.	
Double purple Canterbury-Bells.	64.	1.	
Double white Canterbury-Bells.	64.	2.	
Garden Canterbury-Bells, or Garden Throat- wort with far creeping roots.	64.	3.	
Little Throatwort, or Canterbury-Bells.	64.		
The greatest Canterbury-Bells, or Giant- Throatwort.	64.	5.	
The BEECH-TREE.	127.	3.	
The white BEET.	48.	2.	130
The green BEET.	48.	3.	
Red Beet.	48.	4.	
Red Roman Beet, or Betrav.	48.	5.	
Broad-ribbed Sicilian Beet:	48.	6.	
The Sea-Beet.	48.	7.	
Prickly Beet of Candy.	48.	8.	
Common BETONY.	49.	1.	
White Betony.	49.	2.	
Great Betony of Denmark.	49.	3.	
Water-Betony, or Water-Figg-wort.	313.	1.	140
Great white BINDEWEED.	92.	1.	
Small Bindweed.	92.	2.	
Black Bindweed.	92.	3.	
Small long-leaved Bindweed.	92.	4.	
Sicilian Bindweed with very small blew flowers.	93.	1.	
Great blew Bindweed with cornered leaves.	93.	2.	
Bindweed with Marsh-Mallow leaves.	93.	3.	
Sea-Binde-weed.	323.	3.	
Mountain-Binde-weed.	323.	4.	
Prickly Binde-weed with red berries.	320.	4.	150
The BIRCH-TREE.	49.	4.	
Red BIRDS-EYES:	353.	6.	
The great BIRDS-FOOT.	255.	2.	
	BIRDS-		

The Table

BIRDS-NEST , or misshapen Orchis.	253.	1.
Round-rooted BIRTHWORT.	34.	5.
The running-rooted Birthwort.	35.	1.
The bushie-rooted Birthwort.	35.	2.
Ever-green bushie-rooted Birthwort, or Virginian Snake-root.	35.	3.
Common BISHOPS-WEED.	22.	1.
Bishops-weed of Candy.	22.	2. 160
Great BISTORT, or Snake-weed.	49.	5.
Great Bistort, or Snake-weed with narrower leaves, and less-wreathed roots.	49.	6.
Small Bistort of our Countrey.	50.	1.
BITTER SWEET, or woody-Nightshade.	321.	4.
Bitter sweet with white flowers.	321.	5.
Bitter sweet with party-coloured leaves.	321.	6.
The BLADDER-NUT.	271.	5.
The three-leaved Bladder-nut of Virginia.	271.	6.
The great red BLITE.	51.	2.
The small red Blite.	51.	3.
Upright Blite, or All seed.	51.	4.
Prickly Blite of America.	51.	5.
BLOODWORT.	183.	5.
Common BORRAGE.	56.	2.
White flowered Borrage.	56.	3.
Never dying Borrage.	56.	4.
Great BLEW-BOTTLE.	98.	2.
Great Oriental Bottles, or Sultan flower.	98.	3.
White coloured Oriental Bottles, or Sultan flower.	98.	4.
Yellow coloured Oriental Bottles, or Sultan flower.	98.	5. 100
Common Blew bottle, or Corn flower.	98.	6.
White coloured small Bottle flower.	98.	7.
Small Bottle flower of several other colours.	98.	8.
The BOX-TREE.	59.	3.
Dwarf Box.	49.	4.
Gilded Box.	59.	5.
The common BRAMBLE, or Black-berry bush.	300.	2.
		Small

Of the English Names.

Small Bramble, or Dew-berry.	300.	3.
The Stone-Bramble.	300.	6.
White BRYONIE.	55.	5. 190
Black Bryonie.	56.	1.
The greater long-leaved BROOKLIME.	23.	1.
Common Brooklime.	23.	2.
Round-leaved Brooklime, or Water Pimpernel.	23.	3.
Narrow-leaved Brooklime.	24.	1.
Common BROOM:	127.	4.
Dyers-Broom.	127.	5.
Dyers-Broom with upright branches.	127.	6.
Spanish Broom.	325.	2.
Butchers-Broom:	300.	7. 202
Broom-Rape.	255.	3.
The common great BUCKLERWORT, or the greatest bastard-Parsley.	336.	6.
Small Bucklerwort of Apulia in Naples.	337.	1.
Syrian Bucklerwort, or broad-leaved Cher- vil of Syria.	337.	2.
Common BUGLE.	91.	6.
Bugle with white flowers.	91.	7.
Great Garden BUGLOSSE.	56.	5.
Wilde, or Corn-Buglosse.	56.	6.
Sweet-smelling Buglosse of Candy, with striped red and white flowers.	57.	1.
Small wild Buglosse, or great Goose-grasse.	57.	2.
Common Vipers-Buglosse.	107.	5.
Vipers-Bugloss with a white flower.	108.	1.
Reddish flowered Vipers-Buglosse of Candy.	108.	2.
Vipers-Bugloss of Candy with party coloured flowers.	108.	3.
S Sea-Buglosse. Echium Marinum. P.B. I. Raj.		
Great American BURNET.	270.	5.
Great Burnet.	270.	6.
Small Burnet, or Garden Burnet.	271.	1.
Burnet with Agrimony leaves.	271.	2.
The great BUR-DOCK.	185.	3.
	Wooly	

The Table

wooly-headed Bur-Dock.	185.	4.	220
The lesser Bur-Dock.	185.	5.	
The common BUTTER-BUR.	266.	6.	
The lesser, or white flowered Butter-Bur.	267.	1.	
Branched BUR-REED.	324.	6.	
Bur-Reed not branched.	325.	1.	
BUTTERWORT.	306.	5.	

C.

W HITE CABBAGE.	52.	2.	
Red Cabbage.	52.	3.	
Cabbage with many heads.	52.	4.	
Common CALAMINT.	61.	1.	230
Field-Calamint.	61.	2.	
Water-Calamint with whorled coronets.	61.	3.	
Small WATER-CALTROPS,	338.	5.	
or Frogs-Lettuce.			
Small water Caltrops, or Frogs-Lettuce	338.	6.	
with Oak leaves.			
Common CAMMOMILE.	79.	2.	
Double flowered Cammomile.	79.	3.	
Dwarfe, or barren Cammomile.	79.	4.	
Cammomile with Sweet-Maudlin-leaves.	79.	5.	
Red ROSE-CAMPION.	209.	3.	240
The single white Rose-Campion.	209.	4.	
Spotted whitish Rose-Campion.	209.	5.	
The white Campion.	209.	6.	
Single red wild Campion.	210.	1.	
Red Batchelours Buttons, or double red			
wild Campion.	210.	2.	
Annual wild Campion with small flesh-			
coloured flowers.	210.	3.	
wild Campion with streaked husks.	210.	5.	
Shrubby Myrtle-leaved Campion, like			
spatling-Poppy.	211.	3.	
Night-flowering Campion.	211.	4.	
	Eng.		

Of the English Names.

English Sea-Campion.	212.	1.	250
The Smaller white wild Champion.	212.	2.	
Small hairy Champion.	213.	4.	
Small hairy Champion with party-coloured flowers.	213.	5.	
Annual hairy Champion with white flowers on one side of the stalk.	214.	1.	
Cherlerus his small stiff Champion.	214.	2.	
Common CANARY-GRASSE,	268.	3.	
Canary-grasse with lesser black seed.	268.	4.	
The CAROB-TREE.	318.	6.	
The yellow-rooted CARROT.	261.	6.	
The Orange Carrot.	262.	1.	
The white-rooted Carrot.	262.	2.	
Red-rooted Carrot.	262.	3.	
The common wild Carrot, or Birds-nest.	262.	4.	
The deadly-Carrot.	333.	1.	
Deadly, or Scorching-Carrot with Mea- dow-Rue-leaves.	333.	2.	
CARAWAY.	69.	2.	
Golden CASSIDONY, or Golden Tufts.	149.	4.	
Lobels CATCH-FLIE with red flowers.	212.	4.	
Lobels Catch-flie with white flowers.	213.	1.	
Red German Catch-flie.	213.	2.	
German Catch-flie with white flowers.	213.	3.	
CATS-TAIL, or Reed-Mace.	347.	4.	
The lesser Reed-Mace, or Cats-tail.	347.	5.	
The great CEDAR of Lebanon.	74.	3.	
Cypresse-like Cedar, or Berry-bearing Cedar.	74.	4.	
The greater CELLANDINE.	80.	5.	
The greater Cellandine with fine-cut leaves.	81.	1.	
Lesser Cellandine, or Pilewort.	81.	2.	
Double-flowered lesser Cellandine.	81.	3.	
The greater CENTAURY.	74.	5.	
The Pyrenean great Centaury, or great Cen- taury with Artichock leaves.	75.	1.	
			Small

The Table

Small Centaury.	75.	2.
Small Centaury with white flowers.	75.	3.
CHARLOCK , or wild Mustard.	288.	6.
White-flowered Charlock with joynted cods.	288.	7.
Yellow Charlock with smooth joynted cods.	289.	1.
Spanish one-grained Charlock.	289.	2.
The CHASTE-TREE .	361.	1.
The common CHERRY-TREE .	75.	4.
Common wild Cherry.	75.	6.
The common black Cherry.	75.	7.
Double flowered barren Cherry.	75.	5.
Birds Cherry.	76.	1.
The wild Northern Cherry-tree with small late fruit.	76.	2.
The Cherry-Bay.	76.	3.
Common Winter-Cherry.	321.	1.
Common CHERVIL .	76.	6.
Common wild Chervil.	77.	1.
Great sweet Garden Chervil, or Myrrh.	236.	1.
Annual Chervil with knotty joynts, and rough seed.	236.	3. 300
Small Hemlock-chervil with rough seeds.	236.	4.
Tooth-pick-Chervil.	133.	4.
Common CHESNUT-TREE .	73.	3.
The Horse-Chesnut.	73.	4.
Great CHICKWEED .	16.	1.
Common Chickweed.	16.	2.
Long-leaved water-Chickweed.	16.	3.
Plantain-leaved Chickweed.	16.	4.
Mouſear-Chickweed.	16.	5.
Broader-leaved Mouſear-Chickweed.	16.	6.
Small water-Chickweed, by ſome called Blinks.	17.	1.
Fine Chickweed.	17.	2.
Berry-bearing Chickweed.	18.	1.
Ivy-leaved Chickweed.	18.	2.
Germander-Chickweed.	18.	3.

ſpeed-

Of the English Names.

Speedwel-Chickweed.	18.	4.
Chickweed-Break-stone.	72.	4.
Annual CHICHLING with cods like small Pease.	187.	2.
Rough-codded annual Chichling.	187.	3.
Spanish yellow flowered Chichling.	187.	4.
Great red flowered Chichling of Tangiers, with bunched cods.	187.	6.
Spanish party-coloured Chichling.	188.	1.
Narrow-leaved annual Chichling with red flowers and long small cods with round seed.	188.	2.
Blew flowered narrow-leaved annual Chichling, with long small cods, and cornered seed.	188.	3.
CHICH-PEASE, or Cicers.	83.	6.
Three leaved wild Cicers.	29.	4.
Wild CICELY	236.	2.
Straw-berry-leaved CINQUE-FOIL.	263.	3.
Tree, or shrub Cinquefoil.	263.	4.
Common Cinquefoil, or Five-leaved Grass.	263.	5.
Small golden-flowered Cinquefoil.	263.	6.
Great upright Cinquefoil.	264.	1.
Tormentil Cinquefoil.	264.	2.
Marsh-Cinquefoil.	264.	3.
Ordinary male CISTUS.	86.	1.
Narrow-leaved male Cistus.	86.	2.
Willow-leaved annual Cistus.	86.	3.
Cistus with Rosemary leaves.	86.	4.
Dwarfe-Cistus, or little Sun-flower.	77.	4.
Dwarfe Cistus with a white flower.	77.	5.
CIVES.	278.	2.
Garden CLARY.	156.	2.
Whitish flowered Clary, like Garden Clary.	156.	3.
Yellow Clary, or Jupiters Distaffe.	156.	4.
Broad-leaved wild Clary of Tangiers.	156.	5.

Low

The Table

<i>Low German Clary</i>	156.	6.
<i>Clary with Lavender-like flowers.</i>	157.	1.
<i>Common wild Clary.</i>	157:	2.
<i>Clary with Bery-like leaves,</i>	157:	3.
<i>Clary with purple leaves.</i>	157.	4. 350
<i>Jagged Ethiopian Clary.</i>	11.	1.
<i>Strong smelling CLAVER, or Treacle Claver.</i>	339.	2.
<i>Claver-graft.</i>	340.	1.
<i>Great flat Snail-Claver.</i>	342.	4.
<i>Great prickly Snail-Claver, or Hedge-hogs.</i>	343.	2.
<i>Small prickly Snail-Claver with fine-cut leaves.</i>	344.	2.
<i>See MEDICA. and TREFOIL.</i>		
<i>The Hungarian Climber.</i>	87.	1.
<i>See LADIES-BOWER.</i>		
<i>CLOUD BERRY.</i>	80.	3.
<i>COCKS-HEAD. or Saint-foin.</i>	249.	3.
<i>COCKLE.</i>	210:	4.
<i>Savoy-COLE.</i>	52.	5.
<i>Curled Savoy-Cole.</i>	53.	1.
<i>Garden Colewort.</i>	53.	2.
<i>Red Coleworts.</i>	53.	3.
<i>Swollen Coleworts.</i>	53.	4.
<i>Small curled Cole-</i>	53.	5.
<i>Colie-flor.</i>	53.	6.
<i>Curled Childing-Cole,</i>	53:	7.
<i>Cole-rap.</i>	54.	1.
<i>Parsley-Colewort.</i>	54.	2.
<i>Small Parsley-Colewort.</i>	54.	3.
<i>Sea Colewort.</i>	54.	4.
<i>Common single COLUMBINES.</i>	33.	1.
<i>Double Columbines.</i>	33.	2.
<i>Double stripe Columbines.</i>	33.	3.
<i>Rose-Columbines.</i>	33.	4.
<i>COLTS-FOOT.</i>	347.	3.
<i>Great COMFRY.</i>	327.	5.
<i>White-flowered Comfry.</i>	327.	6.
	Com-	

Of the English Names.

<i>Comfry with knobbed roots, and yellow-flowers.</i>	327.	7.
<i>True Saracens</i> CONSOUND.	360.	1.
<i>Common</i> CORIANDER.	94.	5.
<i>The male red</i> CORNEL-TREE.	94.	6.
<i>The female Cornel or Dog-Berry-Tree.</i>	95.	1.
COSTMARY.	225.	6.
<i>Great English</i> COTTONWEED.	135.	2.
<i>The Cotton-Rose, or Rose-Cotton-weed.</i>	136.	1.
<i>Purple-flowered mountain-Cottonweed.</i>	136.	3.
See CUDWEED.		
<i>The common field</i> COWSLIP.	351.	1.
<i>Double Cowslips one within another, or Hose-in-hose.</i>	351.	2.
<i>Great Cowslips, or Field-Oxlips.</i>	351.	3.
<i>The blew Crowfoot</i> CRANES-BILL.	128.	5.
<i>The white Crowfoot-Cranes-bill.</i>	128.	6.
<i>The party-coloured Crowfoot-Cranes-bill.</i>	129.	1.
<i>The lesser Crowfoot-Cranes-bill.</i>	129.	2.
<i>The lesser annual purple flowered Crow- foot-Cranes-bill of Bohemia.</i>	129.	3.
<i>Long-rooted</i> Cranes-bill.	129.	4.
<i>Swart-tawney, or spotted</i> Cranes-bill.	129.	5.
<i>The red Rose-Cranes-bill.</i>	130.	1.
<i>Striped Rose-Cranes-bill</i>	130.	2.
<i>Purple Muscovy</i> Cranes-bill.	130.	3.
<i>The variable striped</i> Cranes-bill.	130.	4.
<i>Bulbous or knobbed</i> Cranes-bill.	130.	5.
<i>Shining Rock-Cranes-bill.</i>	130.	6.
<i>Doves-foot, or</i> Cranes-bill.	130.	7.
<i>Doves-foot Cranes-bill with deep-cut leaves,</i>	131.	1.
<i>white-flowered Doves-foot-Cranes-bill.</i>	131.	2.
<i>Doves-foot-Cranes-bill with a blew flower.</i>	131.	3.
<i>Jagged Doves-foot-Cranes-bill with flowers on long foot-stalks.</i>	131.	4.
<i>Cranes-bill with Marsh-Mallow leaves.</i>	131.	5.

400

Small

The Table

Small Sea-Cranes-bill, or Betony-leaved Cranes-bill.	132.	1.
Candy Cran-es-bill.	132.	2.
Musked Cran-es-bill.	132.	3.
Unsavory Cran-es-bill.	132.	4.
Unsavory Cran-es-bill with white flowers.	132.	5.
The bearded CREEPER.	82.	3.
Common Garden-CRESSSES.	242.	2.
Curled Garden-Cresses.	242.	3.
Broad-leaved Garden Cresses, or great Spanish Cresses.	242.	4.
Common Water-Cresses.	243.	4.
Bitter-Cresses.	244.	1.
Indian-Cresses.	244.	4.
Sciatica-Cresses.	170.	1.
Swines-Cresses.	21.	4.
CROSSWORT.	97.	4.
The musk Wood-CROW-FOOT.	283.	1.
Round-rooted, or bulbous Crow-foot.	283.	2.
The Garden double yellow Crow-foot.	263.	3.
upright meadow-Crow-foot.	284.	1.
Double flowered upright meadow-Crow-foot.	284.	2.
Common Crow foot, or Butter-cups.	284.	3.
Woody Mountain-Crow-foot.	284.	4.
Sweet Wood-Crow-foot.	284.	5.
The Glob-Crow-foot.	285.	1.
The lesser single white Mountain-Crow-foot.	285.	2.
Double white Crow-foot.	285.	3.
Prickly Crow-foot of Candy.	285.	4.
Rough-headed, or Corn-Crowfoot.	285.	5.
Field-Crow-foot with a small flower.	286.	1.
Crow-foot of Illyria.	286.	2.
Yellow single grass-leaved Crow-foot.	286.	3.
Round-leaved Marsh-Crowfoot.	286.	4.
Water-Crowfoot with various leaves.	287.	3.

Of the English Names.

<i>10y-leaved Water-Crow-foot.</i>	289.	4.
Common CUCUMBERS.	97.	5.
<i>Wild, or Squirting Cucumber.</i>	97.	6.
Everlasting, or American CUDWEED.	134.	5.
Common Cudweed, or Herbe-impious.	135.	1.
Middle, or black-headed Cudweed.	135.	3.
The least Cudweed.	135.	4.
The lesser broad-leaved Cudweed.	135.	5.
Mountain Cudweed, or Cats-foot.	136.	2.
Ordinary CUMIN.	97.	8.
Horned Wild Cumin.	163.	6.
Common red CURRANS, or Ras-berries.	146.	6.
The great red Curran.	146.	7.
White Curran.	146.	8.
Small black Curran.	147.	1.
Great black Curran.	147.	2.
The yed Curran with the Goose-berry leaf.	147.	3. 450
Bastard CYPERUS with short pendulous heads.	140.	6.
Common CYPRESSE TREE.	98.	1.

D:

The great None-such DAFFODIL, or	}	237.	1.
incomparable Daffodil.			
The incomparable Daffodil with a double	}	237.	2.
flower.			
The common white Daffodil called Primrose-	}	237.	3.
peerless.			
The double white Daffodil.		237.	4.
The late purple-ringed Daffodil.		238.	1.
The double purple-ringed Daffodil.		238.	2.
The great yellow Daffodil of Africa.		238.	3.
The French Daffodil with great flowers.		238.	4.
The early French Daffodil.		238.	5.
The late pale-coloured Daffodil with a long	}	366.	4.
cup.			

The

The Table

The great <i>Junquilia</i> , or Rush-leaved Daffodil with a large flower or cup.	238.	6.
The yellow Italian Daffodil of Caccini.	239.	1.
The ordinary <i>Junquilia</i> , or Rush-leaved Daffodil.	239.	2.
The Rush-leaved Daffodil with pale yellow flowers.	239.	3.
The double <i>Junquilia</i> , or Rush-Daffodil.	139.	4.
Great yellow Spanish bastard-Daffodil.	239.	5.
The greatest Spanish whitish bastard-Daffodil.	239.	6.
The mountain bastard-Daffodil.	239.	7.
The common English bastard-Daffodil.	240.	1.
The least Spanish bastard-Daffodil.	240.	2.
The greatest double yellow bastard-Daffodil, or John Tradescant, his great Rose-Daffodil.	240.	3.
Master wilmers great double Daffodil.	240.	4.
The double English bastard-Daffodil, or Gerards double Daffodil.	241.	1.
The lesser French double bastard Daffodil.	241.	2.
The lesser yellow bastard <i>Junquilia</i> , or Rush-leaved Daffodil.	241.	3.
The white Sea-bastard-Daffodil.	241.	4.
The great white Sea-Daffodil, or Matthiols, his third Daffodil.	242.	1.
The greater Autumn, or winter-Daffodil.	91.	1.
The greater wild white DAISIE.	46.	1.
The greatest wild Daisie with red hairy stalks.	365.	1.
Great Daisie with broader snip't-leaves, and a running root.	46.	2.
The greater Daisie with the Tanfie-leaf.	46.	3.
The lesser Daisie with the Tanfie-leaf.	46.	4.
Common small wild Daisie.	46.	5.
Field Daisie with two ranges of leaves.	47.	1.
Small wild Daisie with double flowers.	47.	2.
Small wild Daisie with blew flowers.	47.	3.
Double red Garden-Daisie	47.	4.
Double white Garden-Daisie.	47.	5.
	Double	

Of the English Names,

<i>Double party-coloured Garden Daisie:</i>	47.	6.
<i>Childing Daisie.</i>	47.	7.
DANDELYON.	102.	2.
<i>Knotty-rooted Dandelion.</i>	102.	3.
DARNEL.	203.	3.
<i>Red Darnel-grass.</i>	203.	4.
DILL.	27.	4.
DITTANDER, or Pepperwort.	191.	2.
<i>Dittander, or Pepperwort with wood-leaves.</i>	191.	3. 500
<i>Leadwort, or French Dittander.</i>	191.	4.
<i>Bastard DITTANY, or Fraxinel.</i>	123.	5.
<i>White-flowered Bastard-Dittany.</i>	123.	6.
<i>Bastard-Dittany.</i>	280.	1.
Purple-flowered DEVILS-BIT.	327.	2.
<i>Devils-bit with white flowers:</i>	327.	3.
<i>Devils-bit with flesh-coloured flowers.</i>	327.	4.
<i>Patience, or great Garden DOCK.</i>	183.	2.
<i>Sharp-pointed Dock.</i>	183.	3.
<i>Sharp-pointed Dock with curled leaves.</i>	183.	4.
<i>The smallest sharp-pointed Dock.</i>	184.	1.
<i>Golden flowered Dock.</i>	184.	2.
<i>Great water-Dock.</i>	184.	3.
<i>Round-leaved wild Dock.</i>	184.	4.
<i>Fiddle-Dock.</i>	184.	5.
<i>Climming DOGSBANE.</i>	32.	6.
Purple DOG-TOOTH-VIOLET.	101.	2.
<i>White Dog-tooth-Violet.</i>	102.	1.
DORIAS his WOUNDWOORT.	359.	3.
Great DRAGONS.	107.	1.
DROPWORT.	120.	3.
<i>Water-Dropwort.</i>	248.	3.
<i>Hemlock-Dropwort.</i>	249.	1.
Common DUCKS-MEAT.	109.	6.
<i>Ivy-leaved Ducks-meat.</i>	191.	1.

The Table

E:

C OMMON EARTH-NUT.	57.	3.
The single EGLANTINE, or sweet Briar-bush.	297.	6.
The double Eglantine.	298.	1.
Common ELDER.	304.	2.
Elder with whitish green berries.	304.	3.
Red-berried Elder.	304.	4.
Cut-leaved Elder.	304.	5.
Shrub-Dwarf-Elder with fine party coloured leaves.	304.	6.
Dwarf-Elder, or Walwort.	304.	7.
Marsh-Elder, or Water-Elder.	305.	1.
Rose-Elder.	305.	2.
ELECAMPANE.	149.	1.
The common ELM-TREE.	362.	2.
The narrow-leaved Elm:	362.	3.
Garden ENDIVE.	170.	6.
Curled Endive.	171.	1.
ERINGO, or Sea Holly.	112.	5.
Mediterranean Eringo, or Sea Holly:	112.	6.
Mountain Eringo.	113.	1.
Blew Eringo.	113.	2.
EYE-BRIGHT..	116.	1.
Eye-bright-Cow-wheat.	116.	2.

F.

T HE PRINCES FEATHER, or None-so pretty with a red poyntel in the middle of the flower.	305.	6.
The Princes-Feather, or None-so-pretty with a pale poyntel in the middle of the flower.	306.	1.
COMMON FENNEL.	122.	2. 550
Brown Fennel.	122.	3.
		Sweet

Of the English Names.

<i>Sweet Fennel.</i>	122.	4.
<i>Sweet Fennel from the Azores.</i>	122.	5.
<i>The broader leaved Fennel-giant.</i>	118.	4.
<i>Fine leaved Fennel-giant.</i>	118.	5.
<i>Broad-leaved shining Fennel-giant of Tangiers.</i>	119.	1.
<i>Italian Sow-Fennel.</i>	267.	2.
<i>Common Sow-Fennel.</i>	267.	3.
FENUGREEK.	122.	6.
<i>Flowering FERN, or Osmund-Royal.</i>	120.	4.
<i>Female-Fern, or Common Brakes.</i>	120.	5.
<i>Male Fern.</i>	120.	6.
<i>Branched Male-Fern with dented leaves.</i>	120.	7.
<i>Male-Fern with thin-set deeply-dented leaves.</i>	121.	1.
<i>Prickly Male Fern.</i>	121.	2.
<i>Marsh or water-Male-Fern.</i>	121.	3.
<i>True Oak-Fern.</i>	121.	4.
<i>The lesser branched Female-Fern, or Stone Fern.</i>	121.	5.
<i>Male Stone Fern.</i>	121.	6.
<i>Fine-cut Stone Fern with slender and brittle stalks.</i>	121.	7.
<i>Small flowering Rock Fern.</i>	122.	1.
Common FEVERFEW.	223.	7.
<i>Double Feverfew.</i>	224.	1.
<i>Naked Feverfew.</i>	224.	2.
Common FIG-TREE.	120.	1.
<i>The lesser prickly Indian Figg.</i>	120.	2.
Common FIGWORT.	312.	5.
<i>Yellow flowered Figg-wort.</i>	313.	2.
<i>Nettle-leaved Figwort.</i>	313.	3.
<i>Figg wort without knobbed roots.</i>	313.	4.
The FIRRE-TREE	1.	1.
<i>The French Corn FLAGG.</i>	133.	5.
<i>Bluish Corn-Flagg.</i>	133.	6.
<i>White flowered Corn-Flagg.</i>	133.	7.
<i>Small purple Corn-Flagg.</i>	143.	8.
<i>Corn-Flagg of Constantinople.</i>	154.	1.
Cc 2	Sweet.	

The Table

<i>Sweet-smelling Flag.</i>	9.	1.
<i>Manured-FLAX.</i>	202.	2.
<i>Perennial wild-Flax.</i>	202.	3.
<i>Dwarfe wild-Flax, or Mill-mountain.</i>	202.	4.
<i>Strange wild white flowered Flax.</i>	202.	5.
<i>Common TOADFLAX.</i>	201.	2.
<i>Great purpl^e sweet-smelling Toad-Flax.</i>	201.	3.
<i>Small blew flowered Toad-Flax.</i>	201.	4.
<i>Narrow-leaved annual Toad-Flax with large yellow flowers.</i>	201.	5.
<i>The truest great FLEABANE.</i>	93.	4.
<i>The truest Small Fleabane.</i>	94.	1.
<i>Great Flea-bane, or Ladies-gloves.</i>	94.	2.
<i>Middle-Flea-bane.</i>	94.	3.
<i>Blew flowered Flea-bane, or sweet purple Flea bane.</i>	94.	4.
<i>Common FLEA-WORT.</i>	280.	2. 600
<i>Indian Fleawort with dented leaves.</i>	280.	3.
<i>Ever-green Fleawort:</i>	280.	4.
<i>ELIXWEED.</i>	244.	3.
<i>Single scarlet FLOWER of Constantinople.</i>	208.	5.
<i>Flesh-coloured Flower of Constantinople.</i>	208.	6.
<i>White coloured Flower of Constantinople.</i>	209.	1.
<i>Double scarlet Flower of Constantinople.</i>	209.	2.
<i>The common Flag-FLOWER DE-LUCE.</i>	171.	2.
<i>The white flowered, or Florentine Flower-de-luce.</i>	171.	3.
<i>The great Turkey Flower-de-luce.</i>	171.	4.
<i>The great Dalmatian Flower-de-luce.</i>	172.	1.
<i>Yellow variable Flower-de-luce.</i>	172.	2.
<i>Lobels yellow variable Flower-de-luce.</i>	172.	3.
<i>The stript blew and white Flag-Flower-de-luce.</i>	366.	2.
<i>The yellow Flower-de-luce of Tripoly.</i>	172.	4.
<i>Yellow Water-Flag, or Flower-de-luce.</i>	172.	5.
<i>The small variable Hungarian Flower-de-luce.</i>	173.	1.
<i>The lesser Grass-Flower de-luce.</i>	173.	2.
<i>The blew variable Dwarfe-Flower-de-luce.</i>	78.	4.
<i>The</i>		

Of the English Names.

<i>The white Dwarf Flower-de-luce.</i>	79.	1.
<i>Velvet Flower-de-luce.</i>	173.	3.
<i>The Persian Bulbous Flower-de-luce.</i>	173.	4.
<i>The blew English bulbous Flower-de-luce.</i>	174.	1.
<i>The great white bulbous Flower-de-luce.</i>	174.	2.
<i>The blew striped, or the Chamolet Flower-de-luce.</i>	174.	3.
<i>The great purple variable bulbous Flower-de-luce.</i>	174.	4.
<i>The smaller white narrow-leaved bulbous Flower-de-luce.</i>	175.	1.
<i>The gold-yellow narrow-leaved bulbous Flower-de-luce.</i>	175.	2.
<i>Common yellow narrow-leaved bulbous Flower-de-luce.</i>	175.	3.
<i>Narrow-leaved bulbous Flower-de-luce with yellow Falls with a golden spot, Arches, and uprights pale blew.</i>	175.	4.
<i>Narrow-leaved bulbous Flower-de-luce with greenish Falls with a yellow spot, the Arches pale and uprights deep-blew.</i>	175.	5.
<i>Narrow-leaved bulbous Flower-de-luce, with blew Falls with a golden spot, Arches and uprights pure blew</i>	175.	6.
<i>Narrow-leaved bulbous Flower-de-luce with white Falls with a golden spot, Arches pale, and uprights bright blew.</i>	176.	1.
Great FLORAMOUR, or purple FLOWER-GENTLE.	20.	2.
<i>Scarlet Flower-gentle with red seed.</i>	20.	3.
<i>Scarlet Flower-gentle with upright spikes.</i>	20.	4.
<i>Red Flower-gentle with upright pannicles.</i>	20.	5.
<i>Green Flower-gentle with upright pannicles.</i>	21.	1.
<i>Lesser Flower-gentle with spiked, round and crested pannicles.</i>	21.	2.

The Table

<i>Variable Flower-gentle.</i>	21.	3.
The great SUN-FLOWER.	149.	2.
The male FOOLS-STONES.	251.	1.
<i>The female Fools-Stones.</i>	251.	2.
Sharp-pointed FLUELLEN.	108.	4.
<i>Female Fluellen, or round-leaved Fluellen, or Speedwel.</i>	108.	5.
FOUR-LEAVED or purple Grass.	282.	1.
Purple FOX-GLOVES.	103.	2.
<i>White flowered Fox-gloves.</i>	103.	3.
<i>Flesh-coloured Fox-gloves.</i>	103.	4.
<i>Broad leaved Iron coloured Fox gloves.</i>	103.	5. 650
<i>Fox gloves with large yellow flowers.</i>	103.	6.
<i>Small pale-yellow Fox gloves</i>	104.	1.
<i>Better Fox gloves, commonly Virginian Fox-gloves.</i>	104.	2.
The true FOX TAIL.	137.	2.
<i>Great English marsh Foxtail.</i>	137.	3.
Broad-leaved FRIERS-COWLE.	34.	4.
<i>The most common FRITILLARY, or checkered Daffodil.</i>	124.	1.
<i>The white Fritillary.</i>	124.	2.
<i>The Spanish Fritillary with the flowers standing as it were in an umbel.</i>	124.	3.
<i>The double bluish Fritillary.</i>	124.	4.
<i>The white Fritillary with many flowers.</i>	124.	5.
<i>The lesser dark Fritillary.</i>	124.	6.
Common FUMITORY.	124.	7.
<i>The greater ramping Fumitory.</i>	125.	1.
<i>Climbing Fumitory.</i>	125.	2.
<i>Indian Fumitory.</i>	125.	3.

G.

Common garden GARLICK.	14.	2.
<i>Vipers Garlick.</i>	14.	3.
<i>Great Turkey-Garlick.</i>	14.	4.
<i>Crow Garlick.</i>	15.	1.
<i>Mountain-Garlick, and perhaps Vine-Leek.</i>	15.	2.
GAULB,		

Of the English Names.

GAULE, Sweet willow, or Dutch Myrtle.	292.	1.
Swallow-wort GENTIAN.	1. 8.	1.
Cross-wort-Gentian.	1. 8.	2.
Small Gentian of the Spring.	1. 8.	3.
Dwarfe Autumnal Gentian.	128.	4.
Common GERMANDER.	77.	6.
Cut leaved Germander.	78.	1.
Wild Germander.	78.	2.
Wild Germander with leaves standing on long foot stalks.	78	3.
The more common TREE GERMANDER.	332.	1.
Tree Germander of Spain.	332.	2.
WATER GERM-ANDER.	311.	2.
Garden GILLOFLOWERS of many kinds & colours.	70.	3.
Garden STOCK GILLOFLOWERS single, of divers colours.	192.	2.
Striped single Stock Gilloflowers.	192.	3.
Double Stock Gilloflowers.	192.	4.
Sweet smelling white Stock Gilloflowers with green lining leaves.	193.	1.
Broad-leaved Sea-Stock Gilloflower.	193.	4.
Narrow-leaved Sea-Stock Gilloflower.	193.	5.
The yellow Sea-Stock Gilloflower.	194.	1.
Stinking GLADDON. or Gladwyn.	364.	1.
Evergreen GLASSWORT.	178.	1.
Glasswort, or Saltwort.	178.	2.
Great Glasswort.	178.	3.
White Glasswort.	178.	4.
Prickly Glasswort.	178.	5.
Yellow GOATS BEARD.	338.	2.
Purple flowered Goats beard.	338.	3.
Buck-horn-leaved Goats-beard.	338.	4.
Garden GOLD OF PLEASURE.	235.	2.
One grained Gold-of-pleasure.	235.	3.
Round-podded like Gold-of-pleasure.	235.	4.
Common GOLDEN ROD.	360.	2.
Golden		

700

The Table

Golden-rod with dented leaves.	360.	3.
Golden-rod of America.	360.	4.
Golden-rod with Toad-flax-leaves, or golden Toad flx.	}	360. 5.
Common GOON-BERRIES		145. 5.
The cristal round or Glob goof-berry.	146.	1.
The great yellow long Goof-berry.	146.	2.
The square Goof berry without a stone.	146.	3.
Small hairy or prickly Goof berry	146.	4.
Red Goof-berries.	146.	5.
Common GOOSE-GRASS, or Clivers.	31.	3.
Goose-grass with smooth seed.	31.	4.
Goose-grass with seed like a Coriander Comfit.	31.	5.
Great BOTTLE-GOURD.	97.	12.
The Sky coloured GRAPE-FLOWER.	158.	4.
The white Grape-flower.	158.	5.
The dark-blew Grape flower.	159.	1.
The ash coloured Grape-flower, or Muscari.	159.	2.
Corn Reed GRASS.	136.	4.
The most common Fox-tail-Grass.	136.	5.
The lesser bastard Foxtail Grass.	137.	1.
Flote-Grass.	137.	4.
Spiked Flote-Grass, or water-Grass.	137.	5.
Great water Reed Grass.	137.	6.
Rough Grass.	138.	1.
Single spiked Hedge Oat Grass.	138.	2.
Oat-Grass with a sparsed pannicle.	138.	3.
Small Oat-Grass without awns.	138.	4.
Oat-Grass with a yellow pannicle.	138.	5.
Great wild Oat-Grass.	119.	2.
Rough Oat-Grass with more compacted pannicles.	119.	3.
Dranke, or Oat Grass with larger and more sparse pannicles.	}	11. 4.
Common Couch Grass, or Dogs-Grass.		138. 6.
Sweet Dogs-Grass.	139.	1.
Sea-Dogs-Grass, or Couch-Grass:	139.	2.
		Knotted

Of the English Names.

Knotted Dogs-Grass.	136.	3.	
Smooth Crested Grass.	139.	4.	
Great Vernal Cyperus Grass.	139.	5.	
The greater narrow leaved Cyperus-Grass:	140.	1.	
Marsh Cyperus Grass with a divided head.	140.	2.	
Cyperus-Grass with a loose spike.	140.	3.	
Slender-leaved wood Cyperus-Grass.	140.	4.	
The greater marsh Cyperus Grass, or spiked Cyperus-Grass.	140.	5.	
Narrow-leaved Cyperus-Grass with small panicles.	141.	1.	
Flea-Grass.	141.	2.	
Small hard-Grass.	141.	3.	
Common hairy wood-Grass	141.	4.	750
Rush-Grass with pointed leaves.	141.	5.	
Toad Grass.	142.	1.	
Rush-Grass with round seed vessels.	142.	2.	
Arrow-headed-Grass.	142.	3.	
Sea spiked-Grass.	142.	4.	
Capons-tail-Grass.	142.	5.	
Hedge hog-Grass.	142.	6.	
Panick Grass with a divided spike.	143.	1.	
The greater Meadow Grass.	143.	2.	
The lesser Meadow Grass	143.	3.	760
Meadow-Grass with harder sparsed panicles.	143.	4.	
Soft tufted Meadow Grass	143.	5.	
Vernal Grass with a soft loose spike.	143.	6.	
Painted-Grass, or Ladies-laces.	144.	1.	
Grass of Parnassus.	144.	2.	
Rice-Grass.	144.	3.	
Feather Grass.	144.	5.	
Cotton Grass.	144.	6.	
Quaking Grass.	145.	1.	
The greatest white Spanish Quakers, or Pearle- Grass.	145.	2.	770
The greatest Cats-tail-Grass.	145.	3.	
Common GROUND-PINE.	80.	4.	
	Common		

The Table

Common GROUNDSEL.	317.	2.
Cotton G <i>annuel</i> , or <i>stinking</i> Groundsel.	317.	3.
Common CROM'L.	203.	1.
The smaller creeping Gromil.	203.	2.

H.

F <i>Engl:ish</i> HARES BELS, or <i>Spanish</i> Jacinth.	159.	3.
White Engl:ish Hares-bell.	160.	1.
Blush fl <i>w:ed</i> Engl:ish Hares bell.	160.	2.
Great large braded HARES FOOT.	340.	2.
The great Hares foot-Trefoil.	340.	3.
Hares foot, or Hares-foot Trefoil.	340.	4.
Common HARES TONGUE.	201.	6.
Jagged, or Fingered Hares-tongue.	202.	1.
French HAVER GRASS.	10.	5.
Blush Garden Succory-like HAWKE-WEED.	152.	3.
Starry headed Hawke-weed.	152.	6.
Yellow Succory like Hawke-weed.	153.	1.
Unbranched smooth Hawke-weed with Dandelion leaves.	153.	2.
Long-rooted Hawke-weed.	153.	3.
Yellow Devils-bit, or Hawke-weed with bitten roots.	153.	4.
Small-leaved Succory-leaved Hawke-weed, smelling of the Beaver-stone.	153.	5.
Long small-stalked Hawke-weed.	154.	1.
The smoother broad leaved bushy Hawke-weed.	154.	5.
Narrow-leaved Bushy Hawke-weed.	155.	1.
Bushy Hawke-weed with rough broad leaves.	155.	2.
The lesser Bushy Hawke-weed.	155.	3.
Berry-bearing HEATH.	109.	7.
Common Heath.	110.	1.
Common rough-leaved Heath.	110.	2.
Fine-leaved Heath.	110.	3.
Low-Dutch Heath, or Broom-Heath.	110.	4.
True black HELLEBORE, or Christmas-flower.	150.	2.

Great

Of the English Names.

Great bastard black Hellebore, or Bears-foot.	150.	3:
Wild bastard black Hellebore.	150.	4.
Early white Hellebore with dark red flowers.	150.	5.
Common white Hellebore.	151.	1.
Common bastard, or wild white Hellebore.	151.	2.
The greater purging Sanicle-like Hellebore.	151.	3.
Common HEMLO. K.	84.	5.
The lesser Hemlock, or Fools-Parsley.	85.	1.
The greatest Hemlock, or Hartwort of Peloponesus.	85.	2.
HEMP, male and female.	65.	1.
Bastard Hemp.	363.	1.
Bastard Hemp with white flowers.	363.	2.
Bastard Hemp with large yellow flowers with purple lips, or fair-flowered Nettle-Hemp.	363.	3.
Common black HENBANE.	163.	3.
White Henbane.	163.	4.
Yellow Henbane of Candy.	163.	5.
Great HENBIT.	182.	1.
HERB. Christopher, or Berry-bearing Aconite.	8.	5.
Herb Gerard, Gou-wort, or Ashweed.	28.	3.
Fennel-leaved Herb Frankincense.	60.	1.
Herb Frankincense with Sow-fennel leaves, and smooth furrowed seed.	60.	2.
Herb Frankincense with broad leaves.	194.	2.
The lesser French broad leaved Herb Frankincense.	194.	3.
Columnine-leaved, Herb Frankincense.	194.	4.
Herb Mastick.	229.	6.
Herb Robert.	133.	2.
Herb Robert with white flowers.	133.	3.
Herb true love or One-berry.	322.	1.
Single HOLLYHOCKS, of many several colours.	220.	4.

Double

The Table

Double Hollibocks, of many several colours.	221.	1.
Jagged-Strange Hollibock.	221.	2.
The common HOLLY-TREE.	170.	3.
Guilded, or striped Holly.	170.	4.
Sea-Holly, See ERINGO.		
HOLLOW-ROOT with purple flowers.	125.	4.
The white Hollow-root.	125.	5.
Long-codded HONESTY, or white Satine flower.	359.	1.
Honesty, or white Satine flower with round cods.	359.	2.
HONE-WORT.	317.	1.
Common wild HONY-SUCKLE.	265.	6.
Italian Hony-suckle, or double, or thorrow- leaved Hony-suckle.	266.	1.
Late-flowering red thorrow-leaved Hony-suckle.	266.	2.
Black-berried upright-Hony-suckle.	77.	2.
Red-berried upright-Hony-suckle.	77.	3.
French Hony-suckle.	249.	4.
White-flowered French Hony-suckle.	250.	1.
Yellow-flowered HONY-WORT.	76.	4.
Great Hony-wort.	76.	5.
HONS, male and female.	208.	2.
Black or stinking HORE-HOUND.	223.	1.
Black French Hore-bound with long leaves.	223.	2.
Common white Hore-bound.	223.	3.
Sweet Candy-Hore-bound.	223.	4.
Strange Hore bound of Alepo with long stalked seed vessels.	223.	5.
Common water, or Marsh-Hore-bound.	222.	5.
water Hore-bound with smaller-cut leaves.	222.	6.
Base-Hore-bound.	225.	5.
The HORN BEAM-TREE.	69.	1.
Common HORSE-TAIL.	109.	1.
Naked Horse-tail.	109.	2.
Wood-Horse-tail.	109.	3.
The greater marsh Horse-tail.	109.	4.
Female Horse-tail.	109.	5.
		Stink-

Of the English Names.

<i>Stinking water-Horse-tail.</i>	109. 6.
HOR E TONGUE , or <i>Tongue upon Tongue.</i>	190. 4.
HOU E-LEEK See SEN GREEN.	
Common HOUNDS TONGUE.	99. 7.
<i>White-flowered Hounds-tongue.</i>	100. 1.
<i>Ever-green Hounds-tongue.</i>	100. 2. 070
<i>Small Hounds tongue with blew flowers.</i>	100. 3.
<i>Narrow-leaved Hounds-tongue of Candy.</i>	100. 4.
The HUMBLE PLANT.	365. 4.
Common blew-flowered HYSSOPE.	165. 1.
<i>White-flowered Hyssop.</i>	165. 2.
<i>Red-flowered Hyssop.</i>	165. 3.
<i>Partly-coloured Hyssop.</i>	165. 4.
<i>Hairy-Hyssop.</i>	165. 5.
<i>Narrow-leaved Spiked Hyssop.</i>	165. 6.
<i>Hedge-Hyssop.</i>	145. 4.

I.

T He great purple fair-haired JACINTH.	157. 5.
<i>The great white fair-haired Jacinth.</i>	158. 1.
<i>The fair Curled hair-Jacinth.</i>	158. 2.
<i>The fair-haired branched Jacinth.</i>	158. 3.
<i>The greater Spanish Be-flowered Jacinth.</i>	160. 3.
<i>Spanish Bel-flowered Jacinth with wider flowers.</i>	160. 4.
<i>The purple Oriental Jacinth.</i>	160. 5.
<i>The pale-blew Oriental Jacinth.</i>	160. 6.
<i>The deep-blew Oriental Jacinth.</i>	160. 7.
<i>The white Oriental Jacinth.</i>	160. 8. 090
<i>The blush Oriental Jacinth.</i>	160. 9.
<i>The bleak Oriental Jacinth, once double.</i>	160. 10.
<i>The greatest Oriental Jacinth, or Zamboul Indi.</i>	365. 5.
<i>The great white Oriental Jacinth.</i>	365. 6.
<i>The little Summer Oriental Jacinth.</i>	161. 1.
<i>The common blew Starry Jacinth.</i>	161. 2.
<i>The early blew Starry Jacinth.</i>	161. 3.
<i>The early white starry Jacinth.</i>	161. 4.
<i>The ash-coloured starry Jacinth.</i>	161. 5.
<i>The</i>	

The Table

<i>The flarry Jacinth of Turky with the black root.</i>	162.	1.	900
<i>One-leaved flarry Jacinth from Portugal.</i>	162.	2.	
<i>The great Spanish flarry Jacinth, or of Peru.</i>	162.	3.	
<i>The blew Lilly-leaved flarry Jacinth.</i>	163.	1.	
<i>The white Lilly leaved Jacinth.</i>	163.	2.	
SAINT JAMES-WORT. See RAGWORT.			
<i>Common white JASMINE.</i>	169.	1.	
<i>Common yellow Jasmine.</i>	169.	2.	
<i>Virginian Jasmine.</i>	169.	3.	
<i>The blew Persian Jasmine, or Pipe-Tree with cut leaves.</i>	169.	4.	
<i>The blew Persian Jasmine with uncut leaves.</i>	169.	5.	
Common IMPERIAL-CROWN.	199.	1.	
<i>Double Imperial-Crown.</i>	199.	2.	
<i>The yellow Crown-Imperial.</i>	199.	3.	
<i>Striped yellow Crown-Imperial.</i>	199.	4.	
JOBS-TEARS.	202.	6.	
Common SAINT JOHNS-WORT.	164.	1.	
<i>Small creeping Saint-Johns-wort.</i>	164.	2.	
<i>woolly Saint-Johns-wort.</i>	164.	3.	
<i>Small upright Saint Johns-wort.</i>	164.	4.	
<i>Tree, or shrub Saint-Johns-wort.</i>	164.	6.	
Common IRON-WORT.	318.	3.	
<i>Narrow-leaved A heal, or Iron-wort.</i>	318.	4.	920
<i>Iron-wort with Germander-Chickweed leaves.</i>	318.	5.	
<i>The supposed Indian JUCCA, or the root whereof the bread Casava, or Cazava is made.</i>	364.	2.	
JUDAS-TREE.	318.	7.	
Berry-bearing IVIE.	148.	1.	
<i>Barren or creeping Ivis.</i>	148.	2.	
Ground-Ivis.	148.	3.	
<i>Three-leaved Ivis of Virginia.</i>	148.	4.	
<i>Five-leaved Ivis of Virginia.</i>	148.	5.	
Common JUNIPER.	177.	2.	
<i>Low-mountain Juniper.</i>	177.	3.	

Of the English Names.

K.

Black KNAPWEED.

B Common Knapweed with white flowers
Ever-green Knapweed of Portugal.

Cut-leaved Knapweed.

The purple mountain thorny-headed Knapweed.

The Spanish Sea Knapweed.

Yellow Knapweed with prickly heads.

Prickly glob-headed Knapweed of Tangier.

Pine Apple-headed Knapweed.

Silver Knapweed with purple flowers.

Silver-Knap-weed with white flowers.

The greater Silver Knapweed of Austria.

Little Silver-Knapweed.

Common KNOT-GRASS.

White mountain Knot-grass.

German Knot grass, or Krawel.

165. 1.

166. 2.

166. 3.

166. 4.

166. 5.

167. 1.

167. 2.

157. 3.

167. 4.

3.6. 2.

3.6. 3.

326. 4.

326. 5.

276. 3.

276. 4.

276. 5.

L.

White LADIES BED-STRAW:

Yellow Ladies bed-straw.

Single blew. LADIES BOWER.

LADIES-MANTLE.

Silver-leaved To mentil, or rather Satin-leaved

Cinque-foil Ladies Mantle

LADIES SLIPPER.

LADIES SMOCKS, or Cuckow-flowers.

Ladies smocks with white flowers.

Impatient Ladies smocks, or Cuckow-flower.

The other impatient Ladies-smock.

Triple LADIES-TRACES.

LAMB LETTUCE, or Corn-Sallad.

LANGUE-DE-BOEUF, or yellow Bugloss.

Great Arabian Langue-de-boeuf with cut leaves.

126. 4.

127. 1.

86. 6.

13. 2.

13. 3.

61. 4.

243. 1.

243. 2.

243. 3.

244. 2.

251. 5.

349. 7.

152. 4.

152. 5.

The

The Table

The LARCH TREE.	186.	I.
LARKS-HEELS of several colours.	91.	8.
French LASER WORT.	86.	2.
<i>Broader-leaved Laserwort with curled rough seed-films.</i>	186.	3.
Broad-leaved LAVENDER.	188.	5.
<i>Small Lavender-spike.</i>	189.	I.
<i>Ordinary French Lavender, or Stikadoye.</i>	327.	I.
SEA-LAVENDER.	200.	4.
<i>Small Sea-Lavender.</i>	201.	I.
LAVENDER COTTON.	I.	4.
<i>Fine Lavender-cotton with Heath-leaves.</i>	I.	5.
<i>Rosemary-leaved Lavender-cotton.</i>	I.	6.
LAUREL of Alexandria.	190.	3.
<i>Spruce Laurel.</i>	189.	2.
Common LEEKS.	277.	7.
<i>A Leek with party-coloured leaves, like Ladies-lace.</i>	278.	I.
Common LENTILES.	190.	5.
Great LEOPARDS-BANE.	105.	2.
<i>The lesser Leopards-bane.</i>	105.	3.
<i>Great American Leopards-bane.</i>	105.	4.
<i>Small American Leopards-bane with dark- green leaves.</i>	105.	5.
Garden LETTUCE.	179.	I.
<i>Red Lettuce.</i>	179.	2.
<i>Roman Lettuce.</i>	179.	3.
<i>Common Cabbage-Lettuce.</i>	179.	4.
<i>Lombard-Lettuce.</i>	180.	I.
<i>Curled-Lettuce.</i>	180.	2.
<i>Curled-Endive-Lettuce.</i>	180.	3.
<i>Cut-leaved wild Lettuce.</i>	180.	4.
<i>Strong-sented wild-Lettuce.</i>	180.	5.
<i>Mountain-Lettuce with purple flowers.</i>	180.	6.
Common white LILLY.	196.	3.
<i>The double white Lilly without smell.</i>	196.	4.
		Gold

Of the English Names.

Gold-red Lilly.	196.	5 ⁱ
The greatest bulbed red Lilly.	196.	6.
The Dwarfed bulbed Lilly.	197.	1.
The lesser mountain Lilly.	197.	2.
The Persian Lilly.	199.	5.
The yellow Day-Lilly.	199.	6. 1000
The gold-red Day-Lilly.	200.	1.
The white-flowered Lilly of the valey.	200.	2.
Red flowered Lilly of the valey.	200.	3.
The great white water-Lilly.	246.	5.
The great yellow water-Lilly.	247.	1.
The lesser yellow water-Lilly with fringed flowers.	247.	2.
The least water-Lilly, or Frog-bit.	247.	3.
The common Female LIME, Lin, or Linden-tree.	335.	4.
Small-leaved Lime-tree.	335.	5.
Common LIQUORICE.	134.	3.
Wild Liquorice, or Liquorice-vetch.	134.	4.
Common Ground LIVERWORT.	195.	1.
Small Liverwort with crumpled leaves.	195.	2.
Starry headed Liverwort.	195.	3.
Round-headed Liverwort.	195.	4.
Ash-coloured Ground Liverwort.	195.	5.
Single blew-flowered Noble Liverwort.	345.	3.
Noble Liverwort with single white flowers.	345.	4.
Noble Liverwort with single red flowers.	345.	5.
Double-blew Noble Liverwort.	345.	1. 1020
Double-red Noble Liverwort.	346.	2.
Common yellow LOOSE-STRIFE.	214.	3.
The lesser hairy coddled Loose-strife.	215.	1.
The greater Smooth-leaved coddled Loose strife.	215.	2.
Purple spiked Loose-strife.	216.	3.
Three-leaved purple spiked Loose-strife with six square stalks.	216.	4.
Blew spiked Loose-strife.	217.	1.
See WILLOW-HERBE.		
Common LOVAGE.	195.	6.

The Table

Spotted LUNGWORT.	328.	
French or Golden Lungwort.	154.	2. 103
Long stalked French Lungwort.	154.	3.
French Lungwort with smoother and more cut leaves.	154.	4.
White LUPINS.	207.	3.
Great blew Lupins.	207.	4.
Small blew Lupins.	207.	5.
Yellow Lupins.	208.	1.

M.

Common Madder.	299.	3.
A lesser kind of Madder from St. Vincents Rock.	299.	4.
Narrow-leaved crosswort Madder.	299.	5.
Small creeping Fiela-Madder.	299.	6.
Narrow-leaved spiked Madder.	300.	1.
Small mountain Bastard Madder.	126.	5.
Galen his MADWORT.	20.	1.
Horned MAIDEN-HAIR.	9.	2.
White Stone Fern, or Maiden-hair.	9.	4.
Common black Maiden hair.	9.	5.
English Maiden hair.	339.	2.
Great Golden Maiden hair, or Goldilocks.	10.	1.
Little Goldilocks, or Golden Maiden-hair.	10.	2.
Dwarfe broad-leaved Goldilocks, or Golden Maiden-hair.	10.	3. 103
Small wild MALLOW, or Dwarfe-Mallow.	218.	4.
Common Mallow.	218.	5.
Common Mallow with white flowers.	219.	1.
The Spanish blush Mallow.	219.	2.
Crisped, or curled Mallow.	219.	3.
The Spanish Mallow, or Summer Mallow.	219.	4.
Small annual round-leaved Mallow, with very small white flowers, and seeds going round about the joynts of the stalks, and sticking closely to them.	220.	1.

The

Of the English Names.

<i>The Tree-Mallow, or Venice Sea-Tree-Mallow.</i>	220.	2.
<i>English Sea-Tree-Mallow.</i>	220.	3.
<i>Vervain-Mallow.</i>	11.	4. 1060
<i>White-flowered Vervain-Mallow.</i>	11.	5.
<i>Vervain-Mallow with rough husks.</i>	11.	6.
<i>Shrub-Mallow with white or purple flowers.</i>	12.	1.
<i>Venice Mallow, or Goodnight at noon.</i>	12.	2.
<i>A kind of Venice Mallow from the Cape of good Hope.</i>	12.	3.
<i>Egyptian Mallow.</i>	12.	4.
<i>Small hairy rough Vervain-Mallow.</i>	12.	5.
<i>Great Vervain-Mallow with pale purple flowers.</i>	13.	1.
<i>Common Marsh-Mallow.</i>	19.	2.
<i>Rounder-leaved Marsh-Mallow.</i>	19.	3.
<i>Tree Marsh-Mallow of France.</i>	19.	4.
<i>Yellow Marsh-Mallow.</i>	19.	5.
<i>The male MANDRAKE.</i>	222.	1.
<i>The female Mandrake.</i>	222.	2.
<i>The great MAPLE.</i>	5.	3.
<i>The great Maple with fine stript leaves.</i>	5.	4.
<i>The great Maple with sharp pointed and small-cut leaves.</i>	5.	5.
<i>The lesser Maple.</i>	6.	1.
<i>Single MARIEGOLD.</i>	61.	5.
<i>Double Mariegold.</i>	62.	1. 1000
<i>Childing Mariegold.</i>	62.	2.
<i>Small wild Mariegold.</i>	62.	3.
<i>Single Marsh-Mariegold.</i>	62.	4.
<i>Double Marsh-Mariegold.</i>	62.	5.
<i>Corn-Mariegold.</i>	82.	4.
<i>Candy-Corn-Mariegold.</i>	83.	1.
<i>Party-coloured Candy-Corn-Mariegold.</i>	83.	2.
<i>Clusius his Corn-Mariegold of Valentia.</i>	83.	3.
<i>Broad-leaved Corn-Mariegold of Tangiers.</i>	83.	4.
<i>Low naked Corn-Mariegold of Africa.</i>	83.	5.
<i>The great double African Mariegold.</i>	329.	4.
D d 2		The

The Table

<i>The great single French or African Marigold.</i>	330.	1.
<i>The lesser single African Marigold.</i>	330.	2.
<i>The lesser double African Marigold.</i>	330.	3.
<i>The single hollow African Marigold.</i>	330.	4.
<i>Double hollow African Marigold.</i>	331.	1.
Ordinary sweet MARJORAM.	218.	1.
<i>Yellow or gilded Marjoram.</i>	218.	2.
<i>Pot Marjoram.</i>	218.	3.
<i>wild or Field-Marjoram.</i>	253.	2. (1)
<i>wild Marjoram with party-coloured leaves.</i>	253.	3.
The MARTAGON Imperial.	197.	3.
<i>The white Martagon without spots.</i>	197.	4.
<i>The white spotted Martagon.</i>	197.	7.
<i>The red Martagon of Constantinople.</i>	198.	1.
<i>The light red Bizantine Lilly, or Martagon.</i>	198.	2.
<i>The early red Martagon or, Martagon Pompony.</i>	198.	3.
<i>The yellow spotted Martagon.</i>	198.	4.
MASTERWORT, or bastard Pellitory of Spain.	170.	5.
<i>Scottish Sea-Masterwort.</i>	366.	1.
English Sea-MATWEED, or Marram.	144.	4.
Sweet MAUDLIN.	11.	2.
MAY WEED, or Dogs Cammomile.	79.	6.
<i>Double-flowered May-weed.</i>	79.	7.
<i>Stinking May-weed.</i>	79.	8.
MEADOW SWEET, or Queen of the Meadow.	45.	2.
<i>The greater Meadow-sweet.</i>	45.	3.
<i>The great smooth MEDICA turned like a Tun.</i>	342.	5.
<i>The thorny Tun-like Medica.</i>	343.	1.
<i>Yellow Medick with flat wreathed eods.</i>	344.	4.
See CLAVER. and TREFOIL.		
The common MEDLAR TREE.	229.	2.
<i>The Medlar of Naples.</i>	229.	3.
<i>Dwarfed Medlar.</i>	80.	1.
Common MEILOTE.	225.	1.
<i>Great white flowering Melilote.</i>	225.	2.
<i>Italian Melilote.</i>	225.	3.
<i>Melilote</i>		

Of the English Names.

	<i>Melilote with longer cods.</i>	225.	4.
	<i>Small yellow Melilote with lesser flowers and seeds set in a thick spike.</i>	226.	1.
	Common MELONS.	226.	5.
	Male French-MERCURY.	228.	5.
	<i>Female French Mercury.</i>	228.	6.
	<i>Male Dogs-Mercury.</i>	228.	7.
	<i>Female Dogs-Mercury.</i>	229.	1.
	<i>Common English Mercury.</i>	185.	2.
	MERVAİL OF PERU.	323.	1.
	<i>The common MEZEREON TREE.</i>	189.	3.
	<i>The Mezereon with deeper coloured flowers.</i>	189.	4.
	<i>The white-flowered Mezereon.</i>	189.	5.
	<i>The Mezereon with stript leaves.</i>	189.	6.
	Common MILFOIL, or Yarrow.	230.	6.
	<i>Purple-flowered Milfoil, or Yarrow.</i>	231.	1.
	<i>Great purple Milfoil, or Yarrow.</i>	231.	2.
	<i>The greatest white-flowered Yarrow, or Milfoil.</i>	231.	3.
	<i>Achilles Milfoil.</i>	231.	4.
	<i>Yellow Yarrow, or Milfoil.</i>	231.	5.
	<i>Water Violet, or Milfoil.</i>	231.	6.
	<i>Small water-Milfoil.</i>	232.	1.
	<i>Feathered water-Milfoil.</i>	232.	2.
	<i>Hooded water-Milfoil.</i>	232.	3.
	<i>Crow foot-water-Milfoil.</i>	232.	4.
	Blew MILK-WORT.	275.	1.
	<i>Red Milk-wort.</i>	275.	2.
	<i>White Milk-wort.</i>	275.	3.
	<i>Sea-Milk-wort, or black Saltwort.</i>	134.	2.
	<i>Clusus has Spanish Milkwort.</i>	83.	7.
	Common white MILLET.	230.	3.
	<i>Black Millet.</i>	230.	4.
	<i>Turky Millet.</i>	230.	5.
	Heart-MINT, or Spear-Mint.	226.	7.
	<i>Red or brown Mint.</i>	227.	1.
	<i>Crosse-Mint.</i>	227.	2.
			<i>Curled</i>

The Table

<i>Curled-Mint.</i>	227.	3.
<i>Water-Mint.</i>	227.	4.
<i>Long-leaved Horse-Mint.</i>	227.	5.
<i>Round-leaved Horse-Mint.</i>	227.	6.
<i>Clusius his knobbed Wild-Mint</i>	228.	1.
<i>Hungarian Wild-Mint.</i>	228.	2.
<i>The greatest Cat-Mint.</i>	228.	3.
<i>The lesser Cat-Mint.</i>	228.	4.
<i>wild Mint of America.</i>	253.	4.
<i>Broad-leaved yellow MOLY.</i>	232.	5.
<i>Dioscorides his Moly, or narrow-leaved white-flowered Moly.</i>	233.	1.
<i>Dioscorides his Moly with blush flowers.</i>	233.	2.
<i>The Spanish silver cupped Moly.</i>	233.	3.
<i>The late Pine-Apple Moly.</i>	233.	4.
<i>Homers Moly.</i>	233.	5.
<i>The second mountain-Moly.</i>	15.	3.
MONEY-WORT, or Herbe-two-pence.	246.	1.
<i>Small purple-flowered Money-wort.</i>	246.	2.
<i>Great blew MONKS-HOOD, or Helmet-flower.</i>	8.	2.
<i>Partly-coloured Monks-hood.</i>	8.	3.
<i>The wholesome Monks-hood, or Helmet-flower.</i>	8.	4.
Small MOON=WORT.	208.	3.
<i>Club-MOSSE, or Wolves-Clawes.</i>	234.	2.
<i>Cypresse-Mosse, or Heath=Cypresse.</i>	234.	3.
<i>upright Firr=Mosse.</i>	234.	4.
<i>Cup, or Chalice=Mosse.</i>	234.	5.
<i>The lesser Earth=Mosse, with heads like Golden Maiden=hair.</i>	234.	6.
Common MOTHERWORT.	222.	3.
<i>Motherwort with fine curled leaves.</i>	222.	4.
<i>Yellow MOTH=MULLEN with long cut leaves.</i>	50.	2.
<i>White-flowered Moth=Mullen.</i>	50.	3.
<i>Purple Moth=Mullen.</i>	50.	4.
<i>Moth=Mullen of an overworn blew colour.</i>	50.	5.
<i>Iron=coloured Moth=Mullen.</i>	51.	1.
<i>Common</i>		

Of the English Names.

Common MOUSEAR.	269.	6.
Golden Mousear.	270.	1.
Mousear with a large white flower.	44.	1.
Fair-flowered Mousear with very narrow leaves.	44.	2.
MOUS-TAIL.	155.	5.
Common MUGWORT.	35.	4.
The black MULBERRY-TREE.	234.	1.
White MULLEN.	350.	1.
Common black Mullen.	350.	2.
Sage leaved Mullen.	350.	3.
Common MUSTARD.	319.	1.
The creeping coddled Arabian-Mustard.	105.	6.
Yellow Arabian-Mustard.	106.	1.
Common Arabian-Mustard.	106.	2.
Common Hedge-Mustard, or Banke-Cresses.	113.	3.
Broad leaved Hedge-Mustard of Naples.	113.	4.
Narrow-leaved Hedge Mustard of Naples.	113.	5.
True Hedge-Mustard, or Italian Banke-Cresses.	114.	1.
Hairy Hedge Mustard with uncut leaves.	114.	2.
Treacle-Mustard.	333.	3.
Mitridate-Mustard.	333.	4.
Variable flowered Mustard.	334.	1.
Mompeliets umbelliferous Mustard.	334.	2.
Thorny Treacle Mustard.	334.	3.
Hairy Treacle Mustard of Machlin.	334.	4.
Spur flowered Buckler-Mustard.	334.	5.
Yellow field Treacle-Mustard.	335.	1.
Towers-Mustard.	55.	1.
Clusius his second Towers-Mustard.	54.	6.
MYRRHE. See CHERVIL and CILELY.		

N.

N AILWORT, or whitelow Grass.	53.	5.
Great Nailwort, or Coddled Mousear.	59.	1.
Rue-whitelow-grass, or Nailwort.	316.	7.
One Summers NAVELWORT.	19.	1.
	Hairie	

The Table

Hairy Kidneywort, or Navel-wort.	95.	5.
Navelwort, wal-Pennywort, or Kidneywort.	95.	6.
wild NAVEW.	366.	3.
Common NETTLE.	362.	4.
Small stinging-Nettle.	362.	5.
Roman Nettle.	362.	6.
Roman Nettle with leaves like Pellitory of the wal.	362.	7.
Hedge-Nettle.	182.	2.
Hungarian Dead-Nettle.	182.	3.
The Nettle tree.	204.	2.
Field NIGELLA.	245.	3.
Spanish Nigella.	245.	4.
Double blew Nigella, or the Fennel-flower.	245.	5.
Common NIGHTSHADE.	320.	7.
Deadly Nightshade.	321.	2.
Tree-Nightshade.	321.	3.
Enchanters Nightshade.	323.	2.
NIPPLEWORT.	324.	3.
The Filberd NUT.	95.	3.
Common Hazel-Nut.	95.	4.

O.

T He common OAKE TREE.	282.	2.
The scarlet Holme-Oake, or Evergreen Oake.	170.	2.
Oake of Jerusalem.	51.	6.
Indian Oake of Jerusalem.	52.	1.
White OATs.	43.	3.
Black Oats.	43.	4.
Naked Oats.	43.	5.
Bearded wild Oats, or Haver.	119.	5.
The bastard, or two wild OLIVE.	249.	2.
The common ONYON.	60.	3.
The File ORCHIS.	251.	3.
Red handed Orchis with long spurs.	252.	4.
See SATYRION and FOOLS-STONES.		
Common ORPINE.	331.	3.

_Small

Of the English Names.

<i>Small creeping Evergreen</i> ORPINE.	331.	4.
<i>Imperatus of Naples his true Orpine.</i>	331.	5.
The OSIER.	302.	7.
Common OX-EYE	57.	4.
<i>Cammomile-leaved Ox-eye.</i>	58.	1.
<i>Ox-eye with purplish flowers.</i>	58.	2.
Single OX LIPS.	351.	4.
<i>Double Ox-lips, hose in-hose.</i>	352.	1.
<i>Purple-flowered Ox-lips, hose-in-hose.</i>	352.	2.

P.

T He ordinary PALMA CHRISTI, or great Spurge.	292.	2.
Ordinary PANICK.	258.	2.
PANSIES, or Hearts-ease.	358.	3.
<i>Wild Pansies.</i>	358.	2.
<i>Pansies with a large yellow flower.</i>	358.	4.
Garden PARSLEY.	31.	6.
<i>Great Virginian Parsley.</i>	32.	1.
<i>Curled Parsley.</i>	32.	2.
<i>Long-leaved strange Parsley.</i>	32.	3.
<i>Hedge-Parsley.</i>	73.	5.
<i>Small Corn-Parsley.</i>	73.	6.
<i>Purple flowered great bastard Parsley.</i>	73.	7.
<i>Knotted Hedge Parsley.</i>	74.	1.
<i>Carrot-Parsley of Langiers.</i>	74.	2.
<i>Bastard Stone-Parsley.</i>	319.	3.
<i>Parsley-piert, or Parsley break stone.</i>	13.	4.
Common Garden PARSNEP.	261.	5.
<i>Long leaved water Parsnep.</i>	319.	4.
<i>Great Water Parsnep.</i>	319.	5.
<i>Common Water Parsnep.</i>	320.	1.
<i>Creeping Water-Parsnep.</i>	320.	2.
<i>The least Water-Parsnep.</i>	320.	3.
<i>Cow-Parsnep.</i>	325.	3.
The purple PASQUE-FLOWER.	280.	7.

The

The Table

<i>The Common PEACH-TREE.</i>	221.	6.
<i>The PEAR-TREE.</i>	281.	3.
<i>Rouncival-PEASE.</i>	271.	7.
<i>Rose-Pease, or Tasted or Scottish Pease.</i>	272.	1.
<i>Egg-Pease.</i>	272.	2.
<i>sugar-Pease.</i>	272.	3.
<i>Field-Pease.</i>	272.	4.
<i>White winged wild Pease.</i>	248.	1.
<i>The bladder Heart-like spotted Pease.</i>	272.	5.
<i>Everlasting-Pease.</i>	186.	5.
<i>Square-codded Pease.</i>	205.	1.
<i>Wood-Pease, or Heath Pease.</i>	40.	4.
<i>PELLITORY of the wall.</i>	261.	4.
<i>Common PENNY-ROYAL.</i>	280.	5.
<i>Hart-Penny-royal.</i>	280.	6.
<i>Marsh PENNYWORT.</i>	287.	5.
<i>The male PEONY.</i>	257.	1.
<i>The single female Peony.</i>	257.	2.
<i>The great double female Peony.</i>	257.	3.
<i>The double bluish Peony.</i>	257.	4.
<i>Great PEREWINKLE.</i>	87.	3.
<i>Small Perewinkle.</i>	87.	4.
<i>Small Perewinkle with a white flower.</i>	87.	5.
<i>The lesser Perewinkle, with deep purple double flowers.</i>	88.	1.
<i>Small Perewinkle with spotted leaves.</i>	88.	2.
<i>Common SAINT PETERS-WORT.</i>	164.	5.
<i>Male PIMPERNEL.</i>	22.	5.
<i>Female Pimpernel.</i>	22.	6.
<i>Female Pimpernel with white flowers.</i>	22.	7.
<i>Female Pimpernel with Iron-coloured flowers.</i>	22.	8.
<i>Yellow Pimpernel.</i>	22.	9.
<i>Sea Pimpernel.</i>	30.	2.
<i>Water Pimpernel. See BROOKLIME.</i>		
<i>The PINE TREE.</i>	271.	3.
<i>The wild Pine.</i>	271.	4.
<i>Common ground-Pine.</i>	80.	4.
<i>Garden</i>		

Of the English Names.

<i>Garden PINKS of divers kinds and colours.</i>	70.	4.
<i>Maiden Pinks.</i>	70.	5.
<i>Childing Pinks.</i>	70.	6.
<i>Dept-ford Pink.</i>	71.	1.
<i>Hoary Pink.</i>	72.	1.
<i>The blew PIPE-TREE, or Lilac.</i>	328.	2.
<i>The silver coloured Pipe-tree, or Lilac.</i>	328.	3.
<i>The deep purple Pipe-tree, or Lilac.</i>	328.	4.
<i>The single white Pipe-tree.</i>	328.	5.
<i>The PITCH-TREE.</i>	269.	5.
<i>The true Oriental PLANE.</i>	274.	4.
<i>The Plane of the west parts of Virginia, or the Occidental Plant,</i>	274.	5.
<i>Great PLANTAIN, or waybread.</i>	273.	1.
<i>Hoary Plantain.</i>	273.	2.
<i>Hoary Plantain with a white spike.</i>	273.	3.
<i>Rose Plantain.</i>	273.	4.
<i>Hares-foot-Plantain.</i>	273.	5.
<i>Ribwort, or lesser Plantain.</i>	273.	6.
<i>Common Sea Plantain.</i>	273.	7.
<i>Buck-horn-Plantain.</i>	95.	2.
<i>Great water Plantain.</i>	274.	1.
<i>The lesser water-Plantain, or Dwarfse water Plantain.</i>	274.	2.
<i>Starry-headed water-Plantain.</i>	274.	3.
<i>The PLUM-TREE,</i>	279.	5.
<i>Ordinary POLEY-MOUNTAIN.</i>	274.	6.
<i>White Poley mountain.</i>	274.	7.
<i>Common POLY ODY.</i>	277.	2.
<i>The POMEGRANATE-TREE.</i>	221.	7.
<i>The greater wild or double-bloßomed Pomgranate-tree</i>	221.	8.
<i>The great long POMPION.</i>	265.	2.
<i>Great round Pompion.</i>	265.	3.
<i>Narrow-leaved PONDEWEED.</i>	278.	6.
<i>Long-leaved shining Pondweed.</i>	279.	1.
<i>Small Pondweed, or thorow-leaved Pondweed.</i>	279.	2.
<i>Broad</i>		

The Table

<i>Broad leaved Pondweed.</i>	279.	3.
<i>The white POPLAR TREE.</i>	277.	3.
<i>The smaller leaved Poplar.</i>	277.	4.
<i>The black Poplar tree.</i>	277.	5.
<i>Single white Garden-POPPIE.</i>	258.	3.
<i>Single black Garden Poppie.</i>	258.	4.
<i>White Jagged Poppie.</i>	258.	5.
<i>Red Jagged Poppie.</i>	259.	1.
<i>Red Jagged Poppie with a purple bottom.</i>	259.	2.
<i>Double purple flowered Poppie.</i>	259.	3.
<i>Double scarlet coloured Poppie.</i>	259.	4.
<i>Double silver coloured Poppie.</i>	259.	5.
<i>Double white Poppie.</i>	259.	6.
<i>Double red or blush Poppies.</i>	259.	7.
<i>Double incarnate Poppies.</i>	260.	1.
<i>Double Jagged finely-stript Poppies.</i>	260.	2.
<i>Corn Poppie, or Corn-Rose.</i>	260.	3.
<i>Corn-Poppie with white bottoms.</i>	260.	4.
<i>Flesh coloured Corn Poppie.</i>	260.	5.
<i>Double flowered Corn Poppie.</i>	260.	6.
<i>Thorny Poppy of America.</i>	261.	1.
<i>Yellow flowered Horned-Poppie.</i>	261.	2.
<i>Violet-coloured Horned-Poppie.</i>	261.	3.
<i>Spatling-Poppie.</i>	211.	1.
<i>Spatling-Poppie with rough leaves.</i>	211.	2.
<i>Long rough-headed Bastard Poppie.</i>	34.	1.
<i>Round rough-headed Bastard-Poppie.</i>	34.	2.
<i>Yellow wild Bastard-Poppie.</i>	34.	3.
<i>Virginian POTATO'S.</i>	322.	2.
<i>French Potato's, or Jerusalem Artichocks.</i>	149.	3.
<i>Common PRIMROSE.</i>	352.	3.
<i>The single green Primrose.</i>	352.	4.
<i>The ordinary double Primrose.</i>	352.	5.
<i>Tradescants Turkey purple Primrose.</i>	353.	1.
<i>White-flowered Turkey Primrose.</i>	353.	2.
<i>The Turkey Primrose of an over-worn colour.</i>	353.	3.

The

Of the English Names.

<i>The fine-red Turkey Primrose.</i>	353.	4.
<i>The lesser Turkey purple Primrose.</i>	353.	5.
<i>Tree-Primrose.</i>	214.	4.
<i>The lesser Tree-Primrose.</i>	214.	5.
Common PRIVET.	196.	2.
<i>The broader leaved Mock-Privet.</i>	269.	4.
<i>Ever-green Privet.</i>	11.	3.
Garden PURSLANE.	278.	3.
<i>Golden Purslane.</i>	278.	4.
<i>Wild Purslane.</i>	278.	5.
<i>Water-Purslane.</i>	16.	7.
<i>Common Sea-Purslane.</i>	147.	4.
<i>The greater outlandish, or hoary Sea-Purslane.</i>	147.	5.

Q.

T <i>He common</i> QUINCE-TREE.	221.	4.
<i>Gesner his Wild Quince.</i>	80.	2.

R.

T <i>He roulder-rooted black</i> RADISH.	288.	1.
<i>The black or pear-fashion Radish.</i>	288.	2.
<i>Common Garden Radish.</i>	288.	3.
<i>Horse-Radish.</i>	288.	4.
<i>Water-Radish.</i>	288.	5.
<i>Common Saint Jameswort, or</i> RAGWORT.	168.	1.
<i>Broad-leaved Ragwort.</i>	168.	2.
<i>Perennial Ragwort with Groundsel leaves.</i>	168.	3.
<i>Mountain Ragwort.</i>	168.	4.
<i>Sea-Ragwort.</i>	168.	5.
RAMIONS.	290.	2.
<i>Long Fox-tail-Rampions.</i>	290.	3.
<i>Rampions with Scabious heads, or hairy sheeps</i>	} 290.	4.
<i>Scabious.</i>		
RAMSONS.	14.	5.
<i>Red RASP-BERRY, or Hinde-berry.</i>	300.	4.
<i>The white Rasp-berry.</i>	300.	5.
	<i>Yellow</i>	

The Table

<i>Yellow</i> RATTLE, or Cocks-comb.	262.	5.
Red Rattle grass.	262.	6.
<i>White-flowered</i> Rattle grass.	263.	1.
Great red Rattle, or Lowsewort.	263.	2.
The common REED.	36.	3.
<i>Yellow spotted</i> Indian Reed.	36.	4.
Purple REST-HARROW without prickles.	28.	5.
<i>White-flowered</i> Rest-harrow without prickles.	28.	6.
Prickly Rest-harrow, or Cammock.	28.	7.
<i>Annual branched</i> Rest-harrow with round snapped leaves.	29.	1.
The greater yellow gentle Rest-harrow.	29.	2.
<i>Yellow annual upright rough clammy</i> Rest-harrow, with short rough codd.	29.	3.
Great red-flowered shrubby Rest-harrow.	30.	1.
Garden ROCKET.	111.	1.
Garden Rocket with deeper-cut leaves.	111.	2.
Rocket of Aleppo with hairy stalks and codd, the lower leaves spotted.	111.	3.
<i>Wild</i> Rocket.	111.	4.
<i>Daisy-leaved</i> Rocket.	111.	5.
<i>Winter</i> Rocket, or <i>winter</i> Cresses.	111.	6.
The lesser single-flowered winter Rocket, or winter Cresses.	112.	1.
Small water Rocket.	112.	2.
Prickly square-codded Rocket of Mompelien.	112.	3.
Sea-Rocket.	112.	4.
Base-Rocket.	290.	5.
Crambling-Rocket.	291.	1.
The red ROSE.	292.	4.
The Rose of the world, or the stripped red Rose.	292.	5.
The Hungarian Rose.	292.	6.
The red Province Rose.	293.	1.
The red Belgick Rose, or the Marigold Rose.	293.	2.
The double Velvet-Rose.	293.	3.
The Marble-Rose.	293.	4.

The

Of the English Names.

<i>The Frankford-Rose.</i>	293.	5.
<i>The double Cinamon-Rose.</i>	293.	6.
<i>The single Cinamon-Rose.</i>	293.	7.
<i>The common Damask Rose.</i>	293.	8.
<i>The party-coloured Rose, of some York and Lancaster</i>	294.	1.
<i>The Cristal-Rose.</i>	294.	2.
<i>The elegant variegated Damask-Rose, or Mistrefs Hearts Rose.</i>	294.	3.
<i>The great double Damask Province, or Holland Rose.</i>	294.	4.
<i>The monethly-Rose.</i>	294.	5.
<i>The blush Belgick Rose, called by some, The white Province Rose, and the Batavick Rose.</i>	295.	1.
<i>A lesser kind of the blush Belgick Rose, called Rosa Madama.</i>	295.	2.
<i>The single Yellow Rose.</i>	295.	3.
<i>The double yellow Rose.</i>	295.	4.
<i>The Vermilion Rose of Austria</i>	295.	5.
<i>The common white Rose, or English white Rose.</i>	295.	6.
<i>The greater white Rose with two range of leaves.</i>	296.	1.
<i>The lesser white Rose with two range of leaves.</i>	296.	2.
<i>The Carnation Rose, or blush-Rose.</i>	296.	3.
<i>The single musk-Rose.</i>	296.	4.
<i>The double musk-Rose.</i>	296.	5.
<i>The Spanish musk-Rose.</i>	296.	6.
<i>The great Apple-Rose.</i>	296.	7.
<i>The ordinary wild Rose, or Briar-bush.</i>	297.	1.
<i>The ordinary wild Rose, or Briar-bush with white flowers.</i>	297.	2.
<i>A Scottish wild Rose with most fragrant white flowers.</i>	297.	3.
<i>The small red Rose without prickles.</i>	297.	4.
<i>The Rose with shining leaves, perhaps the Virginian Briar-bush of Parkinson.</i>	297.	5.
<i>The Pimpinell-Rose.</i>	298.	2.
<i>The lesser Scottish Burnet, or Pimpinell-Rose with fine Stript flowers.</i>	298.	3.
		<i>An</i>

The Table

<i>An undescribed Tree-Rose.</i>	298.	4.
Common ROSEMARY.	298.	5.
<i>Gilded Rosemary.</i>	299.	1.
<i>Wild Rosemary.</i>	299.	2.
ROSE-ROOT.	291.	5.
<i>English RUBARBE.</i>	182.	5.
<i>Bastard Rubarbe, or Monks Rubarbe.</i>	183.	1.
Garden RUE.	300.	8.
<i>Afzyrian wild-Rue.</i>	301.	1.
<i>Common Goats-Rue.</i>	126.	1.
<i>White-flowered Goats-Rue.</i>	126.	2.
<i>Common great Meadow-Rue.</i>	332.	3.
<i>The lesser Meadow-Rue.</i>	332.	4.
<i>American Meadow-Rue with Columbine leaves.</i>	332.	5.
<i>Wall-Rue</i>	9.	3.
The least RUPTURE-WORT, or All-seed.	277.	1.
Common soft RUSH.	176.	3.
Common hard Rush.	176.	4.
<i>Rul-Rush, or great Water-Rush.</i>	176.	5.
<i>Club Rush, or Aglet-headed-Rush.</i>	177.	1.
RYE.	314.	1.

S.

C Common SAFFRON.	96.	2.
<i>White stript Spring-Saffron flower.</i>	96.	3.
<i>White Spring-Saffron with a purple bottom.</i>	96.	4.
<i>Yellow stript Spring-Saffron.</i>	96.	5.
<i>Gold-yellow Spring-Saffron.</i>	96.	6.
<i>Great purple Spring-Saffron.</i>	96.	7.
<i>Small purple Spring-Saffron.</i>	96.	8.
<i>Turky stript Spring-Saffron.</i>	97.	1.
<i>Blue Spring-Saffron of Naples.</i>	97.	2.
<i>Stript purple Spring-Saffron.</i>	97.	3.
<i>Bastard-Saffron.</i>	88.	6.
<i>Clusius his everlasting Bastard-Saffron.</i>	88.	7.
<i>Purple Meadow-Saffron.</i>	89.	5.
	<i>White</i>	

Of the English Names.

<i>White English Meadow-Saffron.</i>	89.	6.
<i>The party-coloured Meadow-Saffron.</i>	90.	1.
<i>Double flowered Meadow-Saffron.</i>	90.	2.
<i>The party-coloured double Meadow-Saffron.</i>	90.	3.
<i>The checkered Meadow-Saffron of Chio, or Sio.</i>	90.	4.
<i>Small Meadow-Saffron with true Saffron leaves.</i>	90.	5.
<i>Spring Meadow-Saffron.</i>	90.	6.
<i>Common SAGE.</i>	302.	8.
<i>Red Sage.</i>	303.	1.
<i>Common painted Sage, or green stript Sage.</i>	303.	2.
<i>Fine stript Sage, or red stript Sage.</i>	303.	3.
<i>Gilded Sage.</i>	303.	4.
<i>Great Sage with dented leaves.</i>	303.	5.
<i>Small Sage, or Sage of vertue.</i>	303.	6.
<i>Wormwood-Sage.</i>	303.	7.
<i>Apple bearing Sage of Candy, and Candy Sage</i>	} 303.	8.
<i>without Apples.</i>		
<i>White-flowered Sage of Candy, or Apple-</i>	} 304.	1.
<i>bearing Sage.</i>		
<i>Wood-Sage.</i>	311.	3.
<i>Common SALLOW.</i>	302.	5.
<i>Round-leaved Sallow.</i>	312.	6.
<i>See WILLOW.</i>		
SAMPIRE.	95.	7.
<i>Golden flowered Sampire.</i>	96.	1.
<i>Common SANICLE.</i>	305.	3.
<i>Spotted Sanicle.</i>	305.	4.
<i>The lesser spotted Sanicle.</i>	305.	5.
<i>Shrube-Sanicle of America.</i>	306.	4.
<i>Common humble-Bee SATYRION.</i>	251.	4.
<i>Butter-flie Satyrion</i>	252.	1.
<i>The great male handed Orchis, or Satyrion Royal.</i>	252.	2.
<i>The female handed Orchis, or female Satyrion Royal.</i>	252.	3.
<i>See ORCHIS</i>		
SAUCE-ALONE, or Jack by the Hedge.	14.	1.
<i>Common SAVINE.</i>	301.	2.

E c

Sum.

The Table

Summer SAVORY.	307.	3.
Winter Savory.	307.	4.
SAW-WORT.	318.	2.
Common white SAXIFRAGE.	307.	5.
Golden Saxifrage.	307.	6.
Golden Saxifrage with long foot=stalks.	307.	7.
Meadow=Saxifrage.	308.	1.
English marsh=Saxifrage.	308.	2.
Great Burnet=Saxifrage.	270.	2.
The lesser round-leaved Burnet=Saxifrage.	270.	3.
Small Burnet=Saxifrage.	270.	4.
Black Herb-Frankincense, or Venetian Saxifrage.	101.	2.
Common field=SCABIOUS.	308.	3.
The lesser field-Scabious.	308.	4.
White Hungarian Scabious.	308.	5.
The great mountain Scabious.	308.	6.
Red Scabious of Austria.	309.	1.
Indian Scabious with red flowers.	309.	2.
Party-coloured Indian Scabious.	309.	3.
Childing Indian Scabious.	309.	4.
White-flowered Indian Scabious from the Cape of Good-hope.	309.	5.
Great Spanish Scabious.	309.	6.
Scabious with leaves like the small wild Teasel.	309.	7.
Shrub Scabious of Candy.	310.	1.
Small Sea-Scabious.	310.	2.
Silver-leaved Scabious.	310.	3.
SCALLIONS, or Eschallotes.	60.	4.
The greater rough Caterpillers, or SCORPION- GRASSE.	311.	4.
The great Caterpillar, or Scorpion-grasse.	311.	5.
Matthiulus his Scorpion-grass.	312.	1.
The least Scorpion-grass with vetch-leaves.	312.	2.
Monsieur Scorpion-grass.	107.	2.
Small yellow flowered Scorpion=grass.	107.	3.

Water

Of the English Names.

water Scorpion-grass.	107.	4.
Common, or English Sea SCURVY=GRASS.	89.	2.
Dutch Scurvy grass.	89.	3.
The lesser round-leaved Scurvy-grass.	89.	4.
Common SELFHEAL.	55.	2.
White-flowered Self-heal.	55.	3.
Self-heal with a large bluish flower.	55.	4.
Common Bastard-SENA.	91.	2.
Scorpion-codded Bastard-Sena.	91.	3.
Sweet smelling Bastard Sena.	91.	4.
Red-flowered Bastard=Sena from the Cape of good-hope.	} 91.	5.
Common great SENGREEN, or House-leek.		315.
Candy Purflane. or Starry Sen green.	315.	2.
Yellow Prick-madam, or small House-leek, or Sen green.	} 315.	3.
Saint Vincents Sengreen.		315.
Small yellow mountain Sengreen.	316.	2.
Mountain Heath=like Sengreen with large purple-flowers.	} 316.	3.
Small marsh Sengreen.		316.
Small mountain Sengreen with jagged leaves.	316.	6.
See STONE-CROP.		
The SENSITIVE-PLANT.	365.	3.
The true SERVICE TREE.	324.	4.
Wild Service-tree, or Quicken-tree.	324.	5.
The common Service-tree.	229.	4.
SHEPHERD'S-NEEDLE, or Venus Combe.	310.	4.
The greater Shepherds needle of Candy.	310.	5.
Common SHEPHERD'S PURSE.	58.	3.
The lesser Shepherds-purse	58.	4.
Great Shepherds-purse with long priches.	59.	2.
Mountain SILER.	196.	1.
The SILVER BUSH.	45.	4.
SILVERWEED, or wild Tansie.	279.	4.
SKIRRETS.	319.	2.

The Table

<i>The SLOE-TREE.</i>	279.	6.
<i>Common SMALLAGE.</i>	32.	4.
<i>Sweet Smallage, or Seleri.</i>	32.	5.
<i>Purple SNAPDRAGON.</i>	30.	3.
<i>White-flowered Snapdragon.</i>	30.	4.
<i>Flesh-coloured Snapdragon.</i>	30.	5.
<i>The greater wild Snapdragon, or Calves-snout.</i>	31.	1.
<i>The smallest wild Snapdragon, or Calves snout.</i>	31.	2.
<i>Common SNEEZWORD.</i>	106.	4.
<i>Double-flowered Sneezwort.</i>	106.	5.
<i>Sneezwort of Austria.</i>	167.	5.
<i>Smaller Sneezwort of Spain.</i>	167.	6.
<i>SOLOMONS SEAL.</i>	275.	4.
<i>Great-flowered Solomons-Seal:</i>	275.	5.
<i>The greatest-leaved Solomons-Seal.</i>	275.	6.
<i>The great Solomons-Seal.</i>	276.	1.
<i>Narrow-leaved Solomons-Seal.</i>	276.	2.
<i>Common SOPEWORT.</i>	307.	1.
<i>Double Sopewort.</i>	307.	2.
<i>Common SORREL.</i>	6.	2.
<i>Great German Sorrel.</i>	6.	3.
<i>Barren Sorrel of Muscovie, commonly called Lazie Sorrel.</i>	6.	4.
<i>Indian Sorrel with swollen husks.</i>	6.	5.
<i>Great creeping bladder-bearing Sorrel of Tangiers with dented leaves.</i>	} 6.	6.
<i>Strange Sorrel of Naples with seed vessels representing an Ox head.</i>		
<i>Sheeps=Sorrel.</i>	7.	2.
<i>French or round=leaved Sorrel.</i>	7.	3.
<i>Round leaved creeping York-shire, and also Scots Sorrel.</i>	7.	4.
<i>Common Wood=Sorrel.</i>	345.	1.
<i>Upright Yellow Indian Wood-Sorrel.</i>	345.	2.
<i>Common SOW=BREAD.</i>	99.	1.
<i>Common Sow-bread with white flowers.</i>	99.	2.
<i>Purple-flowered Sow-bread of the Spring.</i>	99.	3.
<i>Ivie-leaved Sow-bread.</i>	99.	4.
		. Ivis

Of the English Names.

<i>Ivie=leaved Sow=bread with white flowers.</i>	99.	5.
<i>Long-rooted Sow-bread.</i>	99.	6.
Italian SOW-FENNEL.	267.	2.
<i>Common Sow-Fennel.</i>	267.	3.
Smooth SOW=THISTLE, or Harts Lettuce.	323.	5.
<i>Ivie=leaved Sow-Thistle.</i>	323.	6.
<i>The prickly Sow-Thistle.</i>	324.	1.
<i>Prickly Sow-Thistle of Candy.</i>	152.	2.
<i>Tree=Sow-Thistle.</i>	324.	2.
Common SOUTHERNWOOD.	1.	2.
<i>Great Southernwood.</i>	1.	3.
<i>Wild Southernwood.</i>	2.	1.
Great SPEARWORT.	286.	5.
<i>The lesser Spearwort.</i>	287.	1.
<i>Dented Spearwort.</i>	287.	2.
<i>The male SPEED-WEL, or Fluellen.</i>	354.	3.
<i>Little or smooth Speed-wel, Fluellen, or Pauls Betony.</i>	354.	4.
<i>Broad=leaved spiked Speed=wel.</i>	355.	1.
Small branched SPIDERWORT:	267.	4.
<i>Savoy Spiderwort.</i>	267.	5.
<i>Tradescant his Virginian Spiderwort.</i>	268.	1.
<i>White-flowered Virginian Spiderwort.</i>	268.	2.
Common SPIGNEL.	230.	2.
Common SPINAGE.	184.	6.
<i>Spinage with smooth seeds.</i>	185.	1.
The SPINDLE-TREE.	114.	3.
<i>The Virginian Spindle-tree.</i>	114.	4.
SPLEENWORT, or Milt-waste.	39.	1.
<i>Great bastard Spleenwort.</i>	203.	5.
<i>Rough Spleenwort, or common Bastard Spleenwort.</i>	204.	1.
Garden SPURGE.	186.	4.
<i>Great French wood-Spurge.</i>	335.	6.
<i>Broad-leaved Spanish Spurge.</i>	336.	1.
<i>Sun-Spurge.</i>	336.	2.
<i>Dwarfe Spurge, or narrow-leaved annual Spurge.</i>	336.	3.
<i>Broad-leaved Spurge.</i>	336.	4.

The Table

<i>Small wood-Spurge with horned flowers.</i>	336.	5.
<i>Petty Spurge.</i>	265.	1.
SPURRY.	17.	3.
<i>Purple Chickweed Spurry.</i>	17.	4.
<i>Sea Spurry.</i>	17.	5.
<i>Great SQUIL, or Sea-Onyon.</i>	310.	6.
SQUINACY-WORT.	299.	7.
<i>The common STAR OF BETHLEHEM.</i>	253.	5.
<i>Yellow Star of Bethlehem.</i>	254.	1.
<i>The greatest white Star-flower, or Star of Bethlehem</i>	254.	2.
<i>The great white spiked Star of Bethlehem.</i>	254.	3.
<i>The Star flower of Naples.</i>	254.	4.
<i>The green Star-flower, or bulbous Asphodil.</i>	255.	1.
Purple Italian STARWORT.	39.	2.
<i>Great blew Starwort of the Alps.</i>	93.	3.
<i>Broad-leaved Starwort with flowers like Sea Starwort.</i>	39.	4.
<i>The narrow-leaved late-flowering Starwort of Virginia.</i>	39.	5.
<i>Low yellow Starwort.</i>	40.	1.
<i>Willow-leaved Starwort.</i>	40.	2.
<i>Yellow creeping Starwort of Virginia.</i>	40.	3.
<i>Common Sea-Starwort.</i>	346.	4.
STAVESACRE, or Louse-wort.	326.	1.
STITCHWORT with large flowers.	72.	2.
<i>The lesser Stitchwort.</i>	72.	3.
STONE-CROP, or wal-Pepper.	315.	5.
<i>A Smaller white flowered Stone-crop.</i>	316.	3.
Common STRAWBERRIES.	122.	7.
<i>White Strawberries.</i>	123.	1.
<i>Great white Straw-berries.</i>	123.	2.
<i>Virginian Strawberries.</i>	123.	3.
<i>Barren Strawberries.</i>	123.	4.
<i>The Strawberry-tree.</i>	33.	6.
Garden SUCCORY.	84.	1.
		<i>White</i>

Of the English Names.

<i>White flowered garden Succory.</i>	84 ³	2.
<i>Yellow Succory, or rough Hawkweed with a } large flower.</i>	84.	3.
<i>Smooth Succory Hawk-weed.</i>	84.	4.
<i>Dwarfe Gum=Succory.</i>	81.	4.
<i>Blew Gum Succory.</i>	81.	5.
<i>Warted=Succory.</i>	81.	6.
<i>Gum-Succory with twig-like branches.</i>	82.	1.
<i>Strange Gum Succory.</i>	82.	2.
<i>Virginian SUMACH, or Buck-horn-tree.</i>	291.	6.
<i>Myrtle-leaved Sumach.</i>	291.	7.
<i>Round-leaved SUNDEW.</i>	292.	3.
<i>White SWALLOW-WORT.</i>	36.	6.
<i>Black Swallow-wort.</i>	36.	7.
<i>Swallow-wort with yellowish flowers.</i>	36.	8.

T.

B Road-leaved TABACCO.	245.	1.
<i>English Tabacco.</i>	245.	2.
<i>The ordinary French TAMARISK-TREE.</i>	329.	1.
<i>Common TANSIE.</i>	329.	2.
<i>Curled, or crisped Tansie.</i>	329.	3.
TARRAGON.	106.	3.
<i>Strangle-TARE, or wild Vetch.</i>	355.	5.
<i>Small wild Tare, or Tine-Tare.</i>	356.	1.
<i>Tare Everlasting.</i>	187.	1.
<i>Garden, or manured TEASEL.</i>	104.	3.
<i>The great wild Teasel, or Venus bason.</i>	104.	4.
<i>Wild Teasel with jagged leaves.</i>	104.	5.
<i>Shepherds Rod, or small wild Teasel.</i>	105.	1.
<i>Common way-THISTLE, or Creeping Thistle.</i>	65.	2.
<i>Common way-Thistle with a white flower.</i>	65.	3.
<i>The Milkie-Thistle, or our Ladies-Thistle.</i>	65.	4.
<i>Our Ladies-Thistle without spots.</i>	65.	5.
<i>The small Spanish Milk-Thistle.</i>	65.	6.
<i>The greater Glob-Thistle.</i>	66.	1.
		The

The Table

The lesser Glob-Thistle.	66.	2.
Wooly-headed Thistle, or Friars-crown.	66.	3.
Thistle with a bending head.	66.	4.
Thistle upon Thistle.	66.	5.
welted Thistle with small flowers.	67.	1.
The Marsh-Thistle.	67.	2.
Marsh-Thistle with white flowers.	67.	3.
The Spear-Thistle.	67.	4.
Great Spear-Thistle with longer prickles.*	67.	5.
Broad-leaved field-Thistle.	67.	6.
The French bulbed-Thistle.	67.	7.
The Star-Thistle.	68.	1.
Saint Barnabies-Thistle.	68.	2.
Saint Barnabies-Thistle with less prickly heads.	68.	3.
Star-Thistle with stock-Giliflower-leaves.	68.	4.
The low Carlin-Thistle.	68.	5.
Tall Carlin-Thistle.	68.	6.
The common wild Carlin Thistle.	68.	7.
Common Cotton Thistle.	4.	2.
The greatest Cotton Thistle, or Cotton-Thistle of Illryia	4.	3.
welted Cotton-Thistle of Alepo with great flowers like an Artichock.	}	4.
The blessed-Thistle.		89.
The great mountain Melancholy Thistle.	85.	6.
The English Soft, or Gentle-Thistle.	85.	7.
Melancholy-Thistle with tused heads.	365.	2.
The yellow Distaffe Thistle.	41.	1.
Fish-Thistle with broad reddish flowers.	5.	1.
Clusius his Chamæleon-Thistle of Salamanca.	5.	2.
The annual Golden Thistle.	311.	1.
The white THORNE, or Haw-Thorn-Tree.	230.	1.
The Ever-green-Thorne.	256.	3.
The true Goats-Thorne.	338.	1.
Buck-Thorn, or Common purging-Thorn.	291.	2.
The lesser purging-Thorn of Hungary.	291.	3.
Sallow-Thorn, or Sea-Buck-Thorn.	291.	4.
	Common	

Of the English Names.

Common THORROW WAX.	265.	5.
Codded Thorrow-wax.	54.	5.
THRIFT, or Sea-Gilliflower..	73.	1.
Thrift with a white flower.	73.	2.
Common Garden THYME.	335.	3.
Lemon-Thyme.	317.	8.
Gilded, or yellow Thyme.	318.	1.
Wild Thyme, or Mother of Thyme.	317.	4.
Mother of Thyme with white flowers.	317.	5.
Mother of Thyme with party-coloured leaves.	317.	6.
Hairy Wild Thyme.	317.	7.
Setfoil-TOOTHWORT, or Corralwort.	102.	4.
Five-leaved Toothwort, or Corralwort.	102.	5.
The greater Toothwort.	102.	6.
Bastard Toothwort with Vipers Bugloss flowers.	103.	1.
TORMENTIL.	337.	3.
TRAVELLERS JOY.	86.	5.
TREE OF LIFE.	335.	2.
White-flowered TREFOIL.	339.	3.
Common purple Trefoil.	339.	4.
Hope-Trefoil.	341.	1.
Little yellow Trefoil, or Melilote-Trefoil.	341.	2.
The least Hope-Trefoil.	341.	3.
Knotted Trefoil with round heads.	341.	4.
Starry-headed Trefoil.	342.	1.
Straw-berry Trefoil.	342.	2.
Common Snail-Trefoil, or Barbary-buttons.	342.	3.
Heart-Trefoil.	343.	3.
The smallest Hedge-hog-Trefoil.	344.	1.
Burgundy Trefoil, or Burgundy-Hay.	344.	3.
See CLAYER, and MEDICA.		
Sweet Trefoil.	204.	3.
Small hairy long-codded Trefoil.	204.	4.
Yellow-flowered square-codded Trefoil of Montpellier.	204.	5.
Square-codded Sea-Trefoil with smooth thick leaves.	204.	6.
Great Birds-foot-Trefoil.	205.	2.
	Birds	

The Table

Birds-foot Trefoil, or small coddled Trefoil.	205.	3.
Small coddled Trefoil with long narrow leaves.	205.	4.
Hoary Shrub-Claver, or Trefoil with small short upright cods.	206.	1.
The greater Pile-Trefoil.	206.	2.
The lesser Pile-Trefoil.	206.	3.
Claver, or Trefoil with Bird-foot Cods.	206.	4.
Bladder-Trefoil.	207.	1.
Shrub-Trefoil.	100.	5.
Horned shrub-Trefoil.	100.	6.
The second Spanish Bast-Trefoil.	101.	1.
Marsh-Trefoil, or Buck-Beans.	346.	3.
Candy TUFTS with purple flowers.	333.	5.
Candy Tufts with white flowers.	333.	6.
The early and late flowering TULIP with single flowers of many colours.	346.	7.
The double late flowering Tulip.	347.	1.
The yellow Tulip of Bononia.	347.	2.
Round-rooted TURNIP.	289.	3.
Long-rooted Turnep.	289.	4.
The yellow-rooted Turnep.	290.	1.
The greater TURN-SOLE.	149.	5.
The colouring or dying Turn-sole.	150.	1.
TUTSAN, or Parke-leaves.	25.	3.
Matthiols his Tutjan, or Elegant Saint Johnswort not perforate.	25.	4.
Tutjan of Naples.	26.	1.
Hairy Tutjan.	26.	2.
Stinking Tutjan.	26.	3.
TWO-BLADE.	250.	5.
The least Tway-blade.	366.	5.

V.

THE great Garden-VALERIAN, or Setwal.	348.	1.
Great wild Valerian.	348.	2.
Small wild Valerian, or Marsh-Valerian.	348.	3.
Summer		

Of the English Names.

Summer Valerian.	348.	4.
Dodonæus his Valerian with red flowers.	349.	1.
Dodonæus his Valerian with white flowers.	349.	2.
Nettle-leaved Valerian of Canada, or strange Colts-foot of America.	} 349.	3.
Greek Valerian with blew flowers.	349.	4.
Greek Valerian with white flowers.	349.	5.
Indian Valerian.	349.	6.
VENUS-LOOKING-GLASSE, or the great Corn-Violet.	} 250.	2.
Thorrow-leaved Venus-Looking glass.	250.	3.
Common VERVAIN.	354.	1.
Nettle-leaved Vervain.	354.	2.
Common VETCH, or Tare.	355.	3.
Pale-yellow flowered Vetch with short gross upright hairy cods	} 355.	4.
Chichling Vetch with a purple and blew flower.	367.	1.
Small hairy Vetch with small red flowers.	367.	2.
Yellow Vetchling.	187.	5.
Tufted Vetch, or Birds Tares.	356.	2.
The great tufted wood-Vetch.	356.	3.
Bush Vetch.	356.	4.
Spanish Sea-Milk-Vetch.	356.	5.
Base Milk-Vetch.	256.	1.
English Wood-Milk-Vetch.	256.	2.
Ordinary Bitter-Vetch.	255.	4.
Crimson Grass-Vetch.	188.	4.
The greater Hatchet-Vetch.	314.	2.
The lesser horned Hatchet-Vetch.	314.	3.
Strange Hatchet Vetch of Clusius.	314.	4.
Sweet-smelling yellow-flowered African Hatchet- Vetch.	} 40.	5.
American Trefoil Hatchet-Vetch.	148.	7.
Hatchet-Vetch of Egypt with joyned cods.	126.	3.
Great Horse-shoe-Vetch.	117.	4.
The French Horse-shoe-Vetch.	117.	5.
	Many	

The Table

<i>Many-codded Horse-foot-Vetch.</i>	118.	1.
<i>Tufted Horse-foot-Vetch.</i>	118.	2.
<i>Kidney-Vetch.</i>	207.	2.
<i>Sea-Kidney-Vetch of Spain, or Candy.</i>	43.	6.
The VINE-TREE.	361.	2.
<i>Jagged-leaved, or Parsley-Vine.</i>	361.	3.
<i>The single purple March-VIOLET.</i>	357.	1.
<i>Double purple March-Violet.</i>	357.	2.
<i>The white March-Violet.</i>	357.	3.
<i>The ash-coloured double March-Violet.</i>	357.	4.
<i>Wild or Dogs-Violets.</i>	357.	5.
<i>The great rough leaved March-Violet without a smell.</i>	358.	1.
<i>The upright Violet.</i>	358.	5.
<i>The greater late-flowering Bulbous Violet.</i>	191.	5.
<i>Small early-flowering Bulbous-Violet.</i>	192.	1.
<i>Purple flowered Dames-Violet, or Queens-Gilliflower.</i>	151.	4.
<i>Single white flowered Dames-Violet, or Queens-Gilliflower.</i>	151.	5.
<i>Double white Dames-Violet, or Queens-Gilliflower.</i>	151.	6.
<i>Double purple Dames-Violet, or Queens-Gilliflower.</i>	152.	1.
Spanish VIPERS-GRASS.	312.	3.
<i>The small Hungarian Vipers-grass.</i>	312.	4.
Upright VIRGINS-BOWER.	87.	2.

W.

WAKE-ROBINE, or Cuckow-pint.	35.	5.
<i>Spotted wake-Robin with black spots.</i>	35.	6.
<i>Round-leaved wake-Robin.</i>	36.	1.
The common WALNUT-TREE.	246.	3.
<i>The great thin-shelled walnut.</i>	246.	4.
Small WALL-FLOWER.	193.	2.
<i>Double Wall-flower.</i>	193.	3.
The WAYFARING-TREE.	355.	2.
WELD, or Dyers-weed.	208.	4.
White WHEAT.	346.	5.

Red

Of the English Names.

Red wheat.	346.	6.
The usual Indian, or Turkey wheat.	366.	6.
Buck-Wheat.	118.	3.
Party-coloured Cow-Wheat.	224.	3.
Blew Cow-Wheat.	224.	4.
Crested Cow-Wheat.	224.	5.
Common Cow-Wheat.	224.	6.
Common WHINS.	127.	2.
Needle-Furze, or Petty-whin.	127.	3.
The WHITE-BEAM-TREE.	15.	6.
Black WHORTS, or Bil.berries.	361.	5.
Red whorts, or whortle-berries.	361.	5.
Marsh whorts, or Mosse-berries.	362.	1.
Sweet WILLIAMS, or Pride of London of several colours	71.	1.
wild williams, Meadow-Pinke, Cuckow-flower.	71.	3.
The common white WILLOW.	301.	3.
The common red willow.	302.	2.
The Crack-willow.	302.	2.
Bay-leaved willow. or Sweet-Bay-willow.	302.	2.
The creeping Dwarf-willow.	302.	4.
Mock willow.	325.	4.
Great hairy coddled WILLOW-HERBE.	214.	3.
The less, or middle smooth leaved coddled willow herbe.	215.	3.
The lesser smooth broad-leaved coddled willow- herbe.	215.	4.
The least smooth coddled willow-herbe.	215.	1.
Rose-Bay-willow-herbe.	216.	2.
Hooded willow-herbe, or Loose-strife.	217.	2.
See LOOSE-STRIFE.		
Common WINTER-GREEN.	281.	1.
Winter-green with Chick-weed flowers.	281.	2.
WOAD.	176.	2.
Winter VVOLVES-BANE, or Aconite.	7.	5.
Great yellow wolvet-bane.	8.	2.
		See

37. 4.
37. 5.
37. 6.
2. 2.
2. 3.
2. 4.
2. 5.
2. 6.
3. 1.
3. 2.
235. 1.

331. 2.

FINIS

ERRATA.

Pteropier Anglorum Ger. P. 24. l. 1.
Alpina pentaphyllea Ger. P. 76. l. 13.
Erythronium P. 138.
Panicum P. 144. l. 2. leg.
comosus Ger. P. 161. l. 1. leg. *bleak*.
Ligusticum P. 198. l. 3. leg.
capsulis P. 223. l. 4. *dele* Park.
Asphodelus P. 255. l. 4. *sup.*
folmina Ger. P. 264. l. 23. *sup.*
rugosa P. 265. l. 13. leg. *rugged*. P. 269.
aquaticus Ger. P. 288. l. 2.
hortensis P. 317. l. 1. *leg.*
Morus P. 347.
minor Ger. P. 362. l. 19.

4.
5.
6.
2.
3.
4.
5.
6.
1.
2.
1.
2.

. 1
Ger.
13.
38.
leg.
iger.
eak.
leg.
ark.
elus.
uin-
69.
1-2.
leg.
47.
39.